Motive Battery		
iviotive battery	Madina	Dattani
	wotive	Dattery

Energy Storage Battery



TNE12-125

Reserve Battery

Motorcycle Battery

Motive Battery-Deep Cycle Type-TNE Series

TNE12-125

(12V 125.4Ah)


GENERAL FEATURES


- Oxygen recombination technology:Maintenance Free VRLA Battery, no need to add water or acid
- The patent grid alloy:less gassing, low self-discharge, excellent corrosion resistence performance
- Special paste formula: addictives are added to improve deep discharge,long cycle life
- High quality AGM separator: extend cycle life and prevent micro short circuit
- The patent Nano silica gel electrolytes, extend cycle life and improve the deep discharge performance
- ABS container: increase the strength of battery (Flame-retardant ABSUL94-V0 is optional)


Dimension

Unit:mm

330±2mm / 12.99inch Length Width 171±2mm / 6.73inch Container Height 214±2mm / 8.43inch **Total Height** 214±2mm / 8.43inch









ISO9001








Application

- Electric tools or toys
- Electric Bicycle/Tricycle
- Golf trolleys and golf cart
- Patrol car
- Electric Sight-seeing Tour Bus
- Sweeper
- Wheelchairs
- Lawn mowers
- Illumination light



Unit:mm

Terminal Type: Ι7



Weight

32.5kg 74.96lbs

This document is subject to change without prior notification

Motive Battery	Energy Storage



Battery




TNE12-125


Specificaion		
Nominal Voltage		12V
Nominal Capacity		125.4Ah
Rated	C20(1.80V/cell)	125.4Ah
Capacity	C10(1.80V/cell)	114Ah
(25°C)	C5(1.75V/cell)	107Ah
Container Material		ABS (Flame-retardant ABSUL94-V0 is optional)
Operating Temperature Range	Discharge	-20 ~ +50°C
	Charge	0 ~ +40°C
	Storage	-15 ~ +40°C
Capacity Effected by	40°C / 104°F	106%
	25°C / 77°F	100%
Temperature	0°C / 32°F	86%
remperature	-10°C / 14°F	65%
Charge Method		Please refer to the "Charge Characteristics (25°C)" below
Monthly Self Discharge		<3%, TNE series stored at 25°C require a supplementary charge every six months, the charging interval would shrink when the ambient temperature went higher

Performance Curve


Discharge Characteristics (25°C)




Cycle Lifes With Depth Of Discharge



Charge Characteristics (25°C)



Self-Discharge Characteristics



Tianneng Battery Group Co., Ltd. Changxing Tianying Import & Export Co., Ltd. www.tiannenggroup.com Version: V1.1 Release Date: 2017.3.1