

ROLLING RAMP: *reach unlimited length*

*portable ramps for
indoor & outdoor use*



Rolling Ramp

Flexible & Easy to Use

ramps for accessibility : **unlimited length / mobile use with wheels.**



1. Just roll the ramp on wheels,
2. Move on wheels,
3. Lay it on steps. - It's ready!

Rolling Ramp is unique; ramp length can be adjusted by user/dealer with **add-on** ramp sections and it's **completely portable** with wheels. Need just a few seconds to make building, steps and vehicle accessible.

Unlimited length by add-on ramp sections.

Innovative designed **100% aluminium** made profiles provides high loading capacity and lightweight structure and antislip surface in use.

- Add-on ramp sections
- User-friendly wheeled design
- **100% aluminium made _ 6063 T6 Hardness**
- Innovative closed aluminium profile design provides high loading capacity.
- Antislip surface
- 5 years warranty



easy to operate with wheels and ergonomic handle holes.



safety use:
side border height options
6cm & 8cm

Rolling Ramp

Unlimited Ramp Length : Adding / Removing Ramp Sections



Art No	Width (cm)	Width (inch)	Length (cm)	Length (inch)	Outer Width (cm)	Outer Width (inch)	Folded Dimensions (cm)	Folded Dimensions (inch)	Weight (kg)	Weight (Its)	Max Load (kg)	Max Load (Ibs)
RR7580	75	29,5	80	31,5	79	31,1	30x35x82	12x14x32	6,5	14,3	340	750
RR75100	75	29,5	100	39,4	79	31,1	35x35x82	14x14x32	8,1	17,8	340	750
RR75120	75	29,5	120	47,2	79	31,1	35x35x82	14x14x32	9,7	21,3	340	750
RR75140	75	29,5	140	55,1	79	31,1	35x40x82	14x16x32	11,3	24,9	340	750
RR75160	75	29,5	160	63,0	79	31,1	40x40x82	16x16x32	12,9	28,4	340	750
RR75180	75	29,5	180	70,9	79	31,1	40x45x82	16x18x32	14,5	31,9	340	750
RR75200	75	29,5	200	78,7	79	31,1	45x45x82	18x18x32	16,1	35,4	340	750
RR75220	75	29,5	220	86,6	79	31,1	45x45x82	18x18x32	17,7	38,9	340	750
RR75240	75	29,5	240	94,5	79	31,1	45x50x82	18x20x32	19,3	42,5	340	750
RR75260	75	29,5	260	102,4	79	31,1	50x50x82	20x20x32	20,9	46,0	340	750
RR75280	75	29,5	280	110,2	79	31,1	50x55x82	20x22x32	22,5	49,5	340	750
RR75300	75	29,5	300	118,1	79	31,1	55x55x82	22x22x32	24,1	53,0	340	750

Art No	Width (cm)	Width (inch)	Length (cm)	Length (inch)	Outer Width (cm)	Outer Width (inch)	Folded Dimensions (cm)	Folded Dimensions (inch)	Weight (kg)	Weight (Ibs)	Max Load (kg)	Max Load (Ibs)
RR8080	80	31,5	80	31,5	84	33	30x35x87	12x14x34	6,7	14,7	340	750
RR8100	80	31,5	100	39,4	84	33	35x35x87	14x14x34	8,3	18,3	340	750
RR8120	80	31,5	120	47,2	84	33	35x35x87	14x14x34	9,9	21,8	340	750
RR8140	80	31,5	140	55,1	84	33	35x40x87	14x16x34	11,5	25,3	340	750
RR8160	80	31,5	160	63,0	84	33	40x40x87	16x16x34	13,1	28,8	340	750
RR8180	80	31,5	180	70,9	84	33	40x45x87	16x18x34	14,7	32,3	340	750
RR8200	80	31,5	200	78,7	84	33	45x45x87	18x18x34	16,3	35,9	340	750
RR8220	80	31,5	220	86,6	84	33	45x45x87	18x18x34	17,9	39,4	340	750
RR8240	80	31,5	240	94,5	84	33	45x50x87	18x20x34	19,5	42,9	340	750
RR8260	80	31,5	260	102,4	84	33	50x50x87	20x20x34	21,1	46,4	340	750
RR8280	80	31,5	280	110,2	84	33	50x55x87	20x22x34	22,7	49,9	340	750
RR8300	80	31,5	300	118,1	84	33	55x55x87	22x22x34	24,8	54,6	340	750

Rolling Ramp

- **Standard Version** : Loading capacity **340kg (750 lbs)**, ramp side border height is 6cm.
- **High Version** : Loading capacity **450kg (1000 lbs)** ramp side border height is 8cm.

Ramps longer than 240cm are used with folding & milimetric height adjustable support feet.

Art No	Width (cm)	Width (inch)	Length (cm)	Length (inch)	Outer Width (cm)	Outer Width (inch)	Folded Dimensions (cm)	Folded Dimensions (inch)	Weight (kg)	Weight (Ibs)	Max Load (kg)	Max Load (Ibs)
RR9080	90	35,4	80	31,5	94	37	30x35x97	12x14x38	7,0	15,4	340	750
RR9100	90	35,4	100	39,4	94	37	35x35x97	14x14x38	8,7	19,1	340	750
RR9120	90	35,4	120	47,2	94	37	35x35x97	14x14x38	10,4	22,9	340	750
RR9140	90	35,4	140	55,1	94	37	35x40x97	14x16x38	12,1	26,6	340	750
RR9160	90	35,4	160	63,0	94	37	40x40x97	16x16x38	13,8	30,4	340	750
RR9180	90	35,4	180	70,9	94	37	40x45x97	16x18x38	15,5	34,1	340	750
RR9200	90	35,4	200	78,7	94	37	45x45x97	18x18x38	17,2	37,8	340	750
RR9220	90	35,4	220	86,6	94	37	45x45x97	18x18x38	18,9	41,6	340	750
RR9240	90	35,4	240	94,5	94	37	45x50x97	18x20x38	20,6	45,3	340	750
RR9260	90	35,4	260	102,4	94	37	50x50x97	20x20x38	22,3	49,1	340	750
RR9280	90	35,4	280	110,2	94	37	50x55x97	20x22x38	24,0	52,8	340	750
RR9300	90	35,4	300	118,1	94	37	55x55x97	22x22x38	25,7	56,5	340	750

Art No	Width (cm)	Width (inch)	Length (cm)	Length (inch)	Outer Width (cm)	Outer Width (inch)	Folded Dimensions (cm)	Folded Dimensions (inch)	Weight (kg)	Weight (Ibs)	Max Load (kg)	Max Load (Ibs)
RR10080	100	39,3	80	31,5	104	41	30x35x107	12x14x42	7,3	16,1	340	750
RR10100	100	39,3	100	39,4	104	41	35x35x107	14x14x42	9,1	20,0	340	750
RR10120	100	39,3	120	47,2	104	41	35x35x107	14x14x42	11,0	24,2	340	750
RR10140	100	39,3	140	55,1	104	41	35x40x107	14x16x42	12,8	28,2	340	750
RR10160	100	39,3	160	63,0	104	41	40x40x107	16x16x42	14,7	32,3	340	750
RR10180	100	39,3	180	70,9	104	41	40x45x107	16x18x42	16,5	36,4	340	750
RR10200	100	39,3	200	78,7	104	41	45x45x107	18x18x42	18,4	40,4	340	750
RR10220	100	39,3	220	86,6	104	41	45x45x107	18x18x42	20,2	44,5	340	750
RR10240	100	39,3	240	94,5	104	41	45x50x107	18x20x42	22,1	48,6	340	750
RR10260	100	39,3	260	102,4	104	41	50x50x107	20x20x42	23,9	52,7	340	750
RR10280	100	39,3	280	110,2	104	41	50x55x107	20x22x42	25,8	56,7	340	750
RR10300	100	39,3	300	118,1	104	41	55x55x107	22x22x42	27,6	60,8	340	750

Rolling Ramp



Where to use ?

Rolling Ramps are completely portable and ready to use without installation.

And it's unique function: unlimited length by add-on ramp sections; any place can be made accessible with Rolling Ramp.

Historical buildings, open public buildings, schools, shops, theaters, stages, yachts etc; steps and thresholds.

And it's an ideal solution for accessible events.



Rolling Ramp

Optional Parts

• Support Feet




Art No	Height
SF V1	12-18cm
SF V2	18-35cm
SF V3	35-50cm
SF V4	51-70cm
SF V5	71-85cm
SF V6	85-100cm

• Handrail



• Additional Sections



Art No	Inner Width	Length
RM80	80cm	20cm
RM90	90cm	20cm
RM100	100cm	20cm

• Portable Folding Platform



Art No	Width x Length	Height	Rec. Rolling Ramp Dimension	Max Load
MP 100 V1	100x100cm	12-18cm	100cm - unlimited	400kg
MP 100 V2	100x100cm	18-35cm	100cm - unlimited	400kg
MP 100 V3	100x100cm	35-50cm	100cm - unlimited	400kg
MP 100 V4	100x100cm	51-70cm	100cm - unlimited	400kg
MP 100 V5	100x100cm	71-85cm	100cm - unlimited	400kg
MP 100 V6	100x100cm	85-100cm	100cm - unlimited	400kg
MP 120 V1	100x120cm	12-18cm	100cm - unlimited	400kg
MP 120 V2	100x120cm	18-35cm	100cm - unlimited	400kg
MP 120 V3	100x120cm	35-50cm	100cm - unlimited	400kg
MP 120 V4	100x120cm	51-70cm	100cm - unlimited	400kg
MP 120 V5	100x120cm	71-85cm	100cm - unlimited	400kg
MP 120 V6	100x120cm	85-100cm	100cm - unlimited	400kg