

CATALOGUE

ALPS PROSTHETIC SOLUTIONS









ALPS SOUTH LINER SPECIALISTS SINCE 1993

ALPS South is an American company which has been specializing in the production of prosthetic liners since 1993. Since then we have expanded globally, with offices in 5 countries, a consolidated network of agents and over 160 trusted distributors spread out all over the world.

Thanks to our dedication to innovation, coupled with our eagerness to interpret and even anticipate the needs of prosthetic technicians and wearers, ALPS has gone far beyond our initial production only of prosthetic liners, and developed a whole range of high-quality prosthetic solutions, including more than 75 registered patents spanning an array of product categories. This catalogue makes it easy to access information about the entire range of ALPS products to identify the best prosthetic solutions based on both the lifestyle and clinical profile of each individual patient.

PREMIUM QUALITY 100% MADE IN USA

Investment in innovation, research and quality, both in terms of products and working methods, continues to be a priority here at ALPS, allowing us to offer premium solutions. The entire production process, from the knitting of fabrics to the manufacturing of the liners, takes place at our St. Petersburg, Florida plant. This means we can assure maximum quality control at every step of production. In addition ALPS guarantees the quality and safety of its products with certification from some of the most important internationally recognized authorizing institutions. ALPS has been manufacturing FDA-approved medical devices since 1989. ALPS products are designed and produced according to ISO13485 and GMP (Good manufacturing practice) standards, meeting the requirements of the EU regulations CEE 93/42 UE and conforming to MDR 2017/745.





ALPS SOUTH MAKING LIVES BETTER™

"Making Lives BetterTM" is the mission which has been driving the company since 1988, inspiring our job every day and pushing us to provide superior products for you and for every prosthetics user.

We pride ourselves on our fair business practices with customers, vendors, and employees alike, while maintaining a brand image that makes our staff, collaborators and end-users of our products all proud to be associated with ALPS.

USERS FIRST

At the top of the catalogue, you can find a unique tool called Choose Your Liner $^{\text{TM}}$ which ALPS has developed to help you identify which prosthetic solutions are best suited to each patient, based on both the individual's lifestyle and clinical profile. You will find products specifically tailored to your needs as well as related suspension systems, applicable in 5 easy steps. Putting the user first helps you choose the best prosthetic solution for each individual.

Choose Your Liner™

Find your ideal prosthetic liner in 5 simple steps



INDEX CATALOGUE

| LINERS OVERVIEW | 12 |
|--------------------------------|----|
| SLEEVES OVERVIEW | 18 |
| HOW TO SIZE LINERS AND SLEEVES | 23 |
| OUR TECHNOLOGIES | 24 |
| GELTECHNOLOGY | 26 |
| KNITTING TECHNOLOGY | 28 |
| SILICONETECHNOLOGY | 30 |
| NRG TECHNOLOGY® | 32 |
| DISTAL END TECHNOLOGY | 34 |
| HOW ANTIOXIDANT WORK | 38 |
| CASE STUDIES | 39 |
| PROSTHETIC LINERS | 42 |
| SoftSil Liner | 44 |
| Pro-Fit Liner | 46 |
| UltraSeal Liner | 48 |
| EasyLiner [®] | 50 |
| Silicone Pro Liner | 52 |
| Superior Performance Liner | 54 |
| Superior Performance HD Liner | 56 |
| General Purpose Liner | 58 |
| Eco TM Liner | 60 |
| Smart Seal™ Liner | 62 |
| Extreme TM Liner | 64 |
| Extreme [™] HD Liner | 66 |
| EasyFlex TM Liner | 68 |
| EasyLiner® SuperStretch | 70 |



| Anterior Posterior Tapered Liner | 72 |
|-----------------------------------|-----|
| PSI Liner | 74 |
| Liberty [™] Liner | |
| PROSTHETIC SUSPENSION SYSTEMS | 78 |
| SLEEVES | |
| Reinforced Flex Sleeve | 80 |
| Reinforced Sleeve | 82 |
| EasySleeve | 84 |
| EasySleeve SuperStretch | 86 |
| Flex Sleeve | 88 |
| Superior Suspension Sleeve | 90 |
| Superior Performance Sleeve | 92 |
| Extreme Sleeve | 94 |
| V.I.V.A. Sleeve | 96 |
| Anterior Posterior Tapered Sleeve | 98 |
| EasySleeve Fabric Reinforced | 100 |
| LOCKS | |
| Lock with Pyramid | 102 |
| Lock with Flat Bottom | 104 |
| VIP® Lock | 106 |
| ELEVATED VACUUM | |
| Vacuum Integrated Pump | 108 |
| ADDED SOLUTIONS | |
| MODULAR COMPONENTS | |
| Tubes, adapters, receivers | 112 |
| VOLUME CHANGE MANAGEMENT | |
| Prosthetic Socks with Hole | 114 |



INDEX CATALOGUE

| Prosthetic Socks without Hole | 116 |
|-------------------------------|-----|
| Skin Reliever | |
| LINER AND RESIDUAL LIMB CARE | |
| | 100 |
| Antioxidant Cream | |
| Silicone Skin Lotion | |
| Prosthetic Lubricant | 122 |
| Prosthetic Cleanser | 123 |
| EXTRA | |
| PadSil | 124 |
| PROSTHETIC FEET | 126 |
| BioStep® EVO | |
| BioStep® PRO | |
| BioStep® CL | |
| BioStep® XT | |
| BioStep® LP | 136 |
| PROSTHETIC KNEE | |
| ProStride | 138 |
| ALPS WARRANTY POLICY | 140 |
| CONTACTS | 1/2 |





PRODUCT SYMBOLS

USPENSION



Locking Liner



Cushion Liner





EASYGEL

Gel rich in antioxidants and characterized by a soft, powdery texture



GRIPGEL

Gel with a smooth, tacky texture



HIGH DENSITY GEL

Gel with a dense, firm texture



OPTIGEL

Exclusive white gel with a soft, smooth texture



SILICONE

Comfortable hypoallergenic silicone



OPTISIL

Advanced medical-grade white silicone



K1: low activity



K2: middle/low activity



K3: middle/high activity



K4: high activity



In-house knitted fabric with high quality yarns



Black Fabric with highly reduced vertical stretch



Brown Fabric with reduced vertical stretch



Beige Fabric with both horizontal and vertical stretch



Gray Fabric with increased reduction of vertical elongation



LINERS OVERVIEW

| PICTURE | NAME | PART# | SUSPENSION | MATERIAL |
|----------|-------------------------------|----------------------------------|------------|-----------------|
| 1 Xr.2 | SoftSil Liner | SSGSL SSGSC | UŲ | O ptiSil |
| - a more | Pro-Fit Liner | PFGDT PFGFR | UŲ | OptiGel |
| | UltraSeal Liner | USHSL USHSC USLSL USLSC | UU | OptiSil |
| | EasyLiner [®] | ELDT ELFR | UU | EasyGel |
| A | Silicone Pro Liner | LSC LSL | UU | Silicone |
| | Superior Performance Liner | SPDT SPFR | UV | GripGel |



| THICKNESS | HICKNESS ACTIVITY LEVEL RECOMMENDED | | PAGE |
|--|---|---|------|
| 3 mm | K1 K2 × K3 × K4 × | Patients with medium to high activity levels as the fabric offers a high degree of control, while the soft silicone provides comfort. Further recommended for patients living in hot areas. | 44 |
| 3 mm 6 mm | K1 K2 × K3 × K4 × | Patients who demand comfort, control, and stability needed for high performance activities. | 46 |
| 3 mm | <u> </u> | Transtibial and transfemoral users with medium to long residual limbs and for knee disarticulation. | 48 |
| 3 mm 6 mm 3/6 mm 9mm only available in sizes 24 and 28: size 35 available only in 3mm and 6mm. | <u> </u> | Diabetic patients and those with sensitive skin and whenever the comfort and the protection of the residual limb is a priority. | 50 |
| 3 mm | 州 | Residual limbs with redundant soft tissue and for transfemoral amputees. Further recommended to counter perspiration issues and for patients living in hot areas. | 52 |
| 3 mm 6 mm | \(\hat{\chi}\) \(\hat{\chi}\) \(\hat{\chi}\) \(\hat{\chi}\) \(\hat{\chi}\) \(\hat{\chi}\) \(\kappa\) \(\kappa | Transfemoral and transtibial patients with moderate activity levels, and good skin condition who are looking for an improved control of the prosthetic leg. | 54 |



LINERS OVERVIEW

| PICTURE | NAME | PART# | SUSPENSION | MATERIAL |
|---------|--|----------------------|------------|------------------|
| 4 | Superior Performance HD Liner | SPDTHD SPFRHD | UU | High Density Gel |
| | General Purpose Liner | GPDT GPFR | UŲ | GripGel |
| | Eco™ Liner | ECDTHD ECFRHD | UU | High Density Gel |
| | Smart Seal™ Liner For hypobaric suspension | SADT SAFR SBFR | UU | High Density Gel |
| | Extreme™ Liner | AKDT AKFR | U | GripGel |
| | Extreme™ HD Liner | AKDTHD AKFRHD | UU | High Density Gel |



| THICKNESS | ACTIVITY LEVEL | RECOMMENDED FOR | PAGE |
|-----------|---|---|------|
| 3 mm 6 mm | \(\hat{\chi}\) \(\ha | Patients with medium and high activity levels who require both comfort and elevated levels of control of the prosthetic leg. It is also recommended for patients whose residual limbs have excessive soft tissue and for transfemoral amputees. | 56 |
| 3 mm 6 mm | <u> </u> | Patients with low activity levels and good skin conditions; it is also indicated for irregularly shaped residual limbs and those with bony protuberances. | 58 |
| 3 mm 6 mm | <u> </u> | Patients with medium to high activity levels, whether with transtibial or transfemoral prostheses, and for those whose residual limbs present redundant soft tissues. | 60 |
| 3 mm 6 mm | <u> </u> | Transtibial and transfemoral users with medium to long residual limbs and for knee disarticulation. | 62 |
| 3 mm 6 mm | 州 外 | Patients, both transfemoral and transtibial, with medium activity levels whose skin is in good condition and who are aiming to maintain a good level of control of the prosthetic leg. | 64 |
| 3 mm 6 mm | 労 | Patients with medium and high activity levels as it offers a high level of control while preserving comfort. It is also recommended for patients whose residual limbs have excessive soft tissue and for transfemoral amputees. | 66 |



LINERS OVERVIEW

| PICTURE | NAME | PART# | SUSPENSION | MATERIAL |
|---------|-------------------------------------|--------------|------------|------------------|
| | EasyFlex™ Liner | EZF | Ų | EasyGel |
| | EasyLiner® SuperStretch | ELPX | U | EasyGel |
| | Anterior Posterior Tapered Liner | APDT APFR | UU | High Density Gel |
| | PSI Liner | PSI | U | EasyGel |
| | Liberty™ Liner | VSDT | Ų | High Density Gel |



| THICKNESS | ACTIVITY LEVEL | RECOMMENDED FOR | PAGE |
|-------------|------------------------------------|---|------|
| 3 mm 6 mm | <u> </u> | It is recommended for diabetic and sensitive skin transtibial patients who have medium to high activity levels and using a pin and lock suspension. | 68 |
| 6 mm | ♣ ♣ ♣ ♣ ★ ★ ★ ★ ★ ★ ★ ★ ★ ★ | It is recommended for diabetic patients and those with sensitive skin or irregularly shaped residual limbs. | 70 |
| AP tapered | 光 | It is indicated for transtibial users with medium and high activity levels who desire greater control and freedom of movement without sacrificing comfort. | 72 |
| 6 mm 6/3 mm | 州 州 州 州 州 州 州 | It is recommended for transtibial patients with low and medium activity levels and sensitive skin. | 74 |
| 3 mm 6 mm | <u> </u> | It is recommended to counter the problem of excessive perspiration. | 76 |



SLEEVES OVERVIEW

| PICTURE | NAME | PART# | MATERIAL | THICKNESS |
|---------|-----------------------------------|--------------|----------------|-----------|
| | Reinforced Flex Sleeve | RFX | OptiGel | 3 mm |
| 6A | Reinforced Sleeve | RFS | OptiGel | 3 mm |
| | EasySleeve | SFR | EasyGel | 3 mm 6 mm |
| | EasySleeve SuperStretch | SLE | EasyGel | 6 mm |
| | Flex Sleeve | SFX | HD Gel | 3 mm |
| | Superior Suspension Sleeve | SFB SFBHD | HD Gel GripGel | 2 mm |
| | Superior Performance Sleeve | SFP SFPHD | HD Gel GripGel | 3 mm 6 mm |



| KEY FEATURES | ACTIVITY LEVEL | PAGE |
|--|---------------------------------------|------|
| 30° pre-flexion + an added layer of internal fabric for increased durability | K1 K2 × K3 × K4 × | 80 |
| Constructed with an extra layer of internal fabric to deliver superior durability | K1 K2 × K3 × K4 × | 82 |
| For sensitive skins | 省 | 84 |
| Without fabric for freedom of movement | 1 1 1 1 1 1 1 1 1 1 | 86 |
| 30° pre-flexed | 労 党 党 学 K1 × K2 × K3 × K4 × | 88 |
| 2 mm thinner profile for less bulk | K1 × K2 × K3 × K4 × | 90 |
| The innovative black fabric provides comfort and stability | 州 | 92 |




SLEEVES OVERVIEW

| PICTURE | NAME | PART# | MATERIAL | THICKNESS |
|---------|--------------------------------------|-------|----------|----------------|
| | Extreme Sleeve | SFK | GripGel | 3 mm 6 mm |
| | V.I.V.A | VIVA | GripGel | 3 mm 6 mm |
| | Anterior Posterior Tapered Sleeve | APS | HD Gel | 6/3 mm tapered |
| | EasySleeve Fabric Reinforced | SFS | GripGel | 3 mm 6 mm |




| KEY FEATURES | ACTIVITY LEVEL | PAGE | |
|---|-----------------------------------|------|--|
| Limited vertical stretch, ideal for active patients | 州 八 八 八 八 八 八 八 八 八 八 | 94 | |
| The built-in valve evacuates the air in the socket | 州 光 学 学 K1 × K2 × K3 K4 | 96 | |
| Gradually tapered from the anterior to the posterior to provide superior comfort | 外 | 98 | |
| Achieves secure suspension by sealing with the skin without restricting circulation | 於 於 ※ ※ ※ ※ ※ ※ ※ ※ ※ ※ | 100 | |






HOW TO SIZE LINERS



Measure the circumference of the stump at 6 cm above the distal end. Use the chart in the product page to select the size of the liner.

HOW TO SIZE SLEEVES



Measure the circumference of the leg at 10 cm above the centre of the knee. Use the chart in the product page to select the size of the sleeve.





Gel Technology Knitting Technology Silicone Technology NRG Technology® Distal End Technology





GEL TECHNOLOGY



ALPS expertise in the field of chemistry and our position as a leading manufacturer of advanced gel-based medical devices have led to the development of a wide range of prosthetic liners and sleeves over the years, characterized by an innovative and unique product: our patented gel.

ALPS Gel offers an optimum level of protection against shear forces and other stresses, guaranteeing the perfect combination of control and uniform distribution of pressure within the socket thanks to its characteristic low modulus of elasticity.

ALPS Gel is far more flexible and resistant with respect to other gels being used in the lower limb prosthetic liner industry. ALPS Gel offers up to six times the elasticity of other gels on the market. It is this important mechanical property that allows ALPS Gel to guarantee prosthetic leg wearers the comfort, durability, control and safety they need to grant them the mobility and freedom of movement.







Four types of ALPS Gels to serve the mobility needs of prosthetic leg wearers

ALPS makes four types of gels to meet the needs of every individual prosthetic leg user whose requirements vary based on their clinical condition and lifestyle: EasyGel, GripGel, HD Gel and OptiGel. The full range of ALPS Gels means that each patient will be able to find his or her own, unique, perfect comfort.



EASYGEL

Soft, powdery texture. It is rich in antioxidants that are an effective scavenger of free radicals and hydroxyl groups. Best for use on amputees with adherent scartissue, skin irritations, sensitive skin and diabetics.



HIGH DENSITY GEL

Dense, firm texture. Relatively firm nature of the HD Gel combines comfort with control and stability. Recommended for highly active users who are transitioning from a silicone liner to a gel liner.



GRIPGEL

Smooth, tacky texture. Tackiness helps in reducing bunching in the popliteal area. Recommended for users with healthy skin tissue.



OPTIGEL

Exclusive, white gel. Excellent adhesion to the residual limb. Recommended for users who demand ultimate comfort, control, and stability.



KNITTING TECHNOLOGY



The choice of fabric used for producing prosthetic sleeves and liners is fundamental for guaranteeing maximum comfort and safety.

This is why ALPS began manufacturing its own fabrics years ago: to be sure to offer a product that best meets the functional needs of prosthetic wearers. The fabric needs to do more than just protect the materials used in making the liners and extend their durability; it must also be able to generate a greater, lesser or differentiated level of tension depending on the needs of the individual user. ALPS manufactures and uses four types of fabric: beige, brown, black and knitted.

These five types of fabric are not differentiated merely by color and manufacturing process, they also each have distinctive characteristics and functions in order to provide each prosthetic leg wearer with the specific benefits he or she needs based on individual lifestyles and clinical conditions.







BEIGE FABRIC

Beige fabric stretches both vertically and horizontally

The fabric's stretch allows the liner to adapt to the shape of the residual limb as it moves to guarantee maximum comfort.



BROWN FABRIC

Brown fabric has reduced vertical elasticity

Vertical stretch is reduced by 80% compared to the beige fabric, allowing a greater level of control and stability of the prosthesis. Ideal for active patients.



BLACK FABRIC

Black fabric with greatly reduced vertical stretch

Vertical stretch is 90% lower than the beige fabric, allowing a greater level of control and stability of the prosthesis. Ideal for active patients.



GREY FABRIC

Grey fabric with increased reduction of vertical stretch

 $\label{lem:minimal} \mbox{Minimal vertical stretch allows for a high level of control and freedom of movement.} \\ \mbox{Ideal for active patients}.$



KNITTED FABRIC

ALPS years of experience in manufacturing fabrics has played a fundamental role in the development of our latest innovation: products created using ALPS knitted fabric.

Our latest fabric manufacturing process has allowed us to:

- Create products totally devoid of any stitching
- Maintain control of the tension in each section of the liner to maximize and reduce the effects of pistoning
- Integrate a matrix in the distal construction of our locking liners
- Integrate a distal matrix to limit elongation / U matrix or Regular Matrix



SILICONE TECHNOLOGY


ALPS® has introduced innovative and skin-friendly silicone prosthetic liners for lower limb amputation.


These liners provide a solution to some of the clinical problems and disadvantages of silicone in skin-contact applications due to the inherently high coefficient of static friction typical of silicone polymers.

ALPS expertise in processing silicone allowed our engineers to come up with a new manufacturing method which improved the friction characteristics of the silicone prosthetic liner.

The surface of the prosthetic liner has been modified, to create micro craters that reduce the static friction without any additives, resulting in a completely skin friendly silicone.

Silicone with the modified surface layer shows a reduction of 80% of the coefficient of static friction, as shown in the graph below.









ALPS makes two types of silicone to meet the needs of every individual prosthetic leg user.



SILICONE: Comfortable Hypoallergenic Silicone. 1/5 the friction of standard silicone, and completely free from additives. Recommended for users looking for a silicone liner very delicate on the skin.




OPTISIL: Advanced Medical-Grade White Silicone. All features of ALPS Silicone while achieving an enhanced balance of control and comfort; maintains the skin moisturized, cool, and healthy. Recommended for medium and high-activity users who demand ultimate comfort, stability, and support for the skin's natural thermoregulation process.

ALPS silicone is lightweight, hypoallergenic, cool and additive-free and creates only one-fifth the friction of normal silicone. The technology used to create this particular silicone is of fundamental importance, allowing ALPS to design and produce silicone liners for prosthetic legs which can guarantee: freedom of movement, maximum gentleness on the skin, cooling effect and ease of cleaning





NRG TECHNOLOGY®



Inspired by Nature. Empowered by Technology.

NRG® - Natural Reactive Gait - is a patented innovative dynamic response foot technology designed to replicate the natural movement of the calf and shin muscles.



ONE FOOT, MULTIPLE POSSIBILITIES, INFINITE EMOTIONS









Exclusive and patented reverse shank design



Advanced flexible ergonomic design

KEY BENEFITS

- Physiological and energy efficient gait
- Smooth rollover during the whole gait cycle
- High dynamic response to support an active lifestyle
- Possibility to do a wide range of activities with just one single foot
- Ground compliance and stability on all terrains
- Reduction of secondary issues thanks to a more balanced posture and symmetrical gait
- Low maintenance
- Lightweight
- Waterproof






DISTAL END TECHNOLOGY

Our distal end construction delivers a superior, high-quality product that provides the comfort, protection, and durability essential for a successful prosthetic liner.

How we do it.

Our team of engineers works meticulously to ensure that every distal end is constructed to the highest standards, using only the best materials and components.

That's why our prosthetic liners are designed using an **internal distal end construction method** which fuses the three primary liner materials- gel, fabric, and umbrella- on the inside of the liner, instead of being glued on from the outside like many liners available today.



Integrating these materials into a cohesive unit creates a secure anchoring point for the umbrella, ensuring that the liner can easily connect to a prosthetic device without fear of damage or detachment. Not only does this guarantee the reliability of the entire system, but it also provides unparalleled comfort and performance.

4 distal end styles and 6 different construction processes.



Each prosthetic liner falls under 1 of 4 distal end styles, which is determined by umbrella type. The liners within each style are then further grouped based on its internal construction process (i.e., the components used during assembly).


Each of the six construction processes is unique and complex, involving several elements that merge together to create a highly durable structure that caters to the liner's purpose and recommended use.

Refer to the Table on page 35 to view the specs of each distal end style and the components used in their construction.



| Distal End Styles Distal End Construction | | Distal End Components | | | | | |
|---|---------------|-----------------------|-------------------------------|----------|----------------------------------|----------|---------------|
| Style Name | Umbrella Type | Internal Construction | Liner(s)/Construction Process | Grommet | Internal Reinforcement Fabric | U Band | Encapsulation |
| Easy | Wide, Flat | ✓ | EasyLiner | ✓ | ✓ | | Plastic |
| Retro Standard | ✓ | GP, AK, EZF, VSDT, SP | / | ✓ | | Silicone | |
| | | Eco | / | | / | Silicone | |
| Choice Low-Profile | | Pro-Fit | / | | / | Aluminum | |
| | ✓ | SoftSil | | | / | Aluminum | |
| | | UltraSeal | | | | | |
| Classic | Low-Profile | ✓ | Silicone Pro | | | / | |

Gel and fabric type not included as it may vary.



Deep Dive

Style: Choice Construction Process: Pro-Fit

A. Gel

The thickness layer of the OptiGel increases at the distal end to provide cushion. It also embeds the base of the umbrella (B) and helps secure the fabric layers (D, E) in place.

B. Umbrella

An internal metal umbrella makes the liner more secure and durable, as opposed to umbrellas glued externally to the fabric.

C. Grommet

The grommet links and secures both fabric layers together (D, E), forming a solid composite while providing a secure anchoring point for the umbrella.

D. U Band

The U Band prevents distal pistoning while allowing for the expansion of bulbous residual limbs.

E. External Fabric


The external fabric layer protects all internal elements and offers limited vertical stretch to provide a greater level of control and stability of the prosthesis.


F. Encapsulation

The aluminum encapsulation provides a highly durable attachment point to the prosthetic.




DISTAL END CONSTRUCTION





√ Wide, Flat Encapsulation for Easy Donning




✓ Low-Profile Umbrella

✓ All Metal Construction




✓ Versatile Encapsulation





✓ Low-Profile Umbrella


✓ All Metal Construction



√ Versatile Encapsulation








HOW ANTIOXIDANTS WORK

ALPS EasyLiner® contains an antioxidant that is an effective scavenger of free radicals and hydroxyl groups.

Beneficial effects to the skin of patients have been reported. These stories have been provided here as anectodal evidence of the benefits that some patients have reported.





CASE STUDY 1

DIABETIC AMPUTEE

Case history provided by: Jim McElhiney, CPO, Nashville (USA).

This patient is a severe diabetic, insulin dependent with compromised vascularization. A local hospital called Jim McElhiney, CPO in Nashville (USA), to evaluate this patient.

The first two pictures have been taken prior to the fitting by Jim McElhiney. The patient had been out of her prosthesis for 3 weeks and was being treated with wet and dry dressing. She was then fitted with ALPS EasyLiner® (Cushion Liner) and ALPS Easysleeve (Sealing Sleeve), creating a suction suspension system.





Before the fitting with ALPS EasyLiner®.





One week post initial fitting with ALPS EasyLiner®.





Three weeks post initial fitting with ALPS EasyLiner®.



CASE STUDY 2

PATIENT WITH DERMATITIS

Case history provided by: Wayne Sadler, CPO, Kentucky (USA).

This patient has been diagnosed with Contact Dermatitis. He followed the simple cleaning procedures as reccommended by the manufacturer.

When that wasn't enough, he started using our product, these are the results.





A DIFFICULT RESIDUAL LIMB

Case history provided by: Palgi Orthopaedic, Israel.





Before, when wearing a silicone liner.





After, when fitted with ALPS EasyLiner® during 4 weeks.







SoftSil Liner

Patent No. 11,602,445

ALPS SoftSil Liner delivers the same medical-grade qualities as our popular Silicone Pro but with enhanced fea tures. Made with OptiSil, our new, soft, white silicone, and gray knitted fabric, the liner effectively offers a high degree of control and excellent freedom of movement without sacrificing a comfortable suspension in the user's prostheses.



Material Fabric Activity level Thickness

OptiSil Grey Fabric KI K2 × K3 × K4 × 3 mm

Key Benefits



Medical grade, white silicone with 1/5 the friction of regular silicone offers superior comfort



Increased reduction of vertical stretch provides users with greater control and freedom of movement



Reduced pistoning



Skin friendly



Thin, lightweight & cooling




SoftSil Liner SSGSL/SSGSC. Sizing chart.Measure the circumference of the stump at 6 cm above the distal end.

| Measured size (cm) | Locking 3mm uniform | Cushion 3mm uniform |
|--------------------|---------------------|---------------------|
| 20-22 cm | SSGSL-20 | SSGSC-20 |
| 22-24 cm | SSGSL-22 | SSGSC-22 |
| 24-26 cm | SSGSL-24 | SSGSC-24 |
| 26-28 cm | SSGSL-26 | SSGSC-26 |
| 28-30 cm | SSGSL-28 | SSGSC-28 |
| 30-32 cm | SSGSL-30 | SSGSC-30 |
| 32-35 cm | SSGSL-32 | SSGSC-32 |
| 35-38 cm | SSGSL-35 | SSGSC-35 |
| 38-41 cm | SSGSL-38 | SSGSC-38 |
| 41-44 cm | SSGSL-41 | SSGSC-41 |
| 44-47 cm | SSGSL-44 | SSGSC-44 |
| | | |

Cross section








SSGSL

Locking

U-SHAPED REINFORCEMENT

Wider distal ends that are proportionate to the size of the liner



Choose Your Liner™





Pro-Fit Liner

ALPS Pro-Fit is a prosthetic liner made with OptiGel that ensures excellent conformability to the residual limb. At the same time, its new and improved distal end encapsulation allows the user to experience a highly secure fit, resulting in enhanced control, comfort, and safety.



Material Fabric **Activity level Thickness**







Grey Fabric















OptiGel

3 mm 6 mm

Key Benefits



New encapsulation allows the liner to fit better on the residual limb



Improves the control of the prosthetic leg and reduces pistoning while still providing superior protection of the residual limb



The superior adhesion of the OptiGel allows the safe suspension of the prosthetic leg




Pro-Fit Liner PFGDT/PFGFR. Sizing chart. Measure the circumference of the stump at 6 cm above the distal end.

| Measured size (cm) | Locking 3mm or 6mm uniform | Cushion 3mm or 6mm uniform |
|--------------------|----------------------------|----------------------------|
| 16-19 cm | PFGDT16-(3 or 6) | PFGFR16-(3 or 6) |
| 20-23 cm | PFGDT20-(3 or 6) | PFGFR20-(3 or 6) |
| 24-25 cm | PFGDT24-(3 or 6) | PFGFR24-(3 or 6) |
| 26-27 cm | PFGDT26-(3 or 6) | PFGFR26-(3 or 6) |
| 28-31 cm | PFGDT28-(3 or 6) | PFGFR28-(3 or 6) |
| 32-34 cm | PFGDT32-(3 or 6) | PFGFR32-(3 or 6) |
| 35-37 cm | PFGDT35-(3 or 6) | PFGFR35-(3 or 6) |
| 38-43 cm | PFGDT38-(3 or 6) | PFGFR38-(3 or 6) |
| 44-53 cm | PFGDT44-(3 or 6) | PFGFR44-(3 or 6) |
| | | |

Cross section








PFGDT

Locking

U-SHAPED REINFORCEMENT

Wider distal ends that are proportionate to the size of the liner



Choose Your Liner™





UltraSeal Liner

The ALPS® UltraSeal Liner features an integrated band that creates an airtight seal as the user steps into the socket. The liner's smooth inner wall, constructed with OptiSil, a new soft, white silicone, easily conforms to and cushions the residual limb. The silicone, combined with a strongly knitted fabric covering, creates excellent durability and a secure fit.



Material **Activity level** Fabric **Thickness**







Grey Fabric













3 mm

Key Benefits



Provides a comfortable cushion between the socket and residual limb and optimizes suspension while offering ultimate user convenience for daily use.



Outer knitted fabric combines strength and durability while allowing differentiated stretch and comfortable elasticity.



One sealing ring to ensure a secure hold.

Available at two different heights: Low and High.



Medical-grade white silicone that contains 1/5 the friction of regular silicone.



Skin friendly, lightweight, and cooling.



UltraSeal Liner USHSL/USHSC/USLSL/USLSC. Sizing Chart.


Measure the circumference of the residual limb at 6 cm above the distal end.

| Measured size (cm) | High Ring Locking 3mm uniform | High Ring Cushion 3mm uniform | Measured size (cm) | Low Ring Locking 3mm uniform | Low Ring Cushion 3mm uniform |
|--------------------|----------------------------------|----------------------------------|--------------------|---------------------------------|---------------------------------|
| 20-21 cm | USHSL20 | USHSC20 | 20-21 cm | USLSL20 | USLSC20 |
| 22-23 cm | USHSL22 | USHSC22 | 22-23 cm | USLSL22 | USLSC22 |
| 24-25 cm | USHSL24 | USHSC24 | 24-25 cm | USLSL24 | USLSC24 |
| 26-27 cm | USHSL26 | USHSC26 | 26-27 cm | USLSL26 | USLSC26 |
| 28-29 cm | USHSL28 | USHSC28 | 28-29 cm | USLSL28 | USLSC28 |
| 30-31 cm | USHSL30 | USHSC30 | 30-31 cm | USLSL30 | USLSC30 |
| 32-34 cm | USHSL32 | USHSC32 | 32-34 cm | USLSL32 | USLSC32 |
| 35-37 cm | USHSL35 | USHSC35 | 35-37 cm | USLSL35 | USLSC35 |
| 38-40 cm | USHSL38 | USHSC38 | 38-40 cm | USLSL38 | USLSC38 |
| 41-43 cm | USHSL41 | USHSC41 | 41-43 cm | USLSL41 | USLSC41 |
| 44-47 cm | USHSL44 | USHSC44 | 44-47 cm | USLSL44 | USLSC44 |

 $\textbf{USHSL/USHSC}: \textbf{Ring begins 18cm from the center of the distal end}. \qquad \textbf{USLSL/USLSC}: \textbf{Ring begins 13cm from the center of the distal end}.$

Cross section








USHSL/USLSL

Locking

U-SHAPED REINFORCEMENT

Wider distal ends that are proportionate to the size of the liner



Choose Your Liner™





EasyLiner®

Patent No. 6,454,812* | 7,709,570 | 7,709,570

ALPS EasyLiner® contains a prolonged-released antioxidant, an effective scavenger of free radicals and hydroxyl groups, with beneficial effects on the skin.

It provides the softness, strength, and cushioning from its use of ALPS EasyGel, relieving the residual limb from the stress created by vertical and shear forces. It delicately conforms to the shape of the residual limb without restricting blood flow. It can be easily donned even by geriatric patients and users with reduced manual dexterity.



| Material | Fabric | A | Activity | level | | Th | nickne | SS |
|----------|--------------|-----------|----------|-------|------|------|--------|--------|
| | =]]= | <u>ڳا</u> | | 岭 | -g/x | | | |
| EasyGel | Beige Fabric | K1 🗸 | K2 🗸 | K3 🗸 | K4 🗸 | 3 mm | 6 mm | 3/6 mm |

Key Benefits



Indicated for delicate skin and diabetic patients thanks to the antioxidants contained in the gel



 $Protects \, the \, residual \, limb \, thanks \, to \, the \, high \, capacity \, of \, the \, Easy Gel \, to \, absorb \, vertical \, and \, shear \, forces$



Further relieves the skin from stress generated by shear forces thanks to its low coefficient of static friction



Delicately conforms to the shape of the residual limb and does not restrict blood flow



Easy to don also for patients with reduced manual dexterity




EasyLiner® ELDT/ELFR. Sizing chart. Measure the circumference of the stump at 6 cm above the distal end.

| Measured size (cm) | Locking 3mm, 6mm, 6/3mm or 9mm* | Cushion 3mm, 6mm, 6/3mm or 9mm* |
|--------------------|------------------------------------|------------------------------------|
| 10-15 cm | N.A. | ELFR10-(3 or 6) |
| 16-19 cm | ELDT16-(3, 6, or 6/3) | ELFR16-(3, 6, or 6/3) |
| 20-23 cm | ELDT20-(3, 6, or 6/3) | ELFR20-(3, 6, or 6/3) |
| 24-25 cm | ELDT24-(3, 6, 6/3, or 9) | ELFR24-(3, 6, 6/3, or 9) |
| 26-27 cm | ELDT26-(3, 6, or 6/3) | ELFR26-(3, 6, or 6/3) |
| 28-31 cm | ELDT28-(3, 6, 6/3, or 9) | ELFR28-(3, 6, 6/3, or 9) |
| 32-34 cm | ELDT32-(3, 6, or 6/3) | ELFR32-(3, 6, or 6/3) |
| 35-37 cm | ELDT35-(3 or 6) | ELFR35-(3 or 6) |
| 38-43 cm | ELDT38-(3, 6, or 6/3) | ELFR38-(3, 6, or 6/3) |
| 44-53 cm | ELDT44-(3, 6, or 6/3) | ELFR44-(3, 6, or 6/3) |


^{*9}mm only available in sizes 24 and 28; size 35 available only in 3mm and 6mm.

Cross section









Choose Your Liner™





Silicone Pro Liner

Patent No. 5,507,834* | 6,454,812*

The Silicone Pro liner is manufactured with medical grade hypoallergenic silicone. The surface of the silicone features a low coefficient of static friction (1/5 of regular silicone). Without any additives, it is a hypoallergenic liner, very delicate on the skin. The liner is extremely lightweight and promotes the skin's natural thermoregulation.

The locking version features an innovative U matrix to limit vertical stretch while not constraining the residual limb.



Material Fabric Activity level Thickness Silicone Seamless Knitted Fabric K1 × K2 × K3 × K4 × 3 mm

Does not constrict the residual limb and minimizes the pistoning effect thanks to the innovative U matrix (locking version) Great freedom of movement thanks to the 3 mm posterior thickness Indicated for delicate skin since it is made of medical grade hypoallergenic silicone Minimizes friction to the residual limb due to its low coefficient of friction Helps the thermoregulation of the residual limb Easy to clean




Silicone Pro Liner LSC/LSL. Sizing chart. Measure the circumference of the stump at 6 cm above the distal end.

| Measured size (cm) | Locking 3.0 mm uniform | Cushion 3.0 mm uniform |
|--------------------|------------------------|------------------------|
| 20-22 cm | LSL3.0-20 | LSC3.0-20 |
| 22-24 cm | LSL3.0-22 | LSC3.0-22 |
| 24-26 cm | LSL3.0-24 | LSC3.0-24 |
| 26-28 cm | LSL3.0-26 | LSC3.0-26 |
| 28-30 cm | LSL3.0-28 | LSC3.0-28 |
| 30-32 cm | LSL3.0-30 | LSC3.0-30 |
| 32-35 cm | LSL3.0-32 | LSC3.0-32 |
| 35-38 cm | LSL3.0-35 | LSC3.0-35 |
| 38-41 cm | LSL3.0-38 | LSC3.0-38 |
| 41-44 cm | LSL3.0-41 | LSC3.0-41 |
| 44-47 cm | LSL3.0-44 | LSC3.0-44 |

Cross section








LSL

Locking

U-SHAPED REINFORCEMENT

Wider distal ends that are proportionate to the size of the liner



Choose Your Liner™





Superior Performance Liner

Patent No. 6,454,812*

ALPS Superior Performance prosthetic liner combines a limited vertical stretch fabric with our GripGel.

GripGel, with its softness, strength, and cushioning provides the greatest possible protection to the residual limb. The fabric, with its limited vertical elongation, improves control and stability of the prosthetic leg by reducing pistoning. The result is a comfortable liner, indicated for patients with low and medium activity levels.



Material Fabric Activity level Thickness GripGel Black Fabric K1 × K2 × K3 × K4 3 mm 6 mm

Key Benefits



Protects the residual limb thanks to the high capacity of the GripGel to absorb vertical and shear forces



 $Improves \, control\, of \, the\, prosthetic\, leg\, thanks\, to\, the\, limited\, vertical\, stretch\, of\, the\, fabric\,$



Reduces pistoning thanks to the fabric's limited vertical stretch and the distal matrix (locking version)



 $Safe \, suspension \, of \, the \, prosthetic \, leg \, thanks \, to \, the \, high \, level \, of \, adhesion \, of \, the \, Grip \, Gel \, and \, constant \, and \, constant$




Superior Performance Liner SPDT/SPFR. Sizing chart. Measure the circumference of the stump at 6 cm above the distal end.

| Measured size (cm) | Locking 3mm or 6mm uniform | Cushion 3mm or 6mm uniform |
|--------------------|----------------------------|----------------------------|
| 16-19 cm | SPDT16-(3 or 6) | SPFR16-(3 or 6) |
| 20-23 cm | SPDT20-(3 or 6) | SPFR20-(3 or 6) |
| 24-25 cm | SPDT24-(3 or 6) | SPFR24-(3 or 6) |
| 26-27 cm | SPDT26-(3 or 6) | SPFR26-(3 or 6) |
| 28-31 cm | SPDT28-(3 or 6) | SPFR28-(3 or 6) |
| 32-34 cm | SPDT32-(3 or 6) | SPFR32-(3 or 6) |
| 35-37 cm | SPDT35-(3 or 6) | SPFR35-(3 or 6) |
| 38-43 cm | SPDT38-(3 or 6) | SPFR38-(3 or 6) |
| 44-53 cm | SPDT44-(3 or 6) | SPFR44-(3 or 6) |
| | | |

Cross section








SPDT

Locking

REINFORCED MATRIX

Wider distal ends that are proportionate to the size of the liner



Choose Your Liner™





Superior Performance HD Liner

Patent No. 6,454,812*

ALPS Superior Performance prosthetic liner, in its HD Gel version, provides the patient with comfort and control.

The HD Gel provides relieves the residual limb from vertical and shear forces; at the same time, it makes the liner more compact. The fabric, with its limited vertical elongation, further limits the vertical pistoning.



Material





Thickness







Fabric

















High Density Gel

6 mm

Key Benefits



Reduces pistoning thanks to the fabric's limited vertical stretch and the distal matrix (locking version)



Minimizes the movement of soft tissue and provides a high level of control of the prosthetic leg by combining the properties of the High Density Gel with those of the limited vertical stretch fabric



Protects the residual limb thanks to the high capacity of the HD Gel to absorb vertical and shear forces




Superior Performance Liner SPDTHD/SPFRHD. Sizing chart. Measure the circumference of the stump at 6 cm above the distal end.

| Measured size (cm) | Locking 3mm or 6mm uniform | Cushion 3mm or 6mm uniform |
|--------------------|----------------------------|----------------------------|
| 16-19 cm | SPDTHD16-(3 or 6) | SPFRHD16-(3 or 6) |
| 20-23 cm | SPDTHD20-(3 or 6) | SPFRHD20-(3 or 6) |
| 24-25 cm | SPDTHD24-(3 or 6) | SPFRHD24-(3 or 6) |
| 26-27 cm | SPDTHD26-(3 or 6) | SPFRHD26-(3 or 6) |
| 28-31 cm | SPDTHD28-(3 or 6) | SPFRHD28-(3 or 6) |
| 32-34 cm | SPDTHD32-(3 or 6) | SPFRHD32-(3 or 6) |
| 35-37 cm | SPDTHD35-(3 or 6) | SPFRHD35-(3 or 6) |
| 38-43 cm | SPDTHD38-(3 or 6) | SPFRHD38-(3 or 6) |
| 44-53 cm | SPDTHD44-(3 or 6) | SPFRHD44-(3 or 6) |
| | | |

Cross section








SPDTHD

Locking

REINFORCED MATRIX

Wider distal ends that are proportionate to the size of the liner



Choose Your Liner™





General Purpose Liner

Patent No. 6,454,812*

The General Purpose liner contains the softness, strength, and cushioning of our GripGel, relieving the residual limb from the stress generated by vertical and shear forces The superior elongation of this prosthetic liner means that blood flow is not restricted and it allows the liner to delicately conform to the shape of the residual limb. It is easily donned even by geriatric patients or those with reduced manual dexterity.



Key Benefits



 $Delicately\,conforms\,to\,the\,shape\,of\,the\,residual\,limb\,and\,does\,not\,restrict\,blood\,flow$



Easy to don also for patients with reduced manual dexterity



Protects the residual limb thanks to the high capacity of the GripGel to absorb vertical and shearforces



Safe suspension of the prosthesis due to the superior adhesive properties of the $\mbox{\it GripGel}$




General Purpose Liner GPDT/GPFR. Sizing chart. Measure the circumference of the stump at 6 cm above the distal end.

| Measured size (cm) | Locking 3mm or 6mm uniform | Cushion 3mm or 6mm uniform |
|--------------------|----------------------------|----------------------------|
| 16-19 cm | GPDT16-(3 or 6) | GPFR16-(3 or 6) |
| 20-23 cm | GPDT20-(3 or 6) | GPFR20-(3 or 6) |
| 24-25 cm | GPDT24-(3 or 6) | GPFR24-(3 or 6) |
| 26-27 cm | GPDT26-(3 or 6) | GPRF26-(3 or 6) |
| 28-31 cm | GPDT28-(3 or 6) | GPRF28-(3 or 6) |
| 32-34 cm | GPDT32-(3 or 6) | GPFR32-(3 or 6) |
| 35-37 cm | GPDT35-(3 or 6) | GPFR35-(3 or 6) |
| 38-43 cm | GPDT38-(3 or 6) | GPFR38-(3 or 6) |
| 44-53 cm | GPDT44-(3 or 6) | GPFR44-(3 or 6) |
| 44-70* cm | GPDT-XL* | N.A. |


^{*}GPDT-XL comes in 3mm thickness only. It features a larger umbrella and a U-Shaped matrix. Ideal for bariatric patients.

Cross section









Choose Your Liner™





Eco™ Liner

Patent No. 6,454,812* | 7,709,570 | 10,966,845 | 7,709,570

ALPS Eco™ Liner eatures an innovative knitted fabric with areas of varying elasticity to improve the control of the prosthetic leg. The HD Gel helps keep the residual limb more compact and provides enhanced stability to the prosthetic leg, at the same time ensuring a high level of protection from vertical and shear forces. The locking version features an innovative U matrix to limit the vertical stretch without constraining the residual limb.





Material



High Density Gel

Fabric



Seamless **Knitted Fabric** **Activity level**













6 mm

Thickness

Key Benefits



Protects the residual limb thanks to the high capacity of the HD Gel to absorb vertical and shear forces



Ensures maximum control of the prosthetic leg and minimizes soft tissue movement thanks to the High Density Gel



Improved comfort due to the effect of the innovative seamless knitted fabric providing areas of varying levels of elasticity



Does not constrict the residual limb and minimizes the pistoning effect thanks to the innovative U matrix (locking version)




EcoTM Liner ECDTHD/ECFRHD. Sizing chart. Measure the circumference of the stump at 6 cm above the distal end.

| Measured size (cm) | Locking 3mm or 6mm uniform | Cushion 3mm or 6mm uniform |
|--------------------|----------------------------|----------------------------|
| 20-23 cm | ECDTHD20-(3 or 6) | ECFRHD20-(3 or 6) |
| 24-25 cm | ECDTHD24-(3 or 6) | ECFRHD24-(3 or 6) |
| 26-27 cm | ECDTHD26-(3 or 6) | ECFRHD26-(3 or 6) |
| 28-31 cm | ECDTHD28-(3 or 6) | ECFRHD28-(3 or 6) |
| 32-34 cm | ECDTHD32-(3 or 6) | ECFRHD32-(3 or 6) |
| 35-37 cm | ECDTHD35-(3 or 6) | ECFRHD35-(3 or 6) |
| 38-43 cm | ECDTHD38-(3 or 6) | ECFRHD38-(3 or 6) |
| 44-53 cm | ECDTHD44-(3 or 6) | ECFRHD44-(3 or 6) |

Cross section








ECDTHD

Locking

U-SHAPED REINFORCEMENT

Wider distal ends that are proportionate to the size of the liner



Choose Your Liner™





Smart Seal™ Liner

Patent No. 6,454,812* | 8,852,291 | 9,216,099 | 11,179,252 | 8,852,291 9,216,099 | 11,179,252

For hypobaric suspension

ALPS Smart Seal liner features integrated, silicone coated sealing bands that create a safe interface. The bands stretch against the socket wall, preventing the liner from slipping. The inner HD Gel layer, thanks to its low modulus of elasticity, easily conforms to the residual limb without restricting the blood flow. It is available in two configurations with different sealing band heights.



Material



High Density Gel

Fabric



Seamless Knitted Fabric

Activity level



K1 🗸









Thickness





3 mm 6 mm

Key Benefits



Ensures a high level of control of the prosthetic leg and minimizes soft tissue movement thanks to the High Density Gel





Indicated both for transtibial and transfemoral users since the sealing bands are available in two different configurations



Maximum stability of the liner within the socket due to the High Density Gel and the use of a limited vertical stretch fabric in the distal area



Smart SealTM Liner SAFR/SADT/SBFR. Sizing chart. Measure the circumference of the stump at 6 cm above the distal end.

| Measured size (cm) | SAFR - Cushion 3mm or 6mm uniform |
|--------------------|--------------------------------------|
| 26-27 cm | SAFR26-(3 or 6) |
| 28-31 cm | SAFR28-(3 or 6) |
| 32-34 cm | SAFR32-(3 or 6) |
| 35-37 cm | SAFR35-(3 or 6) |
| 38-43 cm | SAFR38-(3 or 6) |

| SBFR - Cushion 3mm or 6mm uniform |
|--------------------------------------|
| SBFR20-(3 or 6) |
| SBFR24-(3 or 6) |
| SBFR26-(3 or 6) |
| SBFR28-(3 or 6) |
| |

SAFR

Rings begin 12.5 cm from the center of the distal end.

Rings begin 7.5 cm from the center of the distal end.


SADT

Sizes 20-28: rings begin 7.5 cm from the center of the distal end. Sizes 32-38: rings begin 12.7 cm from the center of the distal end.

| Measured size (cm) | SADT - Locking 3mm or 6mm uniform |
|--------------------|--------------------------------------|
| 20-23 cm | SADT20-(3 or 6) |
| 24-25 cm | SADT24-(3 or 6) |
| 26-27 cm | SADT26-(3 or 6) |
| 28-31 cm | SADT28-(3 or 6) |
| 32-37 cm | SADT32-(3 or 6) |
| 38-43 cm | SADT38-(3 or 6) |

Cross section








SADT

Locking

U-SHAPED REINFORCEMENT

Wider distal ends that are proportionate to the size of the liner



Choose Your Liner™





Extreme[™] Liner

Patent No. 6,454,812*

The ALPS Extreme prosthetic liner combines softness, strength, and cushioning from our GripGel with a fabric with limited vertical stretch. It improves the control of the prosthetic leg and reduces pistoning, while still providing superior protection of the residual limb. The superior adhesion of the GripGel allows the safe suspension of the prosthetic leg. The result is a comfortable and versatile liner, indicated for patients with low and medium activity levels.

Brown Fabric



Material Fabric Activity level Thickness

Key Benefits



GripGel

Protects the residual limb thanks to the high capacity of the GripGel to absorb vertical and shear forces



 $Improves \, control\, of \, the\, prosthetic\, leg\, thanks\, to\, the\, limited\, vertical\, stretch\, of\, the\, fabric\,$



Reduces pistoning thanks to the fabric's limited vertical stretch and the distal matrix (locking version)



Safe suspension of the prosthesis due to the superior adhesive properties of the $\mathsf{GripGel}$




6 mm

ExtremeTM Liner AKDT/AKFR. Sizing chart. Measure the circumference of the stump at 6 cm above the distal end.

| Measured size (cm) | Locking 3mm or 6mm uniform | Cushion 3mm or 6mm uniform |
|--------------------|----------------------------|----------------------------|
| 16-19 cm | AKDT16-(3 or 6) | AKFR16-(3 or 6) |
| 20-23 cm | AKDT20-(3 or 6) | AKFR20-(3 or 6) |
| 24-25 cm | AKDT24-(3 or 6) | AKFR24-(3 or 6) |
| 26-27 cm | AKDT26-(3 or 6) | AKFR26-(3 or 6) |
| 28-31 cm | AKDT28-(3 or 6) | AKFR28-(3 or 6) |
| 32-34 cm | AKDT32-(3 or 6) | AKFR32-(3 or 6) |
| 35-37 cm | AKDT35-(3 or 6) | AKFR35-(3 or 6) |
| 38-43 cm | AKDT38-(3 or 6) | AKFR38-(3 or 6) |
| 44-53 cm | AKDT44-(3 or 6) | AKFR44-(3 or 6) |

Cross section








AKDT

Locking

REINFORCED MATRIX

Wider distal ends that are proportionate to the size of the liner



Choose Your Liner™





Extreme[™] HD Liner

Patent No. 6,454,812*

ALPS Extreme[™] prosthetic liner, in its HD Gel version, provides the patient with comfort and control. The HD Gel relieves the residual limb from vertical and shear forces; at the same time, it makes the liner more compact. The fabric, with its limited vertical elongation, further limits vertical pistoning. This makes it an ideal liner for the most active users who are looking to maintain maximum control of the prosthetic leg without compromising comfort.



Material

Fabric

Activity level

Thickness



















High Density Gel

Brown Fabric

6 mm

Key Benefits



Reduces pistoning thanks to the fabric's limited vertical stretch and the distal matrix (locking version)



Minimizes the movement of soft tissue and provides a high level of control of the prosthetic leg by combining the properties of the High Density Gel with those of the limited vertical stretch fabric



Protects the residual limb thanks to the high capacity of the HD Gel to absorb vertical and shear forces




ExtremeTM Liner AKDTHD/AKFRHD. Sizing chart. Measure the circumference of the stump at 6 cm above the distal end.

| Measured size (cm) | Locking 3mm or 6mm uniform | Cushion 3mm or 6mm uniform |
|--------------------|----------------------------|----------------------------|
| 16-19 cm | AKDTHD16-(3 or 6) | AKFRHD16-(3 or 6) |
| 20-23 cm | AKDTHD20-(3 or 6) | AKFRHD20-(3 or 6) |
| 24-25 cm | AKDTHD24-(3 or 6) | AKFRHD24-(3 or 6) |
| 26-27 cm | AKDTHD26-(3 or 6) | AKFRHD26-(3 or 6) |
| 28-31 cm | AKDTHD28-(3 or 6) | AKFRHD28-(3 or 6) |
| 32-34 cm | AKDTHD32-(3 or 6) | AKFRHD32-(3 or 6) |
| 35-37 cm | AKDTHD35-(3 or 6) | AKFRHD35-(3 or 6) |
| 38-43 cm | AKDTHD38-(3 or 6) | AKFRHD38-(3 or 6) |
| 44-53 cm | AKDTHD44-(3 or 6) | AKFRHD44-(3 or 6) |
| 44-33 CIII | ANDIND44-(3010) | Ar\FKHD44-(3016 |

Cross section








AKDTHD

Locking

REINFORCED MATRIX

Wider distal ends that are proportionate to the size of the liner



Choose Your Liner™





EasyFlex[™] Liner

Patent No. 6,454,812* | 7,709,570 | 8,226,732 | 8,246,694 | 8,349,021

ALPS EasyFlex[™] prosthetic liner allows users ease of knee flexion thanks to an unlimited restriction of stretch anteriorly. Posteriorly the fabric, with its limited vertical stretch, improves the control of the prosthetic leg. The prolonged-released antioxidant contained in the EasyGel is an effective scavenger of free radicals and hydroxyl groups, providing beneficial effects on the skin. The EasyFlex[™] Liner is designed for use with a pin and lock suspension system.



Key Benefits



Indicated for delicate skin and diabetic patients thanks to the antioxidants contained in the gel



Protects the residual limb thanks to the high capacity of the EasyGel to absorb vertical and shear forces



Further relieves the skin from stress generated by shear forces thanks to its low coefficient of static friction



Allows an easy knee flexion and improves the control of the prosthetic leg, since it has been engineered using two types of fabric with different elasticity



Supplied with distal attachment for pin and lock suspension systems



EasyFlexTM Liner EZF. Sizing chart. Measure the circumference of the stump at 6 cm above the distal end.

| Measured size (cm) | Locking 3mm or 6mm uniform |
|--------------------|----------------------------|
| 16-19 cm | EZF16-(3 or 6) |
| 20-23 cm | EZF20-(3 or 6) |
| 24-25 cm | EZF24-(3 or 6) |
| 26-27 cm | EZF26-(3 or 6) |
| 28-31 cm | EZF28-(3 or 6) |
| 32-34 cm | EZF32-(3 or 6) |
| 35-37 cm | EZF35-(3 or 6) |
| 38-43 cm | EZF38-(3 or 6) |
| 44-53 cm | EZF44-(3 or 6) |

Cross section




EZF

Locking

REINFORCED MATRIX

Wider distal ends that are proportionate to the size of the liner



Choose Your Liner™





EasyLiner® SuperStretch

Patent No.7,709,570

ALPS EasyLiner® SuperStretch is a soft, robust and versatile prosthetic liner made of EasyGel without the restriction of a fabric cover.

It allows complete freedom of movement and conforms to irregularly shaped residual limbs without restricting blood flow. Due to the low coefficient of friction of the EasyGel, it relieves the skin from the stress created by shear forces. The prolonged-released antioxidant has beneficial effects on the skin.



Material Activity level Thickness

















6 mm

Key Benefits



Indicated for delicate skin and diabetic patients thanks to the antioxidants contained in the gel



Protects the residual limb thanks to the high capacity of the EasyGel to absorb vertical and shear forces



Further relieves the skin from stress generated by shear forces thanks to its low coefficient of static friction



Made of EasyGel with no fabric cover, it allows a superior fit to irregular shapes without constricting the residual limb




EasyLiner® SuperStretch ELPX. Sizing chart. Measure the circumference of the stump at 6 cm above the distal end.

| Measured size (cm) | Cushion 6mm uniform |
|--------------------|---------------------|
| 10-15 cm | ELPX-10 |
| 16-19 cm | ELPX-16 |
| 20-23 cm | ELPX-20 |
| 24-25 cm | ELPX-24 |
| 26-27 cm | ELPX-26 |
| 28-31 cm | ELPX-28 |
| 32-37 cm | ELPX-32 |
| 38-43 cm | ELPX-38 |

Cross section





Choose Your Liner™





Anterior Posterior Tapered Liner

Patent No.6, 454, 812* | 8, 226, 732 | 8, 246, 694 | 8, 349, 021 | 8, 226, 732

ALPS AP Tapered Liner is gradually tapered from the thicker anterior to the thinner posterior side to provide freedom of movement to transtibial users.

The 6 mm frontal wall ensures a high level of protection to bony areas. By combining a high density gel with a limited vertical stretch fabric, this liner minimizes soft tissue movement and reduces vertical pistoning, offering a high level of control of the prosthetic leg.



Material
Fabric
Activity level
Thickness

Image: Control of the properties of the

Key Benefits



Reduces pistoning thanks to the fabric's limited vertical stretch and the distal matrix (locking version)



Protects the residual limb thanks to the high capacity of the HD Gel to absorb vertical and shear forces



Protects bony areas with its 6 mm anterior wall thickness



 $Great\,freedom\,of\,movement\,thanks\,to\,the\,3\,mm\,posterior\,thickness$



Minimizes soft tissue movement and provides superior control of the prosthetic leg by combining High Density Gel with a limited vertical stretch fabric




Anterior Posterior Tapered Liner APDT/APFR. Sizing chart. Measure the circumference of the stump at 6 cm above the distal end.

| Measured size (cm) | Locking 6/3mm tapered | Cushion 6/3mm tapered |
|--------------------|--------------------------|--------------------------|
| 20-23 cm | APDT20-TP | APFR20-TP |
| 24-25 cm | APDT24-TP | APFR24-TP |
| 26-27 cm | APDT26-TP | APFR26-TP |
| 28-31 cm | APDT28-TP | APFR28-TP |
| 32-37 cm | APDT32-TP | APFR32-TP |

Cross section







APDT

Locking

REINFORCED MATRIX

Wider distal ends that are proportionate to the size of the liner



Choose Your Liner™





PSI Liner

Patent No.7,709,570 | 8,357,206 | 8,394,150

The PSI Liner improves suspension by sealing onto the sleeves of a transtibial prosthesis. The EasyGel provides comfort and durability, relieving the skin from the stress created by vertical and shear forces. The antioxidant contained in the gel has beneficial effects on the skin.

The PSI Liner can be used in conjunction with current valve suction or vacuum systems being used on the market today.



Material Fabric Activity level Thickness Image: Control of the properties of the

Key Benefits



Indicated for delicate skin and diabetic patients thanks to the antioxidants contained in the gel



 $Protects the \ residual \ limb \ thanks to \ the \ high \ capacity \ of \ the \ Easy Gel \ to \ absorb \ vertical \ and \ shear forces$



Further relieves the skin from stress generated by shear forces thanks to its low coefficient of static friction



The proximal area with no fabric cover seals onto the sleeve to create a secure suspension




Proximal Seal Interface Liner PSI. Sizing chart. Measure the circumference of the stump at 6 cm above the distal end.

| Measured size (cm) | Cushion 6mm or 3/6mm tapered |
|--------------------|---------------------------------|
| 16-19 cm | PSI16-(6 or 6/3) |
| 20-23 cm | PSI20-(6 or 6/3) |
| 24-25 cm | PSI24-(6 or 6/3) |
| 26-27 cm | PSI26-(6 or 6/3) |
| 28-31 cm | PSI28-(6 or 6/3) |
| 32-37 cm | PSI32-(6 or 6/3) |
| 38-43 cm | PSI38-(6 or 6/3) |
| 44-53 cm | PSI44-(6 or 6/3) |

Cross section





Choose Your Liner™





Liberty™ Liner

Patent No. 6,544,292* | 6,454,812* | 6,361,568* | 8,382,852 | 8,808,394

The Liberty™ Liner allows the expulsion of air and humidity through a built-in valve integrated either on the pin or the reducer, promoting a healthy environment. Used in conjunction with a nylon sheath, it presents a superior capacity for collecting and expelling humidity. The HD gel improves the stability of the prosthetic leg and provides greater protection against vertical and shear forces. It is recommended to minimize the problem of excessive perspiration.



Material



High Density Gel

Fabric



Seamless Knitted Fabric

Activity level

















Thickness

Key Benefits



Protects the residual limb thanks to the high capacity of the HD Gel to absorb vertical and shear forces



Promotes a healthy environment due to the distal valve that expels air and humidity between the residual limb and the liner



Ensures a high level of control of the prosthetic leg and minimizes soft tissue movement thanks to the High Density Gel



Since it is used in conjunction with a nylon sheath, it has a superior capacity for collecting and expelling humidity



LibertyTM Liner II VSDT. Sizing chart.Measure the circumference of the stump at 6 cm above the distal end.

| Measured size (cm) | Locking 3mm uniform | Locking 6mm uniform |
|--------------------|---------------------|---------------------|
| 20-23 cm | VSDT20-3 | VSDT20-6 |
| 24-25 cm | VSDT24-3 | VSDT24-6 |
| 26-27 cm | VSDT26-3 | VSDT26-6 |
| 28-31 cm | VSDT28-3 | VSDT28-6 |
| 32-37 cm | VSDT32-3 | VSDT32-6 |
| 38-43 cm | VSDT38-3 | VSDT38-6 |

Cross section




VSDT

Locking

U-SHAPED REINFORCEMENT

Wider distal ends that are proportionate to the size of the liner




| PRODUCTIMAGE | PARTNAME | PART# |
|--------------|--|----------|
| REDUCER | LIBERTY LINER II REDUCER WITH BUILT-IN VALVE | LDA-764 |
| PIN HOLE | LIBERTY LINER II PIN WITH BUILT-IN VALVE Only compatible with ALPS locks | LDP-764 |
| PIN HOLE | LIBERTY LINER II PIN WITH BUILT-IN VALVE Compatible with most shuttle locks | LDPU-864 |

SOLD SEPARATELY — USE CODES BELOW WHEN ORDERING LDA-764 - LIBERTY LINER II REDUCER WITH BUILT-IN VALVE LDP-764 - LIBERTY LINER II PIN WITH BUILT-IN VALVE Only compatible with ALPS locks LDPU-864 - LIBERTY LINER II PIN WITH BUILT-IN VALVE Compatible with most shuttle locks

Choose Your Liner™










Reinforced Flex Sleeve

ALPS Reinforced Flex prosthetic suspension sleeve delivers the same qualities as our popular SFX but with an extra layer of durability. While the OptiGel and gray knitted fabric combine to supply maximum comfort and high performance, the RFX also features an added layer of internal fabric to offer increased durability around the trim line of the user's socket. At the same time, the sleeve provides a 30° pre-flexion to ease bending and reduce bunching behind the knee, making the RFX an ideal choice for active users.



Material **Fabric Activity level Thickness**







Grey Fabric















3 mm

Key Benefits



Extra layer of internal fabric provides a more durable option for high-activity users



Grey knitted fabric combined with OptiGel delivers maximum comfort and high performance



30° pre-flexion to ease bending and reduce bunching behind the knee



Provides a secure suspension



OptiGel offers a great degree of control




Available in one length that accommodates most users



Reinforced Flex Sleeve RFX. Sizing chart Measure the circumference of the leg at 10 cm above the centre of the knee.

| Measured size (cm) | 3mm uniform |
|--------------------|-------------|
| 34-37 cm | RFX20-3G |
| 36-39 cm | RFX23-3G |
| 38-42 cm | RFX26-3G |
| 41-46 cm | RFX29-3G |
| 45-50 cm | RFX32-3G |

Cross section



Choose Your Liner™





Reinforced Sleeve

ALPS Reinforced Sleeve is constructed with gray knitted fabric, OptiGel, and an extra layer of internal fabric to deliver superior durability. This combination works together to provide the maximum comfort, control, and high-performance capabilities required for higher activity-level users.



Material **Fabric Activity level Thickness**







Grey Fabric













3 mm

Key Benefits



Extra layer of internal fabric provides a more durable option for high-activity users



Gray knitted fabric's differential stretch attributes allow for maximum comfort and stability



Provides a secure suspension



OptiGel offers a great degree of control




The gel sticks to the patients skin without causing shear force and helps prevent the sleeve from rolling down the amputee's limb.



Reinforced Sleeve RFS. Sizing chart Measure the circumference of the leg at 10 cm above the centre of the knee.

| Measured size (cm) | 3mm uniform |
|--------------------|-------------|
| 25-30 cm | RFS20-3G |
| 31-34 cm | RFS24-3G |
| 35-37 cm | RFS26-3G |
| 38-40 cm | RFS28-3G |
| 41-45 cm | RFS32-3G |
| 46-60 cm | RFS38-3G |
| 61-70 cm | RFS44-3G |
| | |

Cross section



Choose Your Liner™





EasySleeve

Patent No. 7,709,570

ALPS EasySleeve Reinforced Fabric prosthetic gel sleeve provides superior comfort thanks to its use of ALPS EasyGel. The elasticity of the fabric allows the user a great deal of freedom of knee flexion. The EasySleeve also achieves secure suspension by sealing to the skin without restricting circulation. The lower coefficient of friction found with the EasyGel helps relieve the skin of shear forces.



Material
Fabric
Activity level
Thickness

♣
♣
♣
♣
♠
♠

EasyGel
Beige Fabric
K1 ✓ K2 ✓ K3 ✓ K4 ✓ 3 mm 6 mm

Key Benefits



Easy to don also for patients with reduced manual dexterity



Indicated for delicate and fragile skins thanks to the antioxidants contained in the gel



Minimizes compression and irritation proximally



Allows a high degree of freedom of knee flexion



Relieves the skin from stress generated by shear forces thanks to EasyGel's low coefficient of static friction




EasySleeve SFR. Sizing chart

Measure the circumference of the leg at 10 cm above the centre of the knee.

| Measured size (cm) | 3mm or 6mm uniform |
|--------------------|--------------------|
| 16-19 cm | SFR10-(3 or 6) |
| 20-24 cm | SFR16-(3 or 6) |
| 25-30 cm | SFR20-(3 or 6) |
| 31-34 cm | SFR24-(3 or 6) |
| 35-37 cm | SFR26-(3 or 6) |
| 38-40 cm | SFR28-(3 or 6) |
| 41-45 cm | SFR32-(3 or 6) |
| 46-60 cm | SFR38-(3 or 6) |
| 61-70 cm | SFR44-(3 or 6) |
| | |

Cross section



Choose Your Liner™





EasySleeve SuperStretch

Patent No. 7,709,570

ALPS EasySleeve SuperStretch is a prosthetic gel sleeve that allows freedom of knee flexion as well as providing secure suspension by sealing to the skin without restricting circulation.

By using a separate fabric cover, the EasyGel is able to move with the user, therefore reducing the effect of physical forces against the patella.



Material **Activity level Thickness**



EasyGel

















6 mm

Key Benefits



Indicated for delicate and fragile skins thanks to the antioxidants contained in the gel



Minimizes compression and irritation proximally



Allows a high degree of freedom of knee flexion



Relieves the skin from stress generated by shear forces thanks to EasyGel's low coefficient of static friction




A fabric cover (sold separately) protects the sleeve



EasySleeve SuperStretch SLE. Sizing chart Measure the circumference of the leg at 10 cm above the centre of the knee.

| 6mm uniform | Cover size |
|-------------|--|
| SLE-10 | - |
| SLE-16 | CSLE-16 |
| SLE-20 | CSLE-20 |
| SLE-24 | CSLE-24 |
| SLE-26 | - |
| SLE-28 | CSLE-28 |
| SLE-32 | CSLE-32 |
| | SLE-10 SLE-16 SLE-20 SLE-24 SLE-26 SLE-28 |

Cross section



Choose Your Liner™





Flex Sleeve

ALPS Flex Sleeve (SFX) prosthetic suspension sleeve combines a seamless knitted fabric with a High Density Gel to provide maximum comfort and high performance.

The SFX provides a 30° pre-flexion which eases bending and reduces bunching behind the knee. It is indicated for medium and high activity users.



Material



High Density Gel

Fabric



Seamless Knitted Fabric **Activity level**









Thickness



3 mm

Key benefits



Minimizes compression and irritation proximally



Easy of knee flexion and reduced bunching in the popliteal



The High Density Gel ensures superior control even for more active users



Available in 3 mm thickness and two optional colors



Provides a secure suspension of the prosthetic leg




Recommended for waterproof prostheses



Flex Sleeve SFX. Sizing chart
Measure the circumference of the leg at 10 cm above the centre of the knee.

| Measured size (cm) | 3mm beige | 3mm gray |
|--------------------|-----------|----------|
| 34-37 cm | SFX20-3B | SFX20-3G |
| 36-39 cm | SFX23-3B | SFX23-3G |
| 38-42 cm | SFX26-3B | SFX26-3G |
| 41-46 cm | SFX29-3B | SFX29-3G |
| 45-50 cm | SFX32-3B | SFX32-3G |

Cross section



Choose Your Liner™





Superior Suspension Sleeve

ALPS Superior Suspension Sleeve provides superior comfort thanks to its use of ALPS Gel.

The Gel adheres to the amputee's skin to achieve secure suspension without restricting circulation and without causing shear forces.

With its thinner profile, the SFB, is the ideal choice for patients who want a lightweight product with reduced bulk.



Material



High Density

GripGel

Fabric



Black Fabric

Activity level













Key Benefits



Minimizes compression and irritation proximally



The High Density Gel ensures superior control even for more active users



Provides a secure suspension of the prosthetic leg



Reduced bulk thanks to its 2 mm profile




The fabric's limited vertical stretch improves control of the prosthetic leg and allows for ease of knee flexion



Superior Suspension Sleeve SFB/SFBHD. Sizing chart Measure the circumference of the leg at 10 cm above the centre of the knee.

| Measured size (cm) | 2mm uniform |
|--------------------|-------------|
| 25-30 cm | SFB(HD)20-2 |
| 31-34 cm | SFB(HD)24-2 |
| 35-37 cm | SFB(HD)26-2 |
| 38-40 cm | SFB(HD)28-2 |
| 41-45 cm | SFB(HD)32-2 |

Cross section



Choose Your Liner™





Superior Performance Sleeve


ALPS Superior Performance Sleeve is a prosthetic gel sleeve constructed using a limited vertical stretch fabric that maintains a high horizontal elongation to provide the transtibial user with easy knee flexion and elevated control.

The Gel adheres to the patient's skin without creating shear force and helps prevent the sleeve from rolling down the residual limb.



Material **Activity level Fabric Thickness**

















GripGel

Black Fabric

6 mm

Key Benefits



Minimizes compression and irritation proximally



The High Density Gel ensures superior control even for more active users



Provides a secure suspension of the prosthetic leg



Recommended for waterproof prostheses




The fabric's limited vertical stretch improves control of the prosthetic leg and allows for ease of knee flexion



Superior Performance Sleeve SFP/SFPHD. Sizing chart Measure the circumference of the leg at 10 cm above the centre of the knee.

| Measured size (cm) | 3mm or 6mm uniform |
|--------------------|--------------------|
| 20-24 cm | SFP(HD)16-(3 or 6) |
| 25-30 cm | SFP(HD)20-(3 or 6) |
| 31-34 cm | SFP(HD)24-(3 or 6) |
| 35-37 cm | SFP(HD)26-(3 or 6) |
| 38-40 cm | SFP(HD)28-(3 or 6) |
| 41-45 cm | SFP(HD)32-(3 or 6) |
| 46-60 cm | SFP(HD)38-(3 or 6) |
| 61-70 cm | SFP(HD)44-(3 or 6) |
| | |

Cross section



Choose Your Liner™





Extreme Sleeve

ALPS Extreme Sleeve is covered with a limited vertical stretch fabric that maintains a high horizontal elongation to provide the user with an easy knee flexion and elevated control.

The GripGel adheres to the patient's skin without creating shear force and helps prevent the sleeve from rolling down the residual limb.



Material **Fabric Activity level Thickness**







Brown Fabric



免免免免











6 mm

Key benefits



Minimizes compression and irritation proximally



Provides a secure suspension of the prosthetic leg




The fabric's limited vertical stretch improves control of the prosthetic leg and allows for ease of knee flexion



Extreme Sleeve SFK. Sizing chartMeasure the circumference of the leg at 10 cm above the centre of the knee.

| Measured size (cm) | 3mm or 6mm uniform |
|--------------------|--------------------|
| 20-24 cm | SFK16-(3 or 6) |
| 25-30 cm | SFK20-(3 or 6) |
| 31-34 cm | SFK24-(3 or 6) |
| 35-37 cm | SFK26-(3 or 6) |
| 38-40 cm | SFK28-(3 or 6) |
| 41–45 cm | SFK32-(3 or 6) |
| 46-60 cm | SFK38-(3 or 6) |
| 61-70 cm | SFK44-(3 or 6) |

Cross section



Choose Your Liner™





V.I.V.A. Sleeve

Patent No. 6,361,568*

ALPS V.I.V.A. Sleeve is a prosthetic gel sleeve with a built-in valve to evacuate air from the socket to ensure superior security.

It provides suction suspension without the need to create a valve in the socket.

Once the sleeve is donned, the valve should be located proximal to the patella to create back pressure with knee flexion.



Material
Fabric
Activity level
Thickness

♣ ♣ ♣ ♣ ♠ ♠ ♠
♠ ♠ ♠ ♠

GripGel
Beige Fabric
K1 ✓ K2 ✓ K3
K4
3 mm 6 mm

Key benefits



Minimizes compression and irritation proximally



Allows a high degree of freedom of knee flexion



Provides a secure suspension of the prosthetic leg




Improves pneumatic suspension thanks to the built-in valve for evacuating air



V.I.V.A. Sleeve VIVA. Sizing chart Measure the circumference of the leg at 10 cm above the centre of the knee.

| Measured size (cm) | 3mm or 6mm uniform |
|--------------------|--------------------|
| 20-24 cm | VIVA16-(3 or 6) |
| 25-30 cm | VIVA20-(3 or 6) |
| 31-34 cm | VIVA24-(3 or 6) |
| 35-37 cm | VIVA26-(3 or 6) |
| 38-40 cm | VIVA28-(3 or 6) |
| 41-45 cm | VIVA32-(3 or 6) |

Cross section



Choose Your Liner™





Anterior Posterior Tapered Sleeve

The ALPS Anterior Posterior Tapered Sleeve is gradually tapered from the anterior to the posterior to provide superior comfort. It features our black high performance fabric with HD gel to provide amputees with a great degree of control.




Material



Activity level

Thickness















High Density Gel

Black Fabric

6/3mm AP Tapered

Key benefits



Black fabric offers horizontal stretch with highly reduced vertical stretch



Allows a high degree of freedom of knee flexion



Provides a secure suspension of the prosthetic leg




HD Gel provides active amputees a great degree of control



Anterior Posterior Tapered Sleeve. APS. Sizing Chart. Measure the circumference of the leg at 10 cm above the centre of the knee.

| Measured size (cm) | 6/3 mm tapered |
|--------------------|----------------|
| 20-23 cm | APS20-TP |
| 24-25 cm | APS24-TP |
| 26-27 cm | APS26-TP |
| 28-31 cm | APS28-TP |
| 32-37 cm | APS32-TP |

Cross section



Choose Your Liner™





EasySleeve Fabric Reinforced

ALPS® SFS has superior comfort provided by GripGel. The elasticity of the fabric allows the user excellent freedom of knee flexion. The SFS also achieves secure suspension by sealing with the skin without restricting circulation, while the GripGel sticks to the patients skin without causing shear force.



Material **Fabric Activity level Thickness**



GripGel



Beige Fabric





K1 ✓ K2 ✓ K3









3 mm



Key benefits



Beige, high-performance fabric improves the sleeve's durability



Allows a high degree of freedom of knee flexion



Provides a secure suspension of the prosthetic leg



Minimizes compression and irritation proximally




The GripGel helps prevent the sleeve from rolling down the amputee's limb



EasySleeve Fabric Reinforced. SFS. Sizing Chart. Measure the circumference of the leg at 10 cm above the centre of the knee.

| Measured size (cm) | 3mm or 6mm uniform |
|--------------------|--------------------|
| 20-24 cm | SFS16-(3 or 6) |
| 25-30 cm | SFS20-(3 or 6) |
| 31-34 cm | SFS24-(3 or 6) |
| 35-37 cm | SFS26-(3 or 6) |
| 38-40 cm | SFS28-(3 or 6) |
| 41-45 cm | SFS32-(3 or 6) |
| 46-60 cm | SFS38-(3 or 6) |
| 61-70 cm | SFS44-(3 or 6) |

Cross section



Choose Your Liner™





Lock with Pyramid

Patent No. 5,507,837*

The ALPS Lock with Pyramid is an all-in-one lock body design which combines the lock and pyramid. The glass reinforced nylon lock body exhibits better wear characteristics than delrin or aluminum. The convenient one-way gear allows the user to push in or wind out the limb into the prosthetic socket. A unique feature of this lock is that if foreign material or clothing get caught in the gear, the housing can be removed, freeing the pin.



Key benefits



For laminated sockets



All-in-one lock body design combining the lock and pyramid



Infinite pin adjustment reduces play



The housing can be removed, freeing the pin




100 kg (220 lbs) weight rating



ALPS Lock with Pyramid. Part Number and Spare Parts

| Spare parts | Description |
|-------------|-------------------------|
| S498-P | Main body with pyramid |
| LDH - 694 A | Locking mechanism |
| LDP - 695 | Serrated pin |
| LDA - 694 | Hex nut adapter - Dummy |
| FAB 946 | Fabrication Kit |

Product components





Lock with Flat Bottom

Patent No. 6.511.513* | 6.572.656* | 6.572.657* | 6.576.020* | 6.576.021* 6.579.323* | 6.596.027*

The ALPS Lock Flat Bottom has shown proven reliability and smooth operation. This lightweight locking device made of glass reinforced nylon exhibits better wear characteristics than delrin or aluminum. The convenient one-way gear allows the user to push in or wind out the limb into the prosthetic socket.

A unique feature of this lock is that if foreign material or clothing get caught in the gear, the housing can be removed, freeing the pin.



Key benefits



Infinite pin adjustment reduces play



The housing can be removed, freeing the pin



 $For laminated \, or \, thermoplastic \, sockets \,$



Lightweight (107gr)



No weight limit



ALPS Lock Flat Bottom – Without Plate (S496-W) Part Number and Spare Parts

| Spare parts | Description |
|-------------|--|
| S496-W | Main body with flat bottom (without plate) |
| LDH - 694 A | Locking mechanism |
| LDP - 695 | Serrated pin |
| LDA - 694 | Hex nut adapter - Dummy |
| FAB 946 | Fabrication Kit |

1 STAINLESS STEEL SERRATED PIN 3/8 x 2-5/8" LONG 1/4-20 US STANDARD THREADS PN# LDP-695



1 HEX NUT ADAPTER 1/4-20 US STANDARD THREADS TO 10mm PN# LDA-694



1LOCKING MECHANISM (CLUTCH) PN# LDH-694A

ALPS Lock Flat Bottom – With Plate (S496-T) Part Number and Spare Parts

| Spare parts | Description |
|-------------|---|
| S496-T | Main body with flat bottom (with plate) |
| LDH - 694 A | Locking mechanism |
| LDP - 695 | Serrated pin |
| LDA - 694 | Hex nut adapter - Dummy |
| UMP-496 | Universal Mounting Plate |
| FAB 946 | Fabrication Kit |



1 STAINLESS STEEL SERRATED PIN 3/8 x 2-5/8" LONG 1/4-20 US STANDARD THREADS PN# LDP-695



1 HEX NUT ADAPTER 1/4-20 US STANDARD THREADS TO 10mm PN# LDA-694



1LOCKING MECHANISM (CLUTCH) PN# LDH-694A



x1UNIVERSAL MOUNTING PLATE PN# UMP-496



x6 STAINLESS STEEL SCREWS SOLD WITH MOUNTING PLATE



x43/4" STAINLESS STEEL SOCKET HEAD CAP SCREWS SOLD WITH MOUNTING PLATE



VIP® Lock

With ALPS VIP® Lock, clinicians can quickly switch from pin & lock to vacuum suspension, or vice versa, with minor adjustments to the socket.



Key benefits



Retrofits with ALPS VIP®



Lightweight



Removable release pin




Perfect fit with ALPS' encapsulations



VIP® Lock Part Number and specification

| PART# | VIP-L1120-S |
|-------------|-------------|
| DIMENSIONS | 32x67 mm |
| WEIGHT | 74 g |
| WEIGHTLIMIT | 270 kg |
| PIN (4.8cm) | VIP-92L |
| PIN (3.0cm) | VIP-92S |





Vacuum Integrated Pump

Patent No. 8,197,555 | 11,224,527 | 8,197,555 | 11,224,527

The ALPS VIP® is an air expulsion integrated pump for elevated vacuum. Its use provides patients continuous total contact when donning the prosthesis. This is essential for an even weight distribution and to distribute the suspension of the prosthesis over the whole surface of the residual limb. Elevated vacuum created by the VIP® stabilizes the residual limb, overcoming allissues connected with the residual limb changing volume during the day.



Key benefits



Efficiently deals with stump volume fluctuation which in turn leads to improved prosthesis control and comfort



Reduces the intensity of peaks in pressure on the patient's limbs, improving comfort and providing greater freedom of movement



Helps preserve residual limb skin health by improving circulation and consequently increasing limb oxygenation



Quit and light does not affect the cosmetic appearance of the prosthesis



Easy to install and battery-free




Vacuum Integrated Pump VIP® Part Number and optional complementary products.

Available in 2 different vacuum levels: HIGH VACUUM (Red) 10–13 in of mercury and LOW VACUUM (Green) 5–8 in of mercury. Choose vacuum level on the basis of activity level and skin condition.


| Part name | Part# |
|-------------------------|-------------|
| VIP® LOW VACUUM (GREEN) | VIP - DL |
| VIP® HIGH VACUUM (RED) | VIP - DH |
| DUMMY | VE319 - D |
| SMALL DUMMY | VE319 - SD |
| MOUNTING PLATE | VE819 - P |
| LOCK (SMALL) | VIP-L1120-S |
| MINIVALVE | MV-009 |
| MINI VALVE KIT | LMV-009 |
| PIN (4.8cm) | VIP-92L |
| PIN (3.0cm) | VIP-92S |

Cross section

With Mounting Plate



Without Mounting Plate







Modular Components

Volume Change Management

Liner & Residual Limb Care

Extras



Modular Components

For transtibial and transfemoral prostheses.

4-hole pyramid adapter



| PARTID | MATERIAL | WEIGHT MAX. USER WE | |
|-----------|---|---------------------|-------|
| SA401-B-T | Pyramid: Titanium Plate: Aluminum | 57g | 136kg |
| SA401-B-S | Pyramid: Stainless steel Plate: Aluminum | 67g | 136kg |

4-Hole pyramid receiver adapter

| PARTID | MATERIAL | WEIGHT | MAX. USER WEIGHT | |
|---------|----------|--------|------------------|--|
| SA402-A | Aluminum | 53g | 100kg | |

Lamination anchor with pyramid



| PARTID | ARTID MATERIAL WEIGHT | | MAX. USER WEIGHT | |
|----------|---|-----|------------------|--|
| LA101-BS | Pyramid: Stainless steel Prong: Aluminum | 69g | 136kg | |
| LA101-BT | Pyramid: Titanium Prong: Aluminum | 58g | 136kg | |



Tube with pyramid receiver

| PARTID | MATERIAL | WEIGHT | MAX. USER WEIGHT | | |
|------------|--|------------|------------------|--|--|
| TA201-AL20 | Aluminum | 146g | 136kg | | |
| TA201-S20 | Clamp: Stainless steel Tube: Aluminum | 222g | 136kg | | |
| TA201-T20 | Clamp: Titanium Tube: Aluminum | 171g | 136kg | | |
| TA201-AL30 | Aluminum | 196g | 136kg | | |
| TA201-S30 | Clamp: Stainless steel Tube: Aluminum | 269g | 136kg | | |
| TA201-T30 | Clamp: Titanium Tube: Aluminum | 220g 136kg | | | |



Tube Clamp Adapter

| PARTID | MATERIAL | WEIGHT | MAX. USER WEIGHT | |
|--------|----------|--------|------------------|--|
| TCA-A | Aluminum | 75g | 136kg | |





Double pyramid receiver adapter

| PARTID | MATERIAL | WEIGHT | MAX. USER WEIGHT | |
|-----------|----------|--------|------------------|--|
| TA202-75A | Aluminum | 110g | 136kg | |
| TA202-60A | Aluminum | 100g | 136kg | |
| TA202-45A | Aluminum | 90g | 90g 136kg | |
| TA202-32A | Aluminum | 79g | 136kg | |



3-Prong socket adapter with rotatable pyramid

| PARTID | MATERIAL | WEIGHT | MAX. USER WEIGHT | |
|----------|--|--------|------------------|--|
| LA103-S | Stainless steel | 211g | 125kg | |
| LA107-TS | Rotary pyramid: Titanium Prong: Stainless steel | 168g | 125kg | |



3-Prong socket adapter with rotatable pyramid receiver

| PARTID | MATERIAL | WEIGHT | MAX. USER WEIGHT | | |
|----------|---|------------|------------------|--------|-------|
| LA104-TS | Rotary receiver: Titanium Prong: Stainless steel | 158g 150kg | | 1 1580 | 150kg |
| LA108-S | Stainless steel | 189g | 150kg | | |



4-Prong socket adapter with rotatable pyramid

| PARTID | MATERIAL | WEIGHT | MAX. USER WEIGHT |
|----------|---------------------------------------|------------|------------------|
| LA105-S | ST | ST 207g 12 | |
| LA109-TS | Rotary pyramid: Titanium Prong: ST | 161g | 125kg |



4-Prong socket adapter with rotatable pyramid receiver

| PARTID | MATERIAL | WEIGHT | MAX. USER WEIGHT |
|----------|---|--------|------------------|
| LA106-TS | Rotary receiver: Titanium Prong: Stainless steel | 151g | 150kg |
| LA110-S | Stainless steel | 181g | 150kg |



Prosthetic Socks with Hole

ALPS prosthetic socks are light and soft, extremely comfortable with a perfect fit. They are made with technologically advanced fibers, highly effective in moisture management, that wick away perspiration so it can easily evaporate. This advanced fabric means that socks maintain their original quality for a long time, without getting misshapen or matting up.

Choosing the best sock to suit your needs is easy with ALPS socks' color-coded thickness indicator: blue for 1-ply; 3-ply, yellow; 5-ply, green.









Key Benefits



Assists with volume fluctuation



Keeps its shape over time; minimal stretch and will not mat down



Technical fibers allow a cool, comfortable wear



Light and soft, extremely comfortable



Available in bundles



Prosthetic Socks KC. Sizing chart.

Measurements taken 5 cm from the distal end.

| RECOMMENDED ALPS LINER SIZE | LEVEL OF AMPUTATION | PROXIMAL CIRCUMFERENCE | DISTAL CIRCUMFERENCE AT 5 CM | *LENGHT OF THE SOCKET 13-18 CM | *LENGHT OF THE SOCKET 18-23 CM | *LENGHT OF THE SOCKET 23-38 CM | *LENGHT OF THE SOCKET 38-48 CM |
|-----------------------------------|------------------------|---------------------------|------------------------------------|--------------------------------------|--------------------------------------|--------------------------------------|--------------------------------------|
| 20 | ВК | min. 20 max. 40 cm | 20-23 cm | KCN-8-X-Y | KCN-10-X-Y | KCN-14-X-Y | KCN-18-X-Y |
| 24, 26, 28 | ВК | min. 30 max. 60 cm | 23-31 cm | KCM-8-X-Y | KCM-10-X-Y | KCM-14-X-Y | KCM-18-X-Y |
| 32,38 | AK | min. 40 max. 80 cm | 31-36 cm | KCW-08-X-Y | KCW-10-X-Y | KCW-14-X-Y | KCW-18-X-Y |

X indicates the thickness in Ply (1Ply=1,5mm; 3Ply=2mm; 5Ply=2,5mm)
Y indicates the distal end (N-without hole; H with hole; HR with reinforced hole)

Part number examples:

KCN-08-3-H Prosthetic sock, Narrow, Extra Short, 3 Ply, with hole KCM-10-1-N Prosthetic sock, Medium, Short, 1 Ply, without hole KCW-18-5-HR Prosthetic Sock, Wide, Long, 5 Ply, with reinforced hole

SOCKS ARE AVAILABLE IN BUNDLES!

Contact your sales representative for details on all available bundle options in your country.

| PART# | DESCRIPTION | | | |
|---------------------|---------------------------|------------|------------|------------|
| B5KC XYY-Z* | 5 SOCKS BUNDLES INCLUDES | x2 1-PLY • | x2 3-PLY — | x1 5-PLY ● |
| B6KC XYY-Z* | 6 SOCKS BUNDLES INCLUDES | x2 1-PLY • | x2 3-PLY • | x2 5-PLY ● |
| B10KC XYY-Z* | 10 SOCKS BUNDLES INCLUDES | x5 1−PLY ● | x3 3-PLY 🛑 | x2 5−PLY ● |

^{*}X = size code YY = length code Z = distal end style code

| CH00SE DIS | TAL END STYLE | CH00SE SIZE | | | |
|------------|---------------|-------------------|-------------------|-----------------|------|
| | | NARROW Code: N | MEDIUM Code: M | WIDE Code: W | |
| | | CHOOSE LENGTH | | | |
| NO HOLE | HOLE | EXTRA SHORT | SHORT | REGULAR | LONG |

Part number example:

B5KCW08-H ---> 5 socks bundle wide, extra-short with hole B10KCN14-N ---> 10 socks bundle narrow, regular without hole





Prosthetic Socks without Hole

ALPS prosthetic socks are light and soft, extremely comfortable with a perfect fit. They are made with technologically advanced fibers, highly effective in moisture management, that wick away perspiration so it can easily evaporate. This advanced fabric means that socks maintain their original quality for a long time, without getting misshapen or matting up.

Choosing the best sock to suit your needs is easy with ALPS socks' color-coded thickness indicator: blue for 1-ply; 3-ply, yellow; 5-ply, green.









Key Benefits



Assists with volume fluctuation



Keeps its shape over time; minimal stretch and will not mat down



Technical fibers allow a cool, comfortable wear



Light and soft, extremely comfortable



Available in bundles



Prosthetic Socks KC. Sizing chart.

Measurements taken 5 cm from the distal end.

| RECOMMENDED ALPS LINER SIZE | LEVEL OF AMPUTATION | PROXIMAL CIRCUMFERENCE | DISTAL CIRCUMFERENCE AT 5 CM | *LENGHT OF THE SOCKET 13-18 CM | *LENGHT OF THE SOCKET 18-23 CM | *LENGHT OF THE SOCKET 23-38 CM | *LENGHT OF THE SOCKET 38-48 CM |
|-----------------------------------|------------------------|---------------------------|------------------------------------|--------------------------------------|--------------------------------------|--------------------------------------|--------------------------------------|
| 20 | ВК | min. 20 max. 40 cm | 20-23 cm | KCN-8-X-Y | KCN-10-X-Y | KCN-14-X-Y | KCN-18-X-Y |
| 24, 26, 28 | ВК | min. 30 max. 60 cm | 23-31 cm | KCM-8-X-Y | KCM-10-X-Y | KCM-14-X-Y | KCM-18-X-Y |
| 32, 38 | AK | min. 40 max. 80 cm | 31-36 cm | KCW-08-X-Y | KCW-10-X-Y | KCW-14-X-Y | KCW-18-X-Y |

X indicates the thickness in Ply (1Ply=1,5mm; 3Ply=2mm; 5Ply=2,5mm)
Y indicates the distal end (N-without hole; H with hole; HR with reinforced hole)

Part number examples:

KCN-08-3-H Prosthetic sock, Narrow, Extra Short, 3 Ply, with hole KCM-10-1-N Prosthetic sock, Medium, Short, 1 Ply, without hole KCW-18-5-HR Prosthetic Sock, Wide, Long, 5 Ply, with reinforced hole

SOCKS ARE AVAILABLE IN BUNDLES!

Contact your sales representative for details on all available bundle options in your country.

| PART# | DESCRIPTION | | | |
|---------------------|---------------------------|------------|------------|------------|
| B5KC XYY-Z* | 5 SOCKS BUNDLES INCLUDES | x2 1-PLY • | x2 3-PLY — | x1 5-PLY ● |
| B6KC XYY-Z* | 6 SOCKS BUNDLES INCLUDES | x2 1-PLY • | x2 3-PLY • | x2 5-PLY ● |
| B10KC XYY-Z* | 10 SOCKS BUNDLES INCLUDES | x5 1−PLY ● | x3 3-PLY 🛑 | x2 5−PLY ● |

^{*}X = size code YY = length code Z = distal end style code

| CH00SE DIS | TAL END STYLE | CH00SE SIZE | | | |
|------------|---------------|-------------------|-------------------|-----------------|--|
| | | NARROW Code: N | MEDIUM Code: M | WIDE Code: W | |
| | | CH00SE LENGTH | | | |
| | | CHOOSE LENGTH | | | |

Part number example:

 $B5KCW08-H ---> 5 \ socks \ bundle \ wide, extra-short \ with \ hole \\ B10KCN14-N ---> 10 \ socks \ bundle \ narrow, regular \ without \ hole \\$





Skin Reliever

The ALPS Skin Reliever eliminates shear forces, friction, and prevents abrasions on the skin of the stump.

It also accommodates volume fluctuations over the life of the prosthesis.

There is no need to make a new socket, ALPS Skin Reliever can be worn under silicone, gel, and pelite liners.



Key Benefits



Reduces shearing and abrasions



High elasticity



Replaces pelite and socks



Softens and soothes the skin



Contains an antioxidant for use on delicate skin




Skin Reliever ENCP. Sizing chart.

Measure the circumference of the stump at 6 cm above the distal end.

| MEASURED SIZE (CM) | ENCP 3/1.5MM TAPERED |
|--------------------|----------------------|
| 10-19 cm | ENCP16 |
| 20-27 cm | ENCP20 |
| 28-37 cm | ENCP28 |

Cross section





Antioxidant Cream

Patent No. 10,543,167 | 11,478,419

ALPS Antioxidant Cream contains antioxidants that are effective scavengers of free radicals and hydroxyl groups. May assist with soothing pain, itchiness and irritated skin. Can be applied on stumps with sensitive skin as it stimulates skin regeneration process. Its moisturizing power improves skin elasticity.

Recommended for use with all liners.



Key benefits



Soothes Pain, Itch, and Irritation



Stimulates Skin Regeneration



Improves Skin Elasticity



Great for Sensitive Skin

| PRODUCT NO. | AMOUNT | QUANTITY |
|--------------|--------|------------|
| ANT-C50 | 50 ML | x 1 |
| ANT-C50 BX12 | 50 ML | B0X 0F 12 |



Silicone Skin Lotion



ALPS 100% Silicone Skin Lotion helps to soothe dry, sensitive skin. It is hypoallergenic, with no perfumes or dyes, and minimal residue. Can be used sparingly to relieve dry, cracked skin conditions.

Key benefits



Hypoallergenic and skin friendly: formulated to soothe and hydrate sensitive skins without oily feeling



Simple use: apply a few drops of lotion on the skin or on palm of the hand and massage until completely absorbed



Concentrated: a few drops are enough to relieve dry and cracked skin conditions



Without soap or dyes: 100% free of soaps and dyes that could be aggressive

| PRODUCT NO. | AMOUNT | QUANTITY |
|-------------|--------|------------|
| SL 108 | 118 ML | x 1 |
| SL108 BX12 | 118 ML | BOX 0F 12 |
| SL108-32 | 944 ML | x 1 |



Prosthetic Lubricant

ALPS Prosthetic Lubricant is used to help in donning gel and silicone prosthetic liners. It allows the amputee to don the liner or sheath easily while eliminating the sticky feel.



Key benefits



Helps the placement of the liner in the socket



Easy application in 3 fast steps: Turn the liner inside-out - spray the lubricant on the external surface - unroll the liner over the stump



Eliminates the sticky feeling and is recommended for use with all liners



Contains 70% isopropyl alcohol for quick evaporation

| PRODUCT NO. | AMOUNT | QUANTITY |
|-------------|--------|-----------|
| PA 604 | 443 ML | x1 |
| PA 604 BX12 | 443 ML | BOX OF 12 |



Prosthetic Cleanser



ALPS Prosthetic Cleanser is a non-alkaline, soapfree cleansing agent designed to help remove dirt and excess perspiration from prosthetic liners and sleeves. Its unique formula allows it to work efficiently with hand washing or machine wash settings to effectively clean and restore items back to their original state.

Key benefits



Developed to remove dirt and excess sweat from prosthetic liners and sleeves, either by hand or in the washing machine. It is recommended for use with all liners



Suitable for sensitive skin: thanks to its delicate formula it can also be applied to the areas of the skin that come into contact with the prosthesis



Without soap or dyes: 100% free of soaps and dyes that could be aggressive



Balanced ph: the non-alkaline silicone-based formula soothes the skin and does not damage the liner.

| PRODUCT NO. | AMOUNT | QUANTITY |
|-------------|--------|-----------|
| PD 595 | 443 ML | x1 |
| PD 595 BX12 | 443 ML | BOX 0F 12 |



PadSil

The Padsil was developed to increase patient comfort in combination with ALPS liners. The more active user will appreciate the additional cushioning, softness, and durability. Users who experience volume changes will also appreciate the Padsil's ability to lift the limb back into the proper position. They can be placed at the bottom of the socket or inside a pin locking liner.



Key Benefits



Soft medical grade silicone



Helps maintain total contact



Keeps its shape over time



Easily modified



Blue dummy padsils are available for laminating



PadSil PDS. Sizing chart.

Measure the circumference of the stump at 6 cm above the distal end.

| MEASURED SIZE (CM) | SILICONE DISTAL PAD | BLUE DUMMY FOR LAMINATION |
|--------------------|---------------------|---------------------------|
| 14-19 cm | PDS-S Ø 5.5 cm | PDSB-S |
| 20-23 cm | PDS-M Ø 6.5 cm | PDSB-M |
| 24-27 cm | PDS-LØ8 cm | PDSB-L |
| 28-31 cm | PDS-XLØ9cm | PDSB-XL |
| 32-35 cm | PDS-XXL Ø 10,5 cm | PDSB-XXL |

Cross section









BioStep® EVO

Patent No. 7,410,503~ | 8,236,062~ | 8,574,314~ | 8,808,395~

Ready for the next adventure

The most performing among the BioStep® Family. An all-around foot, with extra shock absorption and increased safety on all terrains, providing a softer connection to the ground.

Suggested for demanding dynamic users searching for the best. Ideal also for hiking and trekking, as well for recreational sport and high impact activities.

Natural, responsive, gently supportive.



Activity level









K1

(i) K2 ✓

K3 🗸

Key Benefits



Lightweight



Physiological and energy efficient gait



Smooth rollover during the whole gait cycle



 $High \, dynamic \, response \, to \, support \, an \, active \, life style$



Possibility to do a wide range of activities with just one single foot



Ground compliance and stability on all terrains



Reduction of secondary issues thanks to a more balanced posture and symmetrical gait



Low maintenance



Waterproof: resistant to fresh, salt, and chlorinated water



Technical information

Size Range: 22-30

Build Height: 170 mm

Heel height: 10 mm

Weight: 840 g (size 26 with footshell)

Max user weight:

| Size | K2 ① | К3 | K4 |
|-------|-------------|-------|-------|
| 22 | 113kg | 102kg | 90kg |
| 23-24 | 125kg | 113kg | 102kg |
| 25-30 | 158kg | 147kg | 125kg |

Product code example

| Model | Size | Side | Rate |
|-------|------|------|------|
| BSEV0 | 25 | L/R | 42 |

Add -D for dark footshell



Footshell and spectra sock are included

Key Features



NRG Technology®



Multilayer



Dynamic Calf and Shin



Split Toe



Range of Motion 26°



Axial Rotation 12°



Increased Shock Absorption



Waterproof



Indicated for more active K2 users.





BioStep® PRO

Patent No. 7,410,503~ | 8,236,062~ | 8,574,314~ | 8,808,395~

Do that extra mile!

All benefits of the NRG Technology® with enhacede torsional movement.

Suggested for active outdoor patients who prefer a firm connection to the ground and the added benefits of torsion. Also for occasional and recreational sport activities.

Natural, comfortable, responsive.



Activity level









K1

(i) K2 ✓

K3 🗸

K4 🗸

Key Benefits



Lightweight



Physiological and energy efficient gait



Smooth rollover during the whole gait cycle



 $High\ dynamic\ response\ to\ support\ an\ active\ life style$



Possibility to do a wide range of activities with just one single foot



Ground compliance and stability on all terrains



Reduction of secondary issues thanks to a more balanced posture and symmetrical gait



Low maintenance



Waterproof: resistant to fresh, salt, and chlorinated water



Technical information

Size Range: 22-30

Build Height: 150 mm

Heel height: 10 mm

Weight: 730 g (size 26 with footshell)

Max user weight:

| Size | K2 ① | К3 | K4 |
|-------|-------------|-------|-------|
| 22-24 | 113kg | 101kg | 101kg |
| 25-30 | 183kg | 183kg | 147kg |

Product code example

| Model | Size | Side | Rate |
|-------|------|------|------|
| BSPR0 | 25 | L/R | 42 |

Add -D for dark footshell



Footshell and spectra sock are included

Key Features



NRG Technology®



Multilayer



Dynamic Calf and Shin



Split Toe



Range of Motion 26°



Axial Rotation 12°



Increased Shock Absorption



Waterproof



Indicated for more active K2 users.





BioStep® CL

Patent No. 7,410,503~ | 8,236,062~ | 8,574,314~ | 8,808,395~

Your everyday companion

Our Classic foot with all benefits of the NRG Technology®; it provides a firm connection to the ground.

Suggested for urban walkers and aggressive walkers searching for a strong, durable and comfortable dynamic response foot.

Natural and responsive.



Activity level









K1

(i) K2 ✓

K3 🗸

Key Benefits



Lightweight



Physiological and energy efficient gait



Smooth rollover during the whole gait cycle



High dynamic response to support an active lifestyle



Possibility to do a wide range of activities with just one single foot



Ground compliance and stability on all terrains



Reduction of secondary issues thanks to a more balanced posture and symmetrical gait



Low maintenance



Waterproof: resistant to fresh, salt, and chlorinated water



Technical information

Size Range: 22-30

Build Height: 150 mm

Heel height: 10 mm

Weight: 740 g (size 26 with footshell)

Max user weight:

| Size | K2 ① | К3 | K4 |
|-------|-------------|-------|-------|
| 22-24 | 113kg | 101kg | 101kg |
| 25-30 | 183kg | 183kg | 147kg |

Product code example

| Model | Size | Side | Rate |
|-------|------|------|------|
| BSCL | 25 | L/R | 42 |

Add -D for dark footshell



Footshell and spectra sock are included

Key Features



NRG Technology®



Multilayer



Dynamic Calf and Shin



Split Toe



Range of Motion 26°



Axial Rotation 16°



Increased Shock Absorption



Waterproof



Indicated for more active K2 users.





BioStep® XT

Patent No. 7,410,503~ | 8,236,062~ | 8,574,314~ | 8,808,395~

The relentless energy

Maximum energy storage and return for the most demanding patients.

Suggested for high impact activities equiring torsional movement and for occasional sports activities.

Natural, comfortable, extremely responsive.



Activity level









K1

(i) K2 🗸

K3 🗸

K4 🗸

Key Benefits



Lightweight



Physiological and energy efficient gait



Smooth rollover during the whole gait cycle



 $High \, dynamic \, response \, to \, support \, an \, active \, life style$



Possibility to do a wide range of activities with just one single foot



Ground compliance and stability on all terrains



Reduction of secondary issues thanks to a more balanced posture and symmetrical gait



Low maintenance



Waterproof: resistant to fresh, salt, and chlorinated water



Technical information

Size Range: 22-30

Build Height: 185 mm

Heel height: 10 mm

Weight: 840 g (size 26 with footshell)

Max user weight:

| Size | K2 ① | К3 | K4 |
|-------|-------------|-------|-------|
| 22-30 | 152kg | 140kg | 120kg |

Product code example

| Model | Size | Side | Rate |
|-------|------|------|------|
| BSXT | 25 | L/R | 42 |

Add -D for dark footshell



Footshell and spectra sock are included

Key Features



NRG Technology®



Multilayer



Dynamic Calf and Shin



Split Toe



Range of Motion 26°



Axial Rotation 16°



Increased Shock Absorption



Waterproof



Indicated for more active K2 users.





BioStep® LP

Patent No. 8,574,314~

Low build height for a great freedom

The ideal solution for active users with long residual limbs. It provides secure contact with the ground, as well as responsive action and ground compliance.

Suggested for medium and high mobility users with long residual limbs, who want a responsive, all-around foot.

Responsive with low height.



Activity level









K1

(i) K2 ✓

K3 🗸

K4 🗸

Key Benefits



Lightweight



Physiological and energy efficient gait



Smooth rollover during the whole gait cycle



High dynamic response to support an active lifestyle



Possibility to do a wide range of activities with just one single foot



Ground compliance and stability on all terrains



Reduction of secondary issues thanks to a more balanced posture and symmetrical gait



Low maintenance



Waterproof: resistant to fresh, salt, and chlorinated water



Technical information

Size Range: 22-30

Build Height: 68 mm

Heel height: 10 mm

Weight: 600 g (size 26 with footshell)

Max user weight:

| Size | K2 ① | К3 | K4 |
|-------|-------------|-------|-------|
| 22-24 | 100kg | 88kg | 77kg |
| 25-30 | 165kg | 147kg | 130kg |

Product code example

| Model | Size | Side | Rate |
|-------|------|------|------|
| BSLP | 25 | L/R | Е |

Add -D for dark footshell



Footshell and spectra sock are included

Key Features



Split Toe



Range of Motion 26°



Increased Shock Absorption



Waterproof



Indicated for more active K2 users.





ProStride

An intuitive microprocessor prosthetic knee that effortlessly adapts to the patient's gait speed, enhancing mobility and independence.

ProStride[™] knee is an advanced artificial joint designed to provide users with an easy-to-use, safe, comfortable, and energy-efficient walking experience.

ProStride™ includes microprocessor technology and a polycentric design, helping users easily initiate the swing phase while conserving energy, adapting to a wide range of walking conditions, and continuously adjusting to users' gait over time.



Activity level







K3 🗸



K.

K2 ✓

Κ4

Key Benefits



Four-bar pneumatic design.

Allows the instant center of rotation (ICR) trajectory to mimic that of a normal gait pattern.



Microprocessor technology.

Includes **three smart sensors** that automatically calibrate to the patient's gait pattern, making adjustments quick and accurate.



Smart programming.

Thanks to a **user-friendly app**, programming the ProStride can be completed within minutes with just a few simple inputs.



Easy to use.

The ProStride is designed to be user-friendly, enabling practitioners of all experience levels to install and program it efficiently, while users can easily manage it.



Customization options.


In the app, users have the opportunity to easily customize the knee's response to meet a specific activity need (biking, hiking, etc.) without affecting the initial programming settings.



Specifications

| Aluminum alloy (mainly), Stainless steel |
|---|
| 1.260 gr / 2.78 Lbs |
| 142° |
| 125 Kg / 275 Lbs |
| For connection with standard 4-hole adaptor |
| 30 mm |
| K2, K3 |
| Mobile app compatible with Android Version 9+ and iOS Version 13+ |
| Up to 3 days under normal usage |
| |


Dimensions



- A System Height
- B Alignment Reference Point
- C Proximal build height up to the alignment reference point
- D Distal build height up to the alignment reference point
- E Tube insertion length
- F Centro-Bolt to Alignment Reference

Note: All measurements in mm





| LINERS | | |
|-------------------------|----------------------------------|-----------|
| ITEM | DESCRIPTION | WARRANTY |
| AKDT/AKDTHD/AKFR/AKFRHD | Extreme™ Liner | 12 Months |
| APDT-TP/APFR-TP | Anterior-Posterior Tapered Liner | 12 Months |
| ECDTHD/ECFRHD | Eco™Liner | 12 Months |
| ELDT/ELFR | EasyLiner® | 12 Months |
| ELPX | EasyLiner® Super Stretch | 6 Months |
| EZF | EasyFlex™Liner | 12 Months |
| GPDT/GPFR | General Purpose Liner | 12 Months |
| LSL/LSC | Silicone Pro Liner | 12 Months |
| PFGDT/PFGFR | Pro-Fit Liner | 12 Months |
| PSI | Proximal Seal Interface Liner | 6 Months |
| SAFR/SADT/SBFR | Smart Seal™ Liner | 6 Months |
| SPDT/SPDTHD/SPFR/SPFRHD | Superior Performance Liner | 12 Months |
| SSGSL/SSGSC | SoftSil Liner | 12 Months |
| USHSL/USHSC/USLSL/USLSC | UltraSeal Liner | 6 Months |
| VSDT | Liberty™Liner | 12 Months |

| SLEEVES | | |
|-----------|-----------------------------------|----------|
| ITEM | DESCRIPTION | WARRANTY |
| APS | Anterior Posterior Tapered Sleeve | 3 Months |
| RFS | Fabric Reinforced Sleeve | 3 Months |
| RFX | Fabric Reinforced Flex Sleeve | 3 Months |
| SFB/SFBHD | Superior Suspension Sleeve | 3 Months |
| SFK | Extreme Sleeve | 3 Months |
| SFP/SFPHD | Superior Performance Sleeve | 3 Months |
| SFR | Easy Sleeve | 3 Months |
| SFS | EasySleeve Fabric Reinforced | 3 Months |
| SFX | Flex Sleeve | 3 Months |
| SLE | Easy Sleeve Super Stretch | 3 Months |
| VIVA | Valve Integrated Vacuum Activated | 3 Months |

| LOCKS | | | | | |
|-----------|---------------------------------------|----------|--|--|--|
| ITEM | DESCRIPTION | WARRANTY | | | |
| S498-P | ALPS Lock with Pyramid | 6 Months | | | |
| S496-W | ALPS Lock Flat Bottom - Without Plate | 6 Months | | | |
| S496-T | ALPS Lock Flat Bottom - With Plate | 6 Months | | | |
| VIP® Lock | | 6 Months | | | |

| EXTRA | | |
|--------------------|------------------------|----------|
| ITEM | DESCRIPTION | WARRANTY |
| ENCP | Skin Reliever | 1Month |
| KC | Prosthetic Socks | 1Month |
| PDS | Silicone Distal Pad | 6 Months |
| VIP® | Vacuum Integrated Pump | 6 Months |
| Modular Components | | 2 Years |

| SKIN CARE | | | | |
|-----------|----------------------|----------|--|--|
| ITEM | DESCRIPTION | WARRANTY | | |
| ANT-CEP50 | Antioxidant Cream | 90 Days | | |
| PA604 | Prosthetic Lubricant | 90 Days | | |
| PD595 | Prosthetic Cleanser | 90 Days | | |
| SL108 | Skin Lotion | 90 Days | | |

| BIOSTEP® | |
|---|----------|
| ITEM | WARRANTY |
| BioStep® EVO, BioStep® PRO, BioStep® CL, BioStep® XT, BioStep® LP | 3 Years |
| Foot Shell | 6 Months |
| Spectra Sock | 1 Month |

CONTACTS



Tel +420 377 223 127 Fax +420 377 223 010 info@easyliner.eu www.easyliner.eu

ALPS WORLDWIDE OFFICES

ALPS USA

Tel 727-528-8566 infous@easyliner.com www.easyliner.com

ALPS CHINA

Tel 0731-55582976-801 china_salesrep@easyliner.com.cn www.easyliner.com.cn

ALPS ITALY

Tel +39 051 86 06 42 info@alpsitaly.com www.easyliner.eu

ALPS EUROPE

Tel +420 377 223 127 info@easyliner.eu www.easyliner.eu

ALPS UKRAINE

Tel +38(067) 889 80 22 alpsukraine@easyliner.eu www.alpsukraine.com

Use of $^{\text{TM}}$ and $^{\text{@}}$ herein is limited to trademark claims and registrations in the European Union



Even the highest performing prosthetic device will be inadequate without a perfect interface with the residual limb to provide comfort all day long.

This is why for almost 30 years ALPS has been dedicated to designing and manufacturing only the highest-quality prosthetic liners to provide users with all the mobility they need.

Thanks to its dedication to innovation, ALPS has developed other high-quality prosthetic solutions in addition to prosthetic liners, inspired by the slogan which has been driving the company since 1988:

Making Lives Better™

