

BATEC MOBILITY S.L.

Illa de Buda, 2 - 08192 Sant Quirze del Vallès (Barcelona) SPAIN | **T** +34 93 544 2003 info@batec-mobility.com | **www.batec-mobility.com**

ORDER FORM ELECTRIC 2 RANC	jE
Distributor:	Country:
User name:	Dealer:
City:	Phone/E-Mail:
My order number:	Order date:
PARA MODELS	
BATEC ELECTRIC 2	
Graphite STD 25.11.001 Graphite STD limited to 6Km/h 25.52.013 Graphite STD limited to 10Km/h 25.60.013 Graphite STD limited to 15Km/h 25.61.001	OBATE!
QUAD MODELS	
BATEC QUAD ELECTRIC 2 € Graphite STD 25.12.001 Graphite STD limited to 6Km/h 25.52.014 Graphite STD limited to 10 Km/h 25.60.016 Graphite STD limited to 15Km/h 25.61.002	
HEMI MODELS BATEC HEMI ELECTRIC 2 €	
25.53.001 25.54.001 25.54.001 Graphite STD Hemi Right limited to 6Km/h 25.52.015 25.52.016 Graphite STD Hemi Right limited to 10Km/h Graphite STD Hemi Right limited to 10Km/h 25.60.019 25.60.022	TD Hemi Left TD Hemi Left limited to 6Km/h TD Hemi Left limited to 10Km/h TD Hemi Left limited to 15Km/h

All Batecs include charger and Batec Docking Bar.





NOTE: We would like to point out that the versions of the device which drive faster than 6 kph are only permitted in road trafic in certain countries and otherwise may only be used on private land. In the absence of approval, in accordance with the road trafic laws, the versions which drive faster than 6 kph version may not be driven on public roads or even cycle ways. It is your responsibility to find out the information about which legal regulations apply in your particular country and about the insurance or driving licence obligations for versions which drive faster than 6 km/h.





€

OPTIONS - BATEC 4 ALL

HANDLEBAR PARA*



Twist throttle left hand 27.01.005	:	€
Thumb throttle left hand		_
27.01.004	:	Ε

Double brake lever right hand 27.01.008 €

Double brake lever left hand 27.01.009

4 Buttons pad right hand € 27.01.010 4 Buttons pad left hand €

HANDLEBAR QUAD



For customisation of the tetra handlebars, please contact us.

HANDLEBAR HEMI



Twist throttle right hand 27.04.001

Twist throttle left hand 27.04.002

€

€

BATEC FOR TALL Not compatible with quad models.

Extra-tall handlebar BATEC FOR TALL (includes: taller handlebar, control- button extenders, twist-throttle extender, longer brake cables and covers). | 27.01.007

€

27.01.011



OPTIONS - OTHERS

Optional suspension stand frame



BATEC RINGS



BATTERY

36 V-280 Wh (7.8 Ah) lithium battery (Acc. I ATA regulations→) | 26.01.006

36 V-522 Wh (14.5 Ah) lithium battery | 26.01.004

€

€



^{*} BATEC handlebars are supplied as standard with right-hand throttle and two brake levers.





ACCESORIES











WHEELCHAIR WHEELS











BRACI	KETS		В	RAKE	ES		
	D1 PV3 - Flat V shape brackets for fixed frame	53.01.10	€	K	D3 NR - Standard Brakes push-to-lock mounted on Batec clamps	53.03.10	_€
	D1 CNC - Machined brackets for folding frame	53.01.11	€	-	D3 NTA - Aluminium Scissor Brakes mounted on Batec clamps	53.03.11	_€
5	D1 PS3 - PANTHERA BRACKETS for Short frame	53.01.50	€	7-	D3 NT - Composite Scissor Brakes mounted on Batec clamps	53.03.12	_€
5	D1 PL3 - PANTHERA BRACKETS for Long frame	53.01.51	€				
STANI	DARD CLAMPS						
	D2 N19 - Round tube wheelchair clamps Ø19mm	53.02.40	€	Ú	D2 NC - CYCLONE XLR oval tube wheelchair clamps	53.02.50	_€
	D2 N22 - Round tube wheelchair clamps Ø22mm	53.02.41	€	(D2 NB - OTTOBOCK BLIZZARD oval tube wheelchair clamps	53.02.51	_€
1	D2 N25 - Round tube wheelchair clamps Ø25mm	53.02.42	€		D2 NPR - TNS PROVAL oval tube wheelchair clamps	53.02.52	_€
•	D2 N28.8 - Round tube wheelchair clamps Ø28.8mm	53.02.43	€		D2 N19-22 - PANTHERA- Round tube wheelchair clamps Ø19mm / Ø 20mm	53.02.54	_€
4	D2 N30 - Round tube wheelchair clamps Ø30mm	53.02.44	€	Po	D2 AVANG – Clamps for OTTOBOCK Avantgarde round tube wheelchairs	53.02.55	_€
•	D2 N31.6 - Round tube wheelchair clamps Ø31.6mm	53.02.45	€		D2 MN30 – Clamps for MEYRA Nano Ø 30 mm round tube wheelchairs	53.02.56	_€
6	D2 N35 - Round tube wheelchair clamps Ø35mm	53.02.46	€		D2 MP25 – Clamps for MEYRA Ø 25mm folding round tube wheelchairs	53.02.57	_€
	D2 NH - QUICKIE oval tube wheelchair clamps (for HELIUM & XENON)	53.02.47	€ (D2 KRIP – OVAL TUBE CLAMPS (QUICKIE KRIPTON)	53.02.59	_€
•	D2 NJ - PROGEO JOKER oval tube wheelchair clamps	53.02.48	€		D2 DUKE – Oval tube clamps (PROGEO DUKE/NOIR 2.0)	53.02.60	_€
	D2 NT - PROGEO TEKNA / NOIR oval tube wheelchair clamps	53.02.49	€	6	D2 MNX30 - OVAL TUBE CLAMPS Ø30mm (MEYRA Nano Nx)	53.02.61	_€
SPECIA	AL CLAMPS SETS		А	DAPT	TORS		
as all	D6 ADV - KUSCHALL ADVANCE CLAMPS SET (clamps + adaptor)	53.06.01	_€	b	D5 PRO - Adaptors for Pro Activ wheelchairs	53.05.03	_€
4	D6 EGO - PROGEO EGO CLAMPS SET (clamps + adaptor)	53.06.02	_€		Adaptors for fixed frame w/ tapered seat	53.05.04	_€
	D6 ICO - ICON CLAMPS SET (clamps + adaptor)	53.06.03	_€	V	D5 PU - Adaptor for saving a seat bar for fixed frame	53.05.06	_€
11	D6 CS1 - CSEI CLAMPS SET (clamps + adaptor)	53.06.04	€	\	D5 BA - Adaptor for moving the clamps for folding frame	53.05.07	_€
11	D6 CS2 - CSEI EVO CLAMPS SET (clamps + adaptor)	53.06.05	_€		D5 ES - Set of spacers for fixed or folding frame wheelchairs or D5 50	53.05.08	_€
					D5 RE - Adaptor for moving the rear clamp backwards for fixed frame	53.05.05	€
			•	1	D5 REC – Curve adaptor for moving the rear clamp backwards	53.05.09	_€
				1	D5 RE2 - Adaptor for moving backwards both clamps	53.05.11	_€
			4	ß	D5 FK – Brake adapt short folding wheelch	53.05.10	_€






DETAILS OF WHEELCHAIR THE BATEC WILL BE INSTALLED ON				
CM (exterior distance from tube to seat tube)				

Please refer to the Batec Compatibility Chart to ensure your wheelchair model is compatible, and to check the maximum and minimum measurements allowed

USER DETAILS

User name		
User height		cm
User weight		kg () Maximum accepted weight 110 kg
1	Knee height	CM (distance from floor – upper edge of knee)
2	Shoulder height	CM (distance from floor – upper edge of shoulder)
3	Length of arms	CM (distance from centre of shoulder – centre of the palm with arm fully extended)
4	Total length	CM (distance from back – tips of toes, with feet as far back as possible for the user)
5	Position of feet	CM (distance from end of seat – end of feet)
6	Width of abdomen	CM (distance from back – abdominal area)



COMMENTS