

IBIS



T: +31 (0)492 593 888
 F: +31 (0)492 546 497
customerservice@sunrisemedical.nl
www.SunriseMedical.nl

Valid from	01-01-2021	Version	1.0
Dealer	Date		
Reference No.			
Delivery address	Quantity		
	UNIT-ID 0181		



The picture shown may deviate from the standard configuration


Basic configuration exclusive VAT €

- Sedeo Pro seat frame
- Fully adjustable seating system: seat width - seat depth - seat angle - seat height - backrest angle - centre of gravity
- Excellent, adjustable driving characteristics
- 'Easy to operate 30° tilt-in-space adjustment'
- Adjustable, low seat height, from 39 cm standard 49,5 cm
- Central legrest with gas spring adjustment and calf support
- Removable armrests with quick-lock, armrest pad 40 cm and side supports PU
- 7" solid front wheels
- 12,5" air rear wheels with coupled foot brakes
- Height adjustable push bar
- Integrated 4-point transport brackets
- Kick tubes and anti-tip brackets
- Available with PowerSupport 12,5" attendant control
- Also suitable as a chassis for a specific seating system or orthosis
- Base frame colour antracite grey metallic

The standard configuration below is indicated with 'basic'. If an alternative option is required please mark clearly by ticking the associated box.



THE CODES WHICH ARE MENTIONED BEHIND THE OPTIONS, ARE NOT ARTICLE NUMBERS. ALWAYS USE THESE CODES IN COMBINATION WITH THE PRICE LIST-ID NUMBER MENTIONED ABOVE.

BASE FRAME		option ID	Price
<input type="checkbox"/>	1 SEDEO PRO SEAT FRAME		
<input type="checkbox"/>	Sedeo Pro seat frame	Y01117	
<input type="checkbox"/>	2 Sedeo Pro seat frame with third party backrest frame (BW 42 - 56 cm) (frame only)	Y01124	
<input type="checkbox"/>	3 Sedeo Pro seat frame with seat shell backrest frame (frame only, no backrest cush)	Y01651	
<input type="checkbox"/>	4 Height adjustable push bar (not i.c.w. third party or seat shell backrest frame)	Y01126	
<input type="checkbox"/>	5 Angle adjustable push bar, user weight < 120 kg (not i.c.w. third party or seat shel	Y01127	
<input type="checkbox"/>	6 Low seat post for SH 320 - 425 mm	Y00586	
<input type="checkbox"/>	6 High seat post for SH 365 - 470 mm	Y00587	
<input type="checkbox"/>	SEAT HEIGHT EXCL. STANDARD CUSHION (70 MM), USER WEIGHT EXCL.		
<input type="checkbox"/>	320 mm (not i.c.w. SW 54 cm, SD 58 cm)	Y00575	
<input type="checkbox"/>	335 mm	Y00576	
<input type="checkbox"/>	350 mm	Y00577	
<input type="checkbox"/>	365 mm	Y00578	
<input type="checkbox"/>	380 mm	Y00579	
<input type="checkbox"/>	395 mm	Y00580	
<input type="checkbox"/>	410 mm	Y00581	
<input type="checkbox"/>	425 mm	Y00582	
<input type="checkbox"/>	440 mm	Y00583	
<input type="checkbox"/>	455 mm	Y00584	
<input type="checkbox"/>	470 mm	Y00183	
<input type="checkbox"/>	7" air front wheels	Y00114	
<input type="checkbox"/>	7" solid front wheels	Y00113	
<input type="checkbox"/>	7 Axle position front 1 (not i.c.w. 12,5" or 16" rear wheels)	Y00083	
<input type="checkbox"/>	7 Axle position middle 2	Y00084	
<input type="checkbox"/>	7 Axle position middle 3	Y00085	
<input type="checkbox"/>	7 Axle position rear 4	Y00086	
<input type="checkbox"/>	12,5" air rear wheels (not i.c.w. WheelDrive)	Y00134	
<input type="checkbox"/>	12,5" solid rear wheels (not i.c.w. WheelDrive)	Y00135	
<input type="checkbox"/>	16" air rear wheels (not i.c.w. coupled footbrake) (not i.c.w. PowerSupport or Wh	Y00138	
<input type="checkbox"/>	16" solid rear wheels (not i.c.w. coupled footbrake) (not i.c.w. PowerSupport or W	Y00139	
<input type="checkbox"/>	20" air rear wheels (not i.c.w. PowerSupport or WheelDrive)	Y00140	
<input type="checkbox"/>	20" solid rear wheels (not i.c.w. PowerSupport or WheelDrive)	Y00141	










<input type="checkbox"/>	22" air rear wheels (not i.c.w. PowerSupport or WheelDrive)	Y00142
<input type="checkbox"/>	22" solid rear wheels (not i.c.w. PowerSupport or WheelDrive)	Y00143
<input type="checkbox"/>	24" air rear wheels (not i.c.w. PowerSupport or WheelDrive)	Y00144
<input type="checkbox"/>	24" solid rear wheels (not i.c.w. PowerSupport or WheelDrive)	Y00145
<input type="checkbox"/>	Quick release axles (not i.c.w. 12,5" or 16" rear wheels or WheelDrive)	Y00128
<input type="checkbox"/>	Push brakes (only i.c.w. 12,5" or 16" rear wheels) (not i.c.w. PowerSupport)	Y00088
<input type="checkbox"/>	Push brakes (only i.c.w. 20", 22" or 24" rear wheels) (not i.c.w. WheelDrive)	Y01257
<input type="checkbox"/>	Coupled footbrake (drumbrakes) frame on 42 cm for SW 42, 46 or 50 cm (only i.c.)	Y00092
<input type="checkbox"/>	Coupled footbrake for SW 54 cm (only i.c.w. 12,5" rear wheels (not needed i.c.w.)	Y00093
<input type="checkbox"/>	Brake lengtheners (only i.c.w. push brakes) (not i.c.w. 12,5" or 16" rear wheels)	Y00087

























POWER ASSIST

		option ID	Price
<input type="checkbox"/>		1	PowerSupport 12,5" (total width will be 9 cm more) attendant control and batterie: Y00117
<input type="checkbox"/>		2	WheelDrive 24" left and right wheels with Marathon plus puncture proof air tyres, Y01518




























ADJUSTMENTS & LIGHTING

		option ID	Price
<input type="checkbox"/>		1	Gas spring tilt adjustment till user weight 125 kg Y01512
<input type="checkbox"/>		1	Gas spring tilt adjustment for user weight 90 to 160 kg Y01513
<input type="checkbox"/>		2	Manually reclining backrest (not i.c.w. seat shell backrest frame) Y01119
<input type="checkbox"/>		3	Manually reclining backrest, operated by the user, right (not i.c.w. seat shell backr Y01121
<input type="checkbox"/>		3	Manually reclining backrest, operated by the user, left (not i.c.w. seat shell backre: Y01120
<input type="checkbox"/>		4	Adjustable tilt in space operated by user (60 - 90 kg) max. tilt 18° (not i.c.w. seat s Y00400
<input type="checkbox"/>		4	Adjustable tilt in space operated by user (90 - 125 kg) max. tilt 18° (not i.c.w. seat Y00401

SEAT CUSHIONS

		option ID	Price
<input type="checkbox"/>			WIDTH (SW) X DEPTH (SD) COMFORT SEAT CUSHION
<input type="checkbox"/>			42 x 50 cm (SW 40 - 42 cm, SD 44 - 52 cm) Y01139
<input type="checkbox"/>			42 x 56 cm (SW 40 - 42 cm, SD 50 - 59 cm) Y02644
<input type="checkbox"/>			46 x 50 cm (SW 42 - 46 cm, SD 44 - 52 cm) Y01142
<input type="checkbox"/>			46 x 56 cm (SW 42 - 46 cm, SD 50 - 59 cm) Y02645
<input type="checkbox"/>			50 x 50 cm (SW 46 - 50 cm, SD 44 - 52 cm) Y01145
<input type="checkbox"/>			50 x 56 cm (SW 50 - 54 cm, SD 50 - 59 cm) Y02646
<input type="checkbox"/>			54 x 50 cm (SW 50 - 54 cm, SD 44 - 52 cm), if coupled footbrake, order coupled fr Y01148
<input type="checkbox"/>			54 x 56 cm (SW 50 - 54 cm, SD 50 - 59 cm) Y02647
<input type="checkbox"/>			CHOOSE ALSO SEAT CUSHION COVER
<input type="checkbox"/>		1	Profiled seat, 70 mm thick Y01152
<input type="checkbox"/>		2	Memory foam seat, 70 mm thick (only i.c.w. SEDEO PRO incontinence cover) Y01153
<input type="checkbox"/>		3	Support seat, 100 mm thick Y01154
<input type="checkbox"/>		3	Support seat TR with memory foam, 90 mm thick Y01155
<input type="checkbox"/>		4	Form seat, 11 cm thick (only i.c.w. incontinence cover) (only i.c.w. SEDEO PRO ir Y01531
<input type="checkbox"/>		5	Stabilizer seat, 90 mm thick (choose 1 size bigger for the seat width) Y01156
<input type="checkbox"/>		6	Pan seat with front (50 mm) and depth adjustable rear lip (not i.c.w. comfort cover Y01159
<input type="checkbox"/>		6	Pan seat with front (7,5 cm) and depth adjustable rear lip (not i.c.w. comfort cover Y01532
<input type="checkbox"/>		7	Board seat with rear pan (not i.c.w. comfort cover) Y01160
<input type="checkbox"/>		7	Adaptive or other seat, choose desired deviations with adaptations Y01162
<input type="checkbox"/>		7	Omit seat cushion Y01163
<input type="checkbox"/>		8	Incontinence cover Y01164
<input type="checkbox"/>		9	Comfort cover Y01165
<input type="checkbox"/>		10	Abduction support (not i.c.w. central legrest) Y01166

BACKRESTS

		option ID	Price
<input type="checkbox"/>			WIDTH (BW) X HEIGHT (BH) COMFORT BACKREST CUSHION
<input type="checkbox"/>			(not i.c.w. third party or seat shell backrest frame)
<input type="checkbox"/>			42 x 44 cm (BW 40 - 42 cm, BH 44 - 52 cm) (only i.c.w. backrest with adjustable s Y01527
<input type="checkbox"/>			42 x 50 cm (BW 40 - 42 cm, BH 50 - 58 cm) Y01173
<input type="checkbox"/>			42 x 56 cm (BW 40 - 42 cm, BH 56 - 64 cm) Y01174
<input type="checkbox"/>			46 x 44 cm (BW 42 - 46 cm, BH 44 - 52 cm) (only i.c.w. backrest with adjustable s Y01528
<input type="checkbox"/>			46 x 50 cm (BW 42 - 46 cm, BH 50 - 58 cm) Y01176
<input type="checkbox"/>			46 x 56 cm (BW 42 - 46 cm, BH 56 - 64 cm) Y01177
<input type="checkbox"/>			50 x 44 cm (BW 46 - 50 cm, BH 44 - 52 cm) (only i.c.w. backrest with adjustable s Y01529
<input type="checkbox"/>			50 x 50 cm (BW 46 - 50 cm, BH 50 - 58 cm) Y01179
<input type="checkbox"/>			50 x 56 cm (BW 46 - 50 cm, BH 56 - 64 cm) Y01180
<input type="checkbox"/>			54 x 44 cm (BW 50 - 54 cm, BH 44 - 52 cm) (only i.c.w. backrest with adjustable s Y01530
<input type="checkbox"/>			54 x 50 cm (BW 50 - 54 cm, BH 50 - 58 cm) Y01182
<input type="checkbox"/>			54 x 56 cm (BW 50 - 54 cm, BH 56 - 64 cm) Y01183
<input type="checkbox"/>			CHOOSE ALSO BACKREST CUSHION COVER
<input type="checkbox"/>			(not i.c.w. third party or seat shell backrest frame)
<input type="checkbox"/>		1	Profiled backrest Y01185
<input type="checkbox"/>		2	Deep Contour, passive Y01187
<input type="checkbox"/>		3	Flexible Deep Contour, Passive, Adjustable Straps (not i.c.w. thoracic supports) Y01190
<input type="checkbox"/>		4	Flexible, Deep Contour, Active, Adjustable Straps (not i.c.w. thoracic supports) Y01191
<input type="checkbox"/>		5	Flexible, Extra Deep Contour, Active, Adjustable straps (only i.c.w. Sedeo Pro see Y01520
<input type="checkbox"/>			Adaptive or other back, choose desired deviations with adaptations Y01264
<input type="checkbox"/>			Omit backrest, only backrest mounting plates Y01192
<input type="checkbox"/>			Omit backrest, only angle adjustable backrest mounting plates Y01501
<input type="checkbox"/>			Omit backrest and omit backrest mounting plates Y01502
<input type="checkbox"/>		6	Incontinence cover (not i.c.w. third party or seat shell backrest frame) Y01193
<input type="checkbox"/>		7	Comfort cover (not i.c.w. third party or seat shell backrest frame) Y01194
<input type="checkbox"/>		8	Thoracic support (not i.c.w. third party or seat shell backrest frame), set Y01195
<input type="checkbox"/>		9	Flip down backrest (not i.c.w. seat shell backrest frame) Y01122
<input type="checkbox"/>		10	Flip down backrest, operated by user (not i.c.w. seat shell backrest frame) Y01123

P.O.A. = price on application, D.O.R. = Delivery time on request

Prices in euros excluding VAT. This price list will replace all previous price list versions. We reserve the right to change (price) modifications and incorrections.

