

Οι Τιμές είναι χωρίς τα μεταφορικά έξοδα

TDX® SP2 AA1 Mixt Power wheelchair 6 wheels		 	Date : User Name : Customer Code: Dealer stamp :
		Description : - 2-year warranty excluding batteries and wearing parts.	

DHCare Unique Customization Service

Please indicate your quote number or special manufacturing number :

Indicative Public Rate - Use the online configurator on DHCare Pro to generate quotes or orders free from incompatibilities.

☐ Sélectionner les options choisies par une croix dans les cases

☒ Configuration standard

☐ Options sans supplément de prix

CODE		DESCRIPTION	NC : Non Compatible (nc : 9999) not compatible with the reference 9999	EUROS	
ARJ0015	☐	Invacare® TDX® SP2 AA1		8 234,12	
ARJ0071	☐	Invacare®TDX® SP2 AA1 - Low Rider version - including 73.5 Ah batteries - Reduced seat height 420 mm - 30° seat tilt and lift included - Armrests not adjustable in width	NC : 1091, 1092, 1093, 1095, 1145, 2110, 2184, 2185, 2186, 2187, 2188, 2189, 2229, 2134+0589, 2121	10 930,81	
ARJ0072	☐	Invacare®TDX® SP2 AA1 - Low Rider version - including 60Ah batteries - Reduced seat height 403 mm - 30° seat tilt and lift included	NC : 1091, 1092, 1093, 1095, 1145, 1260, 2110, 2184, 2185, 2186, 2187, 2188, 2189, 2134+0589, 2121	10 930,81	
Modulite Seat Unit					
ARJ2110	☐	One Piece Seat Plate, width 430 mm Adjustable by arms 440 - 480 mm	NC : 0556,0589, 0977, 1092, 1093, 1094, 1095, 1332, 2108, 2113,2192, 2193, 2194, thigh braces, 2128, Bodypoint	☐	 2110
SEAT DEPTH SETTING					
ARJ2132	☐	410 mm	NC : 2196, 2197,2198	☐	
ARJ2134	☐	460 mm		☒	
ARJ2136	☐	510 mm	NC : 2143	☐	 2143
SEAT CUSHIONS					
ARJ2142	☐	Matrx Flo-tech Cushion Lite (75mm up to 127 kg); Contour (100mm up to 191 kg)		☒	
ARJ2143	☐	Matrx Flo-tech Contour Visco; (2-way stretch material) 430 x 430 mm [max. user weight 125 kg]	NC : 2155	79,08	
ARJ2147	☐	Matrx Libra Cushion, 90 mm thick Standard (up to 136 kg)/HD (up to 227 kg). Extended lead time: + 4 days	NC : 2155	302,66	 2147
ARJ2144	☐	Matrx Vi Cushion (Mesh fabric)	NC : 2155	302,66	 2144
BACKREST SUPPORT					
ARJ2161	☐	Backrest frame, detachable, height 480 mm	NC : 1307	☒	
ARJ2171	☐	Tension Adjustable - tall = 540 mm /short = 480 mm	NC : 2052, 2053, 2152, 2153, 2155, 1445, 2230, 2247, 2322, 2323, 2324, 2325, 2326, 2327, Elan Headrests	☒	 2171
ARJ2174	☐	Matrx Posture Back, height 400 mm (Mesh fabric)		822,04	
ARJ2175	☐	Matrx Posture Back, height 500 mm (Mesh fabric)		822,04	
ARJ2176	☐	Matrx Elite E2 Back , height 500 mm (Mesh fabric)		822,04	
ARJ2177	☐	Matrx Elite TR Back, height 500 mm (Mesh fabric)		822,04	
ARJ2178	☐	Matrx Elite Deep E2 Back, height 500 mm (Mesh fabric)		822,04	
Find the trunk supports and all the accessories on the Matrx measurement sheet!					

MODULITE MODULAR SEAT				
Seat type				
ARJ2111	☐	Telescopic Seat Frame and Plate with Side Rails width 380 to 530 mm Additional 50 mm by arms		◆
ARJ2112	☐	Telescopic Seat Frame + Sling Seat with Side Rails width 380 to 530 mm; + 30 mm seat height Additional 50 mm by arms		○
Seat width (Factory preset)				
		330mm (take seat width 380 mm (2121) + Inside curved armrest (2183))	NC : 2143, 2701, 2703, 2705, 2138+2142/2147/2144	
ARJ2121	☐	380 mm	NC : 2143, 0071, 0072, 2138+2142/2147/2144, 2701, 2703, 2705	○
ARJ2122	☐	430 mm	NC : 2138, 2701, 2703, 2705	◆
ARJ2123	☐	480 mm	NC : 2138+2142/2147, 2702, 2704, 2706	○
ARJ2124	☐	530 mm	NC : Matrx backrests, 2143, 2702, 2704, 2706	○
Seat width (Factory preset)				
ARJ2129	☐	Standard Depth Package (SD range 410 - 510 mm)	NC : 2138	◆
ARJ2130	☐	Extended Depth Package (SD range 510 - 560 mm)	NC : 2132, 2134	○
Seat Depth (Factory preset)				
ARJ2132	☐	410 mm	NC : 2196, 2197, 2198, 0556+thigh wedge, Bodypoint	○
ARJ2134	☐	460 mm	NC : 0556+thigh wedge	◆
ARJ2136	☐	510 mm	NC : 2143, 0556+thigh wedge	○
ARJ2138	☐	560 mm(only with seat width 530 mm)	NC : 2143	○
Seat cushion				
ARJ2142	☐	Seat cushion Flo-tech Lite (for width from 380 to 480 mm, height 75 mm, max weight 127 kg) / Contour (for width 530 mm, height 100 mm, max weight 152 kg)		◆
ARJ2143	☐	Seat cushion Flo-tech Contour Visco 430 x 430 mm (height 90 mm, max weight 100 kg)	NC : 2155	79,08
ARJ2147	☐	Seat cushion Matrx Libra, (height 90mm, max weight 136kg)	NC : 2155	302,66
ARJ2144	☐	Seat cushion Matrx Vi (micro ventilated cover)	NC : 2155	302,66
Backposts				
ARJ2162	☐	Height 540 mm		◆
ARJ2163	☐	Height 480 mm	NC : 2052, 2053, 1307, 1332, 2220, 2219, 2245, 2227, 2228	○
Push handles				
ARJ2107	☐	Pusch handles		◆
ARJ2108	☐	Without pusck handles - only for Flex 3 backrests		○
Backrest support				
ARJ2171	☐	Tension adjustable backrest,bi-material padded incl. Back pocket	NC : 1445, 2052, 2053, 2152, 2153,2155, 2230, 2247, 2324, 2325,2327, Elan headrest	◆
ARJ2179	☐	Flex3 Tension Adjustable, delivered with Lateral back cushion, Dartex coating (extra charge)	NC : 1445, 2152, 2153, 2155, 2230, 2247, 2324, 2325, 2327, Elan Headrest	233,34
ARJ2173	☐	Rigid backrest Flex 3 width and height adjustable (560 to 790 mm) with Laguna backrest cushion	NC : 2128	194,29
ARJ2174	☐	Matrx Posture Back, height 400 mm - incl. Back pocket		822,04
ARJ2175	☐	Matrx Posture Back, height 500 mm - incl. Back pocket		822,04
ARJ2176	☐	Matrx Elite, height 500 mm - incl. Back pocket		822,04
ARJ2177	☐	Matrx Elite TR Back, height 500 mm (Mesh fabric)		822,04
ARJ2178	☐	Matrx Elite Deep, height 500 mm - incl. Back pocket		822,04
COMMON OPTIONS FOR MODULITE SEATING				
Backrest cushion and / or seat upholstery (depending on configuration)				
ARJ2151	☐	Nylon noir		◆
ARJ2152	☐	Dartex noir		○
ARJ2153	☐	Extra LK (black with orange seam)		○
ARJ2155	☐	Mesh black		○
Armrest				
ARJ2191	☐	Height adjustable armrest 290 to 360 mm, in depth and removable, by pair		○
ARJ2198	☐	Height adjustable armrest 340 to 400 mm, in depth and removable, by pair	NC : 2195, 2196, 2197, cale-cuisses	292,89
ARJ2181	☐	Enveloping armrest, Dartex coating, by pair		72,24
ARJ2183	☐	Inside curved armrest, up to 50 mm width, 25 mm per side	NC : cale-cuisses	141,56
ARJ2193	☐	Lifting armrest, ajustable height 230 - 360 mm		◆
ARJ2192	☐	Lifting and parallel armrest, ajustable height 230 - 300 mm	NC : 1445	383,69
ARJ2194	☐	Lifting and parallel armrest, ajustable height 300 - 360 mm	NC : 1445	383,69



2111



2112



2143



2147



2144



2171



2173



2191



2198

Manchettes				
ARJ2195	☐	Standard armpad, length 325 mm, by pair		
ARJ2196	☐	Long armpad, length 375 mm, by pair	93,73	
ARJ2197	☐	Ergonomic long armpad, length 397 mm, by pair	NC : 2230, 2247 137,66	
Hemiplegic gutter				
	☐	Hemiplegic gutter in special manufacturing	On Demand	
	☐	Hemi concave gutter with flat or curved horn palmar support and 360° right or left reversible rotator, in 18° steps	On Demand	
Seat accessories				
ARJ2184	☐	Left thigh wedge, 140x100 mm	NC : Bodypoint 298,75	
ARJ2186	☐	Left thigh wedge, 230x100 mm	NC : Bodypoint 298,75	
ARJ2188	☐	Left thigh wedge, 330x100 mm	NC : Bodypoint 298,75	
ARJ2185	☐	Right thigh wedge 140x100 mm	NC : Bodypoint 298,75	
ARJ2187	☐	Right thigh wedge 230x100 mm	NC : Bodypoint 298,75	
ARJ2189	☐	Right thigh wedge 330x100 mm	NC : Bodypoint 298,75	
Wedge-thigh support height				
ARJ2164	☐	Wedge-thigh support 155 mm	◆	
ARJ2165	☐	Wedge-thigh support 206 mm	○	
Appuis-têtes et autres accessoires				 1432  1427  2325  2327  1445
ARJ1307	☐	Push bar (dia 22 mm) in conjunction with telescopic backposts	NC : 2161 52,72	
ARJ1432	☐	Adjustable headrest in depth , height and sideways, Dartex-coated	NC : 2229, 2230, 2247 282,15	
ARJ1427	☐	Multi adjustable neckrest Kontour with side earflaps, dartex coating	NC : 2229, 2230, 2247 371,97	
ARJ2324	☐	Headrest Elan Standard 10" - Black cover	NC : 2230, 2247 440,31	
ARJ2325	☐	Headrest Elan Occipital 9" - Black cover	NC : 2230, 2247 440,31	
ARJ2327	☐	Headrest Elan 4 points 11" - Black cover	NC : 2230, 2247 576,02	
ARJ1445	☐	Lateral support with extended arm, Dartex upholstery, pair	NC : Matrx backrests 397,35	
SEAT ADJUSTMENTS FOR MODULITE SEAT				
Seat lifter / Seat tilt				 FOLDABLE BACKREST NEW NEW
ARJ1091	☐	Manually settable Seat Tilt	NC : 2054 ◆	
ARJ1092	☐	Powered tilt 0° à 20°	NC : 2054, 2201 488,15	
ARJ1095	☐	Powered "fixed pivot" Tilt 20°, heavy duty	NC : 2054, 2201 488,15	
ARJ1093	☐	Powered tilt with CoG shift 0° to 30°	NC : 2201 933,34	
ARJ2052	☐	Powered tilt with CoG shift 0° to 50°	NC 0012, 0071, 0072, 0073, 0074, 2110, 2201, 1924, (1922/1923/1924/1496+1450/1494),2161, 2163, 2171 933,34	
ARJ1094	☐	Electric with compensation from 0 ° to 30 ° + Lift 300 mm - Electrically lifting seat (Max weight 130 kg) from 460 to 760 mm	NC : 2201 2 650,66	
ARJ2053	☐	Electric with compensation from 0° to 45° + Lift 300 mm - Electrically lifting seat (Max weight 130 kg) from 460 to 760 mm	NC 2110, 2201, 1924, (1922/1923/1924+1350/1432/1427+1450/1494), 2161 ,2163 ,2171 ,0012 2 650,66	
Height floor-plate for electric from 0 ° to 20 °				
ARJ0354	☐	450 mm	◆	
ARJ0364	☐	475 mm	○	
Seat Tilt Option (only if option 1093 or 1094 has been selected)				
ARJ2054	☐	5° Fixed Anterior Tilt, Assist mount (will reduce max tilt angle by 5°)	502,79	
Backrest recliner				 0975  0977
ARJ0975	☐	Manual from 0° to 30° in steps of 3.75° REMOVABLE BACKREST WITHOUT TOOLS	◆	
ARJ0977	☐	Electric from 0° to 30° FOLDING BACKREST WITHOUT TOOLS	NC : 2201 839,63	
SEAT AND BACKREST MAX				
ARJ1145	☐	Seat Max and backrest Max	NC : 1332, 2113, 0526, 1404, 1405, 2253, 2205, 2206, 2229, 2128, Bodypoint 1 527,91	
Seat width				
ARJ0378	☐	550 mm	◆	
ARJ0380	☐	610 mm	○	
Seat depth				
ARJ0396	☐	560 mm	○	
ARJ0397	☐	595 mm	◆	
ARJ0398	☐	630 mm	○	

Armrests			
ARJ0635	☐	Removable armrests, height adjustable 250 to 340 mm	○
Armrests, pair, reinforced bracket			
ARJ0647	☐	Short Armpad (325 mm)	○
ARJ0649	☐	Long Armpad (375 mm)	◆
HEADREST			
ARJ1432	☐	Headrest, sideways adjustable	282,15
ARJ1427	☐	Headrest with cheek support, sideways adjustable	371,97
SEAT TILT			
<i>Inclinaison d'assise</i>			
ARJ1091	☐	Manually settable Seat Tilt	◆
ARJ1092	☐	Powered "fixed pivot" Tilt 20° *(up to 136 kg)	NC : 2201 488,15
ARJ1095	☐	Powered "fixed pivot" Tilt 20°, heavy duty (up to 180 kg)	NC : 2201 488,15
SEAT HEIGHT SETTING			
ARJ1024	☐	Fix Seat Height 470 mm	◆
ARJ1046	☐	Fix Seat Height 495 mm	○
BACKREST RECLINER			
ARJ0958	☐	Settable Recliner, by spindle (0 - 25°)	◆
ARJ0947	☐	Electrical Recliner (with high pivot, shearing compensation)	NC : 2201 729,30
LEGRESTS / FOOTRESTS			
CENTRE MOUNTED LEGRESTS			
ARJ0556	☐	Hanger, centre mounted, angle settable - Length: 280 - 385 mm	NC : 0517 ○
ARJ0589	☐	LNx Power centre mount legrest, length compensating - Length: 340 - 410 mm	NC : 2201 1 903,79
FOOTPLATES / FOOT PLATFORM			
ARJ2365	☐	Angle & width adjustable footplates S (127 W x 190 mm D / 5"x7.5")	○
ARJ0559	☐	Angle & width adjustable footplates M (140 W x 240 mm D / 5.5"x9.5")	◆
ARJ0516	☐	Angle & width adjustable footplates L (150 W x 290 mm D / 6"x11.5)	147,42
ARJ0517	☐	Angle adjustable foot platform M (305 W x 275 mm D / 12"x10.75")	147,42
SIDE MOUNTED LEGREST PAIRS LH/RH			
ARJ0526	☐	Standard hanger 80° pair	NC : 0504 ◆
ARJ0503	☐	Hanger Vari F pair	○
ARJ0533	☐	Hanger Vari A pair	321,21
ARJ0531	☐	Hanger ADE 0° - 80° pair	NC : 2201 1 552,32
FOOTPLATE TYPE / PAIRS			
ARJ0504	☐	Angle Adjustable Footplate pair	◆
ARJ0513	☐	Angle and depth adjustable Footplate pair	125,94
REMOTES LiNX			
LiNX PRIMARY REMOTES with proportional Joystick + BRACKETS			
ARJ2201	☐	Remote LiNX DLX-REM110 = Drive only	NC : 2229, 2230, 2247, 2257, 2233, 2240, 2270, 2245 -1 014,38
ARJ2203	☐	Remote LiNX DLX-REM211 = Drive & Actuators	NC : 2229, 2231, 2232, 2230, 2247, 2257, 2233, 2240, 2270 -1 014,38
ARJ2204	☐	Remote LiNX DLX-REM216 = Drive, Actuators & Lights	NC : 2229, 2231, 2232, 2230, 2247, 2257, 2233, 2240, 2270 -1 014,38
ARJ2205	☐	Rehab Remote LiNX, touch-screen user interface DLX-REM400	NC : 2220 ○
ARJ2206	☐	Rehab Remote LiNX without joystick for alternative access users. DLX-REM500	NC : 2220, 2270 585,78
REM400 TOGGLE OPTION			
ARJ2270	☐	Assignable Toggle Switch Module f. REM400 (DLX-SW400TGL)	350,49



0533



0531



REM110



REM211



REM216



REM400
Bluetooth



REM500
Bluetooth



2270



0533



0531

LiNX



REM110



REM211



REM216



REM400
Bluetooth



REM500
Bluetooth



2270

REMOTE MOUNTING POSITION			
ARJ1207	☐ Standard Bracket RH	NC : 1404	○
ARJ1208	☐ Standard Bracket LH	NC : 1405	○
ARJ1707	☐ Swing Away Bracket RH	NC : 1404	◆
ARJ1708	☐ Swing Away Bracket LH	NC : 1405	○
ARJ1709	☐ Maxx resolve , swing away in/out - RH	NC 1404, (2231/2232+2207/2213), (2233/2240+2235/2213/2241), (2257+2275)	○
ARJ1710	☐ Maxx resolve , swing away in/out - LH	NC 1405, (2231/2232+2208/2214), (2233/2240+2236/2214/2242), (2257+2276)	○
ARJ2213	☐ Centre Mount, swing-away to RH, Nucleus	NC : 1404, 1405, 1415	811,31
ARJ2214	☐ Centre Mount, swing-away to LH, Nucleus	NC : 1404,1405, 1339	811,31
ARJ2227	☐ Bracket RH, mounted for Attendant	NC : 2219, 2220, 1287, 1228, 2128, 2108	34,87
ARJ2228	☐ Bracket LH, mounted for Attendant	NC : 2219, 2220, 1286, 2128, 2108	34,87
ARW2239	☐ Individual mounting option per request (Special)		On Demand
LINX REM500 (DISPLAY ONLY) BRACKETS			
ARJ2209	☐ Swing away RH, multi-adjustable	NC : 1404, 1415	◆
ARJ2210	☐ Swing away LH, multi-adjustable	NC : 1405, 1339	○
PW-4005	☐ Centre Mount, swing-away to RH, Nucleus		On Demand
ARJ2213	☐ Centre Mount, swing-away to LH, Nucleus	NC : 1404, 1405, 1415	811,31
ARJ2214	☐ Individual mounting option per request (Special)	NC : 1404,1405, 1339	811,31
ARW2239	☐ Montage personnalisé, merci de nous préciser votre demande :		On Demand
DUAL CONTROL LINX + BRACKETS			
ARJ2220	☐ Dual Control LiNX (DLX-REM050 as secondary remote)	NC : 2227, 2228, 1221, 1222	697,33
ARJ2219	☐ Compact Dual Control LiNX (DLX-ACU200)	NC : 1221, 1222, 2227, 2228	1 394,67
ARJ2245	☐ Invacare LiNX IDC Dual control	NC : 1207, 1208, 2227, 2228	1 394,67
ARJ1207	☐ Standard Bracket RH		◆
ARJ1208	☐ Standard Bracket LH		○
ARJ1221	☐ Bracket RH, detachable		◆
ARJ1222	☐ Bracket LH, detachable		○
If several joysticks are to be mounted on the retractable support for mounting in the central position (2213/2214), select option 2215			
Mo-Vis special controls - refer to the order sheet			
LiNX - COMPACT REMOTES + BRACKETS			
REQUIRES PRIMARY REMOTE (DLX-REM400 or DLX-REM500)			
ARJ2231	☐ Proportional Compact Remote DLX-CR400		1 412,71
ARJ2232	☐ Proportional Compact Remote Low Force DLX-CR-400LF		1 554,27
ARJ2207	☐ RH Mount	NC : 1404	◆
ARJ2208	☐ LH Mount	NC : 1405	○
ARJ2213	☐ Centre Mount, swing-away to RH (Nucleus)	NC : 1404, 1405, 1415	811,31
ARJ2214	☐ Centre Mount, swing-away to LH (Nucleus)	NC : 1404, 1405, 1339	811,31
ARW2215	☐ Individual mounting option per request (Special)		On Demand
HEAD CONTROL ATOM Technology			
ARJ2230	☐ Head Control with ultrasonic proximity sensors (ATOM, ASL104) with standard wings M3	NC : 2233, 2092, 2324, 2325, 2327, 2257, 2240	5 817,79
ARJ2247	☐ Head Control with ultrasonic proximity sensors (PROTON, ASL104P) with PROTON wings	NC : 2233, 2092, 2324, 2325, 2327, 2257, 2240	5 817,79
FOUR-SWITCH PROXIMITY ARRAY (with ATOM Technology)			
ARJ2257	☐ Four-Switch Proximity Array (ASL106)	NC : 2233, 2240	7 259,83
ARJ2275	☐ Centre Mount, swing-away to RH, Nucleus - Incl. Eclipse Tray ASL619, 360x180 mm)		○
ARJ2276	☐ Centre Mount, swing-away to LH, Nucleus - Incl. Eclipse Tray ASL619, 360x180 mm)		○
ARW2215	☐ Individual mounting option per request (Special) - Requires additional information/specification		On Demand
LINX - PROPORTIONAL REMOTES / INPUTS & BRACKETS			
REQUIRES PRIMARY REMOTE (DLX-REM400 or DLX-REM500)			
ARJ2233	☐ MEC Proportional Joystick (Micro Extremity Control ASL130)	NC : 2240	5 817,79
ARJ2240	☐ Commande joystick renforcé proportionnel ASL133		3 417,07
ARJ2235	☐ Tray Mount RH (ASL603, 100x150 mm)		○
ARJ2236	☐ Tray Mount LH (ASL603, 100x150 mm)		○
ARJ2213	☐ Centre Mount, swing-away to RH, Nucleus	NC : 1404, 1405, 2310, 2311	○
ARJ2214	☐ Centre Mount, swing-away to LH, Nucleus	NC : 1404, 1405, 2310, 2311	○
ARJ2241	☐ Centre Mount, swing-away to RH, Nucleus - Incl. Tray ASL603, 100x150 mm	NC : 1404, 1405, 2310, 2311	811,31
ARJ2242	☐ Centre Mount, swing-away to LH, Nucleus - Incl. Tray ASL603, 100x150 mm		811,31
ARW2215	☐ Individual mounting option per request (Special) - Requires additional information/specification		On Demand

NEW



2209
2210



REM050



2219
2245



2231
2232



2230
2247



2257



2233



2240

NEW

2209
2210

REM050

2219
2245

2231
2232

2230

2247

2257

2233

2240

ALTERNATIVE SEATING CONTROL - LINX 10-WAY SWITCH					 2251
ARJ2251	☐	10-Way Switch DLX-SW10-A f. direct Powered Seating Access		546,73	
ARJ2217	☐	Bracket RH, mounted for user	NC : 2209, 2213, 1415	☐	
ARJ2218	☐	Bracket LH, mounted for user	NC : 2210, 2214	☐	
ARJ2227	☐	Bracket RH, mounted for attendant	NC : 1287	☐	
ARJ2228	☐	Bracket LH, mounted for attendant	NC : 1286	☐	
ARJ2225	☐	Without mounting		☐	
ARJ2252	☐	Loom providing jack sockets for "Drive" and "Mode"		89,82	
LINX ACCESSORIES					
LINX ACCESSORIES					 2253
ARJ2253	☐	USB Charger Port DLX-USB02-A	NC : 2110, Bodypoint	487,18	
ARJ2207	☐	RH Mount	NC : 1404	☐	
ARJ2208	☐	LH Mount	NC : 1405	☐	
FURTHER COMPONENTS / ACCESSORIES					
ARJ2300	☐	To be enclosed only		☐	
ARW2301	☐	To be connected and programmed (Special)		Sur devis	
BUDDY BUTTONS - Accessory loom 2252 required, if no REM400 or REM500 is selected					
ARJ1685	☐	Red Buddy Button		154,25	
ARJ1686	☐	Yellow Buddy Button		154,25	
ARJ1687	☐	Green Buddy Button		154,25	
ARJ1690	☐	Blue Buddy Button		154,25	
EGG SWITCH - Accessory loom 2252 required, if no REM400 or REM500 is selected					
ARJ2254	☐	Egg Switch, black		122,03	
PIKO BUTTONS - Accessory loom 2252 required, if no REM400 or REM500 is selected					
ARJ1711	☐	Red Piko Button		154,25	
ARJ1712	☐	Yellow Piko Button		154,25	
ARJ1713	☐	Green Piko Button		154,25	
ARJ1714	☐	Orange Piko Button		154,25	
ARJ1715	☐	Blue Piko Button		154,25	
ARJ1716	☐	Black Piko Button		154,25	
BODYPOINT JOYSTICK KNOBS					
ARJ2721	☐	3 inch U-Shaped, Joystick Handle, Bodypoint PC101A		103,00	 2721 2722 2723 2724
ARJ2722	☐	4 inch U-Shaped, Joystick Handle, Bodypoint PC102A		103,00	
ARJ2723	☐	Domed Rubber, Joystick Handle, Bodypoint PC107A		103,00	
ARJ2724	☐	Mushroom Grooved, Joystick Handle, Bodypoint PC110A		103,00	
DRIVE UNIT DETAILS					
Shroud colours					
ARP2640	☐	Obsidian black		☐	 2640 2641 2642 2643 2644
ARP2641	☐	Ruby red		☐	
ARP2642	☐	Purple Passion		☐	
ARP2643	☐	Peacock blue		☐	
ARP2644	☐	Artic blue		☐	
Rim insert colours					
ARP2650	☐	Obsidian black		☐	 2650 2651 2652 2653 2654
ARP2651	☐	Ruby red		☐	
ARP2652	☐	Purple Passion		☐	
ARP2653	☐	Peacock blue		☐	
ARP2654	☐	Artic blue		☐	
PERFORMANCE					
FORKS					
ARJ2631	☐	Single sided fork (new) incl. black castor		411,02	
ARJ2632	☐	Double sided fork		◆	
CENTRE / DRIVE WHEELS					
ARO0704	☐	14"x3" Black Tires, Pneumatic		◆	
ARO0705	☐	14"x3" Black Tires, Solid tire		☐	
ARO0706	☐	14"x3" Black Tires Puncture Protect		☐	
MOTOR TYPE / SPEED OPTIONS					
ARJ1282	☐	OPS Drive 6 km/h (4-pole)		☐	
ARJ1285	☐	OPS Drive 10 km/h (4-pole)		☐	
ARJ1223	☐	10 km/h Setting for OPS Drive High Speed Motor		☐	
BATTERY					
ARJ1260	☐	73,5 Ah Gel		◆	

CHARGER			
ARJ1313	☐	OptiCharge Charger 10A (IP44)	◆
ARJ1314	☐	Opti Charge Charger 10A (IP44) (EDO : UK Plug)	○
ARJ1481	☐	Without charger	-95,00
GYROSCOPE			
G-Trac			
ARJ1215	☐	G-Trac Module	1 122,75
OPTIONS			
LIGHT			
ARJ1437	☐	LED Light system with Indicators 30 Lux headlights	507,68
ARJ1254	☐	Without Light system	◆
TRANSPORTATION KIT			
ARJ1450	☐	Preparation for DAHL-Docking station (Adequate headrest is compulsory) - Docking Station for car implementation has to be ordered separately with DAHL Engineering	○
TIE-DOWNS			
ARJ1493	☐	4-Point tie-down (For wheelchair transportation without user)	◆
ARJ1494	☐	4-Point tie-down (Tested version for using wheelchair as a vehicle seat according to ISO 7176-19) (Adequate headrest is compulsory)	○
LAP BELT			
ARJ1329	☐	Lap Belt with Auto Lock - X-tra long for Max Seat	◆
ARJ2113	☐	Lap Belt with Auto Lock - Flexible mount in side rails	○
ARJ1332	☐	H-Belt -	321,21
BODYPOINT PELVIC BELTS - Includes mounting kit			
ARJ2701	☐	Evoflex Pelvic Stabilizer, Rehab Latch Size L - Padded length 620 mm	161,09
ARJ2702	☐	Evoflex Pelvic Stabilizer, Rehab Latch Size M - Padded length 460 mm	161,09
ARJ2703	☐	2-Point Hip Belt, Ctr-Pull, Push Butt, Cinch-Mount Size L - Padded length 620 mm	137,66
ARJ2704	☐	2-Point Hip Belt, Ctr-Pull, Push Butt, Cinch-Mount Size M - Padded length 460 mm	137,66
ARJ2705	☐	2-Point Hip Belt, Dual-Pull, Side-Release Butt. Cinch-Mount Size L - Padded length 620 mm	120,09
ARJ2706	☐	2-Point Hip Belt, Dual-Pull, Side-Release Butt. Cinch-Mount, Size M - Padded length 460 mm	120,09
REARVIEW MIRROR			
ARJ1415	☐	RH Mirror	72,24
ARJ1339	☐	LH Mirror	72,24
BAG HOOKS			
ARJ2128	☐	Bag hooks (on Modulite Seat) - Max load up to 6 kg = impact on max user weight	155,23
CANEHOLDER			
ARJ1312	☐	Caneholder RH	70,30
ARJ1363	☐	Caneholder LH	70,30
TRAY			
ARJ1404	☐	Tray, Swing Away RH	518,42
ARJ1405	☐	Tray, Swing Away LH	518,42
RAMPS			
1654128	☐	Basic ramp 2 telescopic parts in aluminum and non-slip coating. Folded dimensions: 1210 x 194 mm. 8.8 kg per pair - maximum capacity: 270 kg	402,84
1654129	☐	Quick2go Compact 3-part aluminum telescopic ramp with non-slip coating Folded dimensions: 870 x 237 mm 13.6 kg per pair - maximum capacity: 260 kg	805,69
1654130	☐	Aluminium folding mono ramp Folded dimensions: 1824 x 714 mm 13.9 kg - maximum capacity: 300 kg	426,54



DAHL
ENGINEERING



1493



1329



2701, 2702



2703, 2704



2705, 2706



2128



1404

1405



1654128



1654129



1654130