Invacare® TDX® SP2 NB AA1

Please contact DHCare EU Export Customer Services on :-
Tel : +33 247 626980 ; Email : serviceclient_export@dhcare.com
Or visit our website : www.dhcare.eu.com

Invacare® TDX® SP2NB* AA1

Mixt Power wheelchair 6 wheels



Description :

- 4 poles motors 2 x 340 W as standard
- LiNX electronic as standard
- Weight : from 125kg
- Max user weigth : 150 kg
- Warranty: 2 years exccept batteries and vear parts

***NB: Narrow Base. Overall width of the motor base 610 mm.**
(1)May require the replacement of some parts depending on the configuration of the chair.

Date :

User Name :

Customer Code:

Dealer stamp :

DHCare Unique Customization Service

Indicative Public Rate - Use the online configurator on DHCare Pro to generate quotes or orders free from incompatibilities.

❑ Please make your selection with a cross in the box ◆ Standard configuration ❍ Free of charge

CODE		DESCRIPTION	NC : Non Compatible (nc : 9999) not compatible with the reference 9999	Euros	
ARL0015	❐	*Invacare® TDX® SP2 NB AA1* **Power Module** : 120 Ah **Motors** : 340W, 4 poles - **Autonomy** : +/- 26 km (50Ah)		4 834,12	
STANDARD MODULITE SEAT					
ARL2110	❐	Standard Modulite Seat - Seat width 430mm, adjustable armrests from 44 to 48cm	NC : 0977, 1445, 1092, 1093, 1094, 2113, 1332, 0556, 0589, 2192, 2193, 2194, 2229, Bodypoint belts - Hip support	❍	 2110
Seat depth					
ARL2132	❐	410 mm	NC : 2196, 2197, 2198	❍	
ARL2134	❐	460 mm		◆	
ARL2136	❐	510 mm	NC : 2143	❍	
ARL2138	❐	560 mm	NC : 2141, 2143	396,37	
Seat cushion					
ARL2142	❐	Seat cushion ***Flo-tech Lite*** (for width from 380 to 480 mm, height 75 mm, max weight 127 kg) / ***Contour*** (for width 530 mm, height 100 mm, max weight 152 kg)		◆	 2143
ARL2143	❐	Seat cushion ***Flo-tech Contour Visco*** 430 x 430 mm (hauteur 90 mm, max weight 100 kg)	NC : 2155	79,08	 
ARL2147	❐	Seat cushion ***Matrx Libra*** , (height 90mm, max weight 136kg)	NC : 2155	302,66	
ARL2144	❐	Seat cushion ***Matrx Vi*** (micro ventilated cover)		302,66	2147 2144
Backrest support					
ARL2161	❐	Height 480mm		◆	
ARL2171	❐	Tension adjustable backrest,bi-material padded incl. Back pocket	NC : 2052, 2053, 2152, 2155, 1445, 1446	◆	 2171
ARL2174	❐	***Matrx Posture Back*** , height 400 mm - incl. Back pocket		822,04	
ARL2175	❐	***Matrx Posture Back*** , height 500 mm - incl. Back pocket		822,04	
ARL2176	❐	***Matrx Elite*** , height 500 mm - incl. Back pocket		822,04	
ARL2177	❐	***Matrx Elite TR*** , height 500 mm - incl. Back pocket		822,04	
ARL2178	❐	***Matrx Elite Deep*** , height 500 mm - incl. Back pocket		822,04	
MODULITE MODULAR SEAT					
Seat type					
ARL2111	❐	**Rigid Modulite Seat,** width and depth adjustable, width adjustable armrests, (+25 mm per side) **Width** : 380 to 530 mm, adjustable in steps of 50 mm **Depth** : 410 to 510 mm **STEPLESS ADJUSTABLE**		◆	 2111
ARL2112	❐	**Flexible Modulite Seat, tension, width and depth adjustable,** width adjustable armrests, (+25 mm per side) - + 30 mm seat height **Width** : 380 to 530 mm, adjustable in steps of 50 mm **Depth** : 410 to 510 mm **STEPLESS ADJUSTABLE**		❍	 2112
Seat width (Factory preset)					
		330mm (take seat width 380 mm (2121) + Inside curved armrest (2183))	NC : 2143, 2138+2142/2147/2144		
ARL2121	❐	380 mm	NC : 2143, 2138+2142/2147/2144, 2701, 2703, 2705	❍	
ARL2122	❐	430 mm	2138+2142/2147/2144, 2701, 2703, 2705	◆	
ARL2123	❐	480 mm	NC : 2138+2142/2147, 2702, 2704, 2706	❍	
ARL2124	❐	530 mm	NC : Matrx backrests, 2143, 2702, 2704, 2706	❍	

The public prices of the options are valid only if ordered with the chair.
For separately ordered options, consult your distributor.

© 2026 DHCare France SAS
All rights reserved

Seat width (Factory preset)				
ARL2129	❒	Standard Depth Package (SD range 410 - 510 mm)	NC : 2138	◆
ARL2130	❒	Extended Depth Package (SD range 510 - 560 mm)	NC : 2132, 2134	❍
Seat Depth (Factory preset)				
ARL2132	❒	410 mm	NC : 2196, 2197, 2198, 0556+wedge-thight, Bodypoint belt	❍
ARL2134	❒	460 mm	NC : 0556+wedge-thight	◆
ARL2136	❒	510 mm	NC : 2143, 0556+wedge-thight	❍
ARL2138	❒	560 mm (only with seat width 530 mm)	NC : 2143	396,37
Seat cushion				
ARL2142	❒	Seat cushion ***Flo-tech Lite*** (for width from 380 to 480 mm, height 75 mm, max weight 127 kg) / ***Contour*** (for width 530 mm, height 100 mm, max weight 152 kg)		◆
ARL2143	❒	Seat cushion ***Flo-tech Contour Visco*** 430 x 430 mm (hauteur 90 mm, max weight 100 kg)	NC : 2155	79,08
ARL2147	❒	Seat cushion ***Matrx Libra*** , (height 90mm, max weight 136kg)	NC : 2155	302,66
ARL2144	❒	Seat cushion ***Matrx Vi*** (micro ventilated cover)	NC : 2155	302,66
Backposts				
ARL2162	❒	Height 540 mm		❍
ARL2163	❒	Height 480 mm	NC : 2052, 2053, 2173	❍
Pusch handles				
ARL2107	❒	Pusch handles		◆
ARL2108	❒	Without pusch handles - only for ***Flex 3 backrests***	NC : 1307, 1332, 2220, 2219, 2245, 2227, 2228	❍
Backrest support				
ARL2171	❒	Tension adjustable backrest,bi-material padded incl. Back pocket	NC : 2052, 2053, 2152, 2155, 1445, 2230, 2247 Elan headrest	◆
ARL2179	❒	Flex3 Tension Adjustable, delivered with Lateral back cushion, Dartex coating (extra charge)	NC : 2151, 2155, 2192, 2193, 2194, 1445, 2229, 2230, 2247, Elan headrest	233,34
ARL2173	❒	Rigid backrest Flex 3 width and height adjustable (560 to 790 mm) with Laguna backrest cushion	NC : 2128	194,29
ARL2174	❒	***Matrx Posture Back*** , height 400 mm - incl. Back pocket		822,04
ARL2175	❒	***Matrx Posture Back*** , height 500 mm - incl. Back pocket		822,04
ARL2176	❒	***Matrx Elite*** , height 500 mm - incl. Back pocket		822,04
ARL2177	❒	***Matrx Elite TR*** , height 500 mm - incl. Back pocket		822,04
ARL2178	❒	***Matrx Elite Deep*** , height 500 mm - incl. Back pocket		822,04


2143


2147 2144


2171


2173

COMMON OPTIONS FOR MODULITE SEATING

Backrest cushion and / or seat upholstery (depending on configuration)				
ARL2151	❒	Nylon noir		◆
ARL2152	❒	Dartex noir		73,22
ARL2155	❒	Mesh black		103,48
Armrest				
ARL2191	❒	Height adjustable armrest 290 to 360 mm, in depth and removable, by pair		❍
ARL2181	❒	Height adjustable armrest 340 to 400 mm, in depth and removable, by pair	NC : 2195, 2196, 2197, hip support	72,24
ARL2198	❒	Envoloping armrest, Dartex coating, by pair		292,89
ARL2183	❒	Inside curved armrest, up to 50 mm width, 25 mm per side	NC : hip support	141,56
ARL2193	❒	Lifting armrest, ajustable height 230 - 360 mm		◆
ARL2192	❒	Lifting and parallel armrest, ajustable height 230 - 300 mm	NC : 1445, 1446	383,69
ARL2194	❒	Lifting and parallel armrest, ajustable height 300 - 360 mm	NC : 1445, 1446	383,69
Armpad				
ARL2195	❒	Standard armpad, length 325 mm, by pair		◆
ARL2196	❒	Long armpad, length 375 mm, by pair		93,73
ARL2197	❒	Ergonomic long armpad, length 397 mm, by pair	NC : 2230, 2247	137,66
Hemiplegic gutter				
	❒	Hemi concave gutter with palmar support flat or bent horn and reversible rotator, Right or left 360 °, by 18 °		On demand
	❒	Hemiplegic gutter in special manufacturing		On demand


2191


2198


Hemi gutter


Hemi concave gutter

Seat accessories				
ARL2184	❒	Left wedge-thight, 140x100 mm	NC : Bodypoint	298,75
ARL2186	❒	Left wedge-thight, 230x100 mm	NC : Bodypoint	298,75
ARL2188	❒	Left wedge-thight, 330x100 mm	NC : Bodypoint	298,75
ARL2185	❒	Right wedge-thight 140x100 mm	NC : Bodypoint	298,75
ARL2187	❒	Right wedge-thight 230x100 mm	NC : Bodypoint	298,75
ARL2189	❒	Right wedge-thight 330x100 mm	NC : Bodypoint	298,75
Wedge-tight support height				
ARL2164	❒	Wedge-tight support 155 mm		◆
ARL2165	❒	Wedge-tight support 206 mm		❍


Wedge-thight


1432

Headrest and accessories				
ARL1432	❒	Neckrest depth and width adjustable	NC : 2229, 2230, 2247	282,15
ARL1427	❒	Multi adjuastable neckrest Kontour with side earflaps, dartex coating	NC : 2229, 2230, 2247	371,97
ARL2324	❒	Headrest Elan Standard 10'' - Black cover	NC : 2230, 2247	440,31
ARL2325	❒	Headrest Elan Occipital 9'' - Black cover	NC : 2230, 2247	440,31
ARL2327	❒	Headrest Elan 4 points 11'' - Black cover	NC : 2230, 2247	576,02
ARL1307	❒	Push bar (dia 22 mm) in conjuction with telescopic backposts		52,72
ARL1445	❒	Lateral support with extended arm, Dartex upholstery, pair	NC : Matrx backrests	397,35


1427


2324


2327


1445

The public prices of the options are valid only if ordered with the chair.
For separately ordered options, consult your distributor.

© 2026 DHCare France SAS
All rights reserved

SEAT ADJUSTMENTS FOR MODULITE SEAT				
Seat lifter / Seat tilt				
ARL1091	❒	Manual from 0° to 8,5°	NC : 2054	◆
ARL1092	❒	Powered tilt **0° à 20°**	NC : 2054, 2201	488,15
ARL1095	❒	Powered "fixed pivot" Tilt 20°, heavy duty	NC : 2054, 2201	488,15
ARL1093	❒	Powered tilt with CoG shift **0° à 30°**	NC : 2110, 0354, 0364, 2201, 1922/1496+1450/1494),2161, 2163, 2171	933,34
ARL2052	❒	Powered tilt with CoG shift **0° à 50°**	NC : 0012, 2110, 0354, 0364, 2201, 1922/1496+1450/1494), 2161, 2163, 2171	933,34
ARL1094	❒	Electric with compensation from 0 ° to 30 ° + ***Lift 300 mm*** - Electrically lifting seat (Max weight 150 kg) from 460 to 760 mm - Choose suspensions 1219 obligatorily	NC : 2201	2 650,66
ARL2053	❒	Electric with compensation from 0° to 45° + ***Lift 300 mm*** - Electrically lifting seat (Max weight 136 kg) from 460 to 760 mm - Choose suspensions 1219 obligatorily	NC : 2110, 0354, 0364, (2054+0556/0589), 2201, 2202, (1922+ 1350/1432/1427/1496+1450/1494), 2161, 2163, 2171, 0012	2 650,66
Height floor-plate for electric from 0 ° to 20 °				
ARL0354	❒	450 mm		◆
ARL0364	❒	475 mm		❍
Seat Tilt Option (only if option 1093 or 1094 has been selected)				
ARL2054	❒	5° Fixed Anterior Tilt, Assist mount (will reduce max tilt angle by 5°)		579,92
Backrest recliner				
ARL0975	❒	Manual Settable Recliner (in 3.75° steps)		◆
ARL0977	❒	Electric from 0° to 30°	NC : 2201	864,82
FOOTREST / LEGRESTS				
Legrest / Footrest (pair) - Centre mounted legrests (incl calf pads)				
ARL0556	❒	Centre mount legrest, angle settable	NC : 1094+2054, 0517	579,92
ARL0589	❒	LiNX Power centre mount legrest, length compensating	NC : 1094+2054, 2201	1 903,79
Footplates (pair)				
ARL2365	❒	Angle & width adjustable footplates S (127 W x 190 mm D / 5"x7.5")		❍
ARL0559	❒	Angle & width adjustable footplates M (140 W x 240 mm D / 5.5"x9.5")		◆
ARL0516	❒	Angle & width adjustable footplates L (150 W x 290 mm D / 6"x11.5)		147,42
ARL0517	❒	Angle adjustable foot platform M (305 W x 275 mm D / 12"x10.75")		147,42
Footrest Hanger Type / Pairs				
ARL0526	❒	Standard hanger 80° pair	NC : 0504	◆
ARL0533	❒	Hanger Vari A pair		321,21
ARL0531	❒	Hanger ADElectric 0° - 80° pair	NC : 0512, 2201	1 552,32
Footplate type / Pairs				
ARL0512	❒	Fixed Footplate pair		◆
ARL0504	❒	Angle Adjustable Footplate pair		❍
ARL0513	❒	Angle and depth adjustable Footplate pair		125,94
REMOTE LINX				
Main control unit only for Electronic LiNX				
ARL2201	❒	Remote LiNX - DLX - REM110 = Drive only - 1 Drive function with Drive only power module	NC : 2229, 2230, 2247, 2257, 2233, 2240, 2270, 2245	◆
ARL2203	❒	Remote ***LiNX*** REM211 : Driving and control of the cylinders	NC : 2229, 2231, 2232, 2230, 2247, 2257, 2233, 2240, 2270	❍
ARL2204	❒	Remote ***LiNX*** REM216 : Driving, control of cylinders and lighting	NC : 2229, 2231, 2232, 2230, 2247, 2257, 2233, 2240, 2270	❍
ARL2205	❒	Remote ***LiNX*** REM400 : **3.5 "color touch screen and bluetooth - Driving, control of jacks and lights, mouse emulation**	NC : 2220	1 244,79
ARL2206	❒	Screen control ***LiNX*** REM500 : **3.5 " color touch screen and bluetooth - Driving, cylinder and lighting control, mouse emulation**	NC : 2220, 2270	1 830,56
REM400 option				
ARL2270	❒	"Assignable Toggle Switch Module for REM400 (DLX-SW400TGL) as default set to left: ON/OFF, right speed dial"		350,49

NEW

NEW


0975


0977


0533


0531

LiNX


REM110


REM211


REM216


REM400 Bluetooth


REM500 Bluetooth


2270

The public prices of the options are valid only if ordered with the chair.
For separately ordered options, consult your distributor.

© 2026 DHCare France SAS

All rights reserved

Remote mounting position (REM211/216/400)				
ARL1207	❒	Reversible right fixation, no retractable	NC : 1404	❍
ARL1208	❒	Reversible left fixation, no retractable	NC : 1405	❍
ARL1707	❒	Retractable on right + height adjutable, consolidated	NC : 1404	◆
ARL1708	❒	Retractable on left + height adjutable, consolidated	NC : 1405	❍
ARL1709	❒	**Maxx resolve**, swing away in/out - RH	NC : 1404, (2231/2232+2207/2213), (2233/2240+2235/2213/2241), (2257+2275)	❍
ARL1710	❒	**Maxx resolve**, swing away in/out - LH	NC : 1405, (2231/2232+2208/2214), (2233/2240+2236/2214/2242), (2257+2276)	❍
ARL2213	❒	Centre Mount, swing-away to RH, Nucleus	NC : 1404, 1405, 1415	811,31
ARL2214	❒	Centre Mount, swing-away to LH, Nucleus	NC : 1404,1405, 1339	811,31
ARL2227	❒	Fixation in right for third person(moving the manipulator)	NC : 2219, 2220, 2108, 1287, 2128	34,87
ARL2228	❒	Fixation in left for third person(moving the manipulator)	NC : 2219, 2220, 2108, 1286, 2128	34,87
AVZ2239	❒	Custom Installation, thank you specify your request:		On demand only
Mounting the LiNX REM500 Control Screen				
ARL2209	❒	Swing away RH, multi-adjustable	NC : 1404, 1415	◆
ARL2210	❒	Swing away LH, multi-adjustable	NC : 1405, 1339	❍
PW-4005	❒	Option 2209/2210 avec tige de fixation pour REM500 rallongée de 200 mm		On demand only
ARL2213	❒	Centre Mount, swing-away to RH, Nucleus	NC : 1404, 1405, 1415	811,31
ARL2214	❒	Centre Mount, swing-away to LH, Nucleus	NC : 1404,1405, 1339	811,31
AVZ2239	❒	Custom Installation, thank you specify your request:		On demand only
Dual LiNX remote (User + third person)				
ARL2220	❒	Dual Control ***LiNX*** (REM050 - use driving profile 2 of the REM211/216 - speed limited to 6km/h)	NC : 1221, 1222, 2227, 2228	697,33
ARL2219	❒	Dual **Compact *LiNX*** control- 3 driving profiles dedicated and cylinder control	NC : 1221, 1222, 2227, 2228	1 394,67
ARL2245	❒	Dual intuitive ***LiNX*** control- dedicated driving profile	NC : 1207, 1208, 2227, 2228	1 394,67
ARL1207	❒	Fixing on the right - only with REM050 and Compact		◆
ARL1208	❒	Fixing on the left - only with REM050 and Compact		❍
ARL1221	❒	Right fixations, removable - only with intuitive LiNX control		◆
ARL1222	❒	Left fixations, removable - only with intuitive LiNX control		❍
If multiple joysticks are to be mounted on the center mount mount (2213/2214), select option 2215				
Mo-Vis special controls - refer to the order sheet				
Compact Proportional Joysticks - Only with REM400 and REM500				
ARL2231	❒	LiNX Compact proportionel joystick (deflection force: 160 g)		1 412,71
ARL2232	❒	LiNX Compact Proportional Low Force joystick (deflection force: 112 g)		1 554,27
ARL2207	❒	Fixing on the right	NC : 1404	◆
ARL2208	❒	Fixing on the left - only with REM050 and Compact	NC : 1405	❍
ARL2213	❒	Central fixing, retractable on the right	NC : 1404, 1405, 1415	811,31
ARL2214	❒	Central fixing, retractable on the left	NC : 1404, 1405, 1339	811,31
AVZ2215	❒	Custom Installation, thank you specify your request:		On demand only
Additional options LiNX				
ARL2230	❒	Head Control with ultrasonic proximity sensors (ATOM, ASL104) with standard wings M3	NC : 2233, 2092, 2324, 2325, 2327, 2257, 2240	5 817,79
ARL2247	❒	Head Control with ultrasonic proximity sensors (PROTON, ASL104P) with PROTON wings	NC : 2233, 2092, 2324, 2325, 2327, 2257, 2240	5 817,79
Four-Switch Proximity Array (with ATOM technology)				
ARL2257	❒	Four-Switch Proximity Array (ASL106)	NC : 2128, 2233, 2240	7 259,83
ARL2275	❒	Centre Mount, swing-away to RH, Nucleus (incl. Eclipse Tray ASL619, 360x180 mm)		❍
ARL2276	❒	Centre Mount, swing-away to LH, Nucleus (incl. Eclipse Tray ASL619, 360x180 mm)		❍
ARV2215	❒	Individual mounting option per request (Special) - REQUIRES ADDITIONAL INFORMATION / SPECIFICATION		On demand only
Micro extremity control				
ARL2233	❒	MEC Proportional Joystick (Micro Extremity Control ASL130)	NC : 2128, 2240	5 817,79
ARL2235	❒	Tray Mount RH (100x150 mm)		❍
ARL2236	❒	Tray Mount LH (100x150 mm)		❍
ARL2213	❒	Centre Mount, swing-away to RH, Nucleus	NC : 1404, 1405, 2310, 2311	❍
ARL2214	❒	Centre Mount, swing-away to LH, Nucleus	NC : 1404, 1405, 2310, 2311	❍
ARL2241	❒	Centre Mount, swing-away to RH, Nucleus (incl. Tray 100x150 mm)	NC : 1404, 1405, 2310, 2311	811,31
ARL2242	❒	Centre Mount, swing-away to LH, Nucleus (incl. Tray 100x150 mm)		811,31
AVZ2215	❒	Individual Mounting option per request (Special)		On demand only

NEW



2209 / 2210



REM050



2219



2245



2231



2230



2247



2257



2233

The public prices of the options are valid only if ordered with the chair.
For separately ordered options, consult your distributor.

© 2026 DHCare France SAS
All rights reserved

Heavy Duty Remote Joystick				
ARL2240	❒	Proportional Heavy Duty Remote Joystick with mode switch (ASL133)	NC : 2128	3 417,06
ARL2235	❒	Tray Mount RH (ASL603, 100x150 mm)		❍
ARL2236	❒	Tray Mount LH (ASL603, 100x150 mm)		❍
ARL2213	❒	Centre Mount, swing-away to RH, Nucleus		❍
ARL2214	❒	Centre Mount, swing-away to LH, Nucleus		❍
ARL2241	❒	Centre Mount, swing-away to RH, Nucleus (incl. Tray ASL603, 100x150 mm)		811,31
ARL2242	❒	Centre Mount, swing-away to LH, Nucleus (incl. Tray ASL603, 100x150 mm)		811,31
ARV2215	❒	Individual mounting option per request (Special) - REQUIRES ADDITIONAL INFORMATION / SPECIFICATION		On demand only
Additional options LiNX				
ARL2251	❒	10-Way Switch DLX-SW10-A for direct Powered Seating Access (includes loom to connect + additional jack for mode switch)		546,73
ARL2217	❒	Bracket RH, mounted for user	NC : 2209, 2213, 1415	❍
ARL2218	❒	Bracket LH, mounted for user	NC : 2210, 2214	❍
ARL2227	❒	Bracket RH, mounted for attendant	NC : 1287, 2128	❍
ARL2228	❒	Bracket LH, mounted for attendant	NC : 1286, 2128	❍
ARL2225	❒	Without mounting		❍
ARL2252	❒	Loom providing jack sockets for “Drive” and “Mode” (includes connection for 10-Way Switch)		89,82
Accessories *LiNX*				
ARL2253	❒	USB Charger Port DLX-USB02-A	NC : 2110, Bodypoint	487,18
ARL2207	❒	Fixing on the right	NC : 1404	❍
ARL2208	❒	Fixing on theleft	NC : 1405	❍
Others accessories and contactors				
ARL2300	❒	To be included with the armchair		❍
AVZ2301	❒	To connect and program (Special)		On demand only
Round and flat switch (diameter 63 mm - delivered unassembled - take option 2252 obligatorily if no REM400 or REM500)				
ARL1685	❒	Red Buddy Button		154,25
ARL1686	❒	Yellow Buddy Button		154,25
ARL1687	❒	Green Buddy Button		154,25
ARL1690	❒	Blue Buddy Button		154,25
Egg switch (option 2252 required if no REM400)				
ARL2254	❒	Egg switch, black		122,03
Mini contactors round and flat (diameter 30 mm - delivered unassembled - to take option 2252 obligatorily if not REM400 or REM500)				
ARL1711	❒	Mini contactor Red		154,25
ARL1712	❒	Mini contactor Yellow		154,25
ARL1713	❒	Mini contactor Green		154,25
ARL1714	❒	Mini contactor Orange		154,25
ARL1715	❒	Mini contactor Blue		154,25
ARL1716	❒	Mini contactor Black		154,25
Bodypoint				
ARL2721	❒	3 inch U-Shaped, Joystick Handle, Bodypoint PC101A		103,00
ARL2722	❒	4 inch U-Shaped, Joystick Handle, Bodypoint PC102A		103,00
ARL2723	❒	Domed Rubber, Joystick Handle, Bodypoint PC107A		103,00
ARL2724	❒	Mushroom Grooved, Joystick Handle, Bodypoint PC110A		103,00
DRIVE UNIT OPTIONS				
Shroud Colors				
ARP2640	❒	Obsidian black		❍
ARP2641	❒	Ruby red		❍
ARP2642	❒	Purple Passion		❍
ARP2643	❒	Peacock blue		❍
ARP2644	❒	Artic blue		❍
Rim insert colours				
ARP2650	❒	Obsidian black		❍
ARP2651	❒	Ruby red		❍
ARP2652	❒	Purple Passion		❍
ARP2653	❒	Peacock blue		❍
ARP2654	❒	Artic blue		❍
Performance				
Forks				
ARL2631	❒	Single sided fork (new) incl. black castor		411,02
ARL2632	❒	Double sided fork		◆
Rear wheels type Storm®4				
ARL0704	❒	14"x3" Black Tires, Pneumatic		◆
ARL0705	❒	14" x 3" Black Solid Tires		73,22
ARL0706	❒	14" x 3" Puncture protect		❍
Motor type / Speed Options				
ARL1282	❒	OPS Drive 6 km/h (4-pole)		◆
ARL1283	❒	OPS Drive 10 km/h (4-pole)		❍
Battery				
ARL1257	❒	50 Ah Gel		◆
Charger				
ARL1313	❒	OptiCharge Charger 10A		◆
ARL1481	❒	Without charger		-95,00


2240


2251


2253




2721
2722


2723


2724


2640 2641 2642 2643 2644


2650 2651 2652 2653 2654

The public prices of the options are valid only if ordered with the chair.
For separately ordered options, consult your distributor.
© 2026 DHCare France SAS

All rights reserved

GYROSCOPE					
G-Trac					
ARL1215	❒	***G-Trac module*** (Directional control of the trajectory while driving)		1 090,05	
POSITIONNING OPTIONS					
For Bodypoint accessories, please refer to the Bodypoint specific pricelist.					
OPTIONS					
Lights					
ARL1437	❒	LED Light system with Indicators 30 Lux headlights		492,89	
ARL1254	❒	Without light system		◆	
Transportation Kit					
ARL1450	❒	Preparation for DAHL-Docking station, (Adequate headrest is compulsory) IN COMBINATION WITH 30°TILT OR TILT/LIFTMODULE (1093/1094) MAX USER WEIGHT IS LIMITED TO 136 KG!		738,39	
Kerb rider					
ARL1493	❒	4-Point tie-down (For wheelchair transportation without user)		◆	
ARL1494	❒	4-Point tie-down (Tested version for using wheelchair as a vehicle seat according to ISO 7176-19:2001) (Adequate headrest is compulsory)		❍	
Fixation belt					
ARL1329	❒	Fixation Belt with Auto Lock	NC : Bodypoint belt	◆	
ARL2113	❒	Fixation beltwith auto lock with adjustable attachment points on the seat	NC : 2110, Bodypoint	57,82	
ARL1332	❒	H-Belt	NC : 2110	311,85	
Positionning belt Bodypoint (fixations incluses)					
ARL2701	❒	Evoflex Pelvic Stabilizer, Rehab Latch Size L (padded length 620 mm)		156,40	
ARL2702	❒	Evoflex Pelvic Stabilizer, Rehab Latch Size M (padded length 460 mm)		156,40	
ARL2703	❒	2-Point Hip Belt, Ctr-Pull, Push Butt, Cinch-Mount Size L (padded length 620 mm)		133,65	
ARL2704	❒	2-Point Hip Belt, Ctr-Pull, Push Butt, Cinch-Mount Size M (padded length 460 mm)		133,65	
ARL2705	❒	2-Point Hip Belt, Dual-Pull, Side-Release Butt. Cinch-Mount Size L (padded length 620 mm)		116,59	
ARL2706	❒	2-Point Hip Belt, Dual-Pull, Side-Release Butt. Cinch-Mount Size M (padded length 460 mm)		116,59	
Rearview mirror					
ARL1415	❒	Right		70,14	
ARL1339	❒	Left		70,14	
Caneholder					
ARL1312	❒	Right		68,25	
ARL1363	❒	Left		68,25	
Swing away tray					
ARL1404	❒	Right		503,32	
ARL1405	❒	Left		503,32	
Ramps					
1654128	❒	**Basic ramp 2 telescopic parts** in aluminum and non-slip coating. Folded dimensions: 1210 x 194 mm. 8.8 kg per pair - maximum capacity: 270 kg		402,84	
1654129	❒	**Quick2go Compact 3-part aluminum telescopic ramp** with non-slip coating Folded dimensions: 870 x 237 mm 13.6 kg per pair - maximum capacity: 260 kg		805,69	
1654130	❒	**Aluminium folding mono ramp** Folded dimensions: 1824 x 714 mm 13.9 kg - maximum capacity: 300 kg		426,54	


1493


1329


2701, 2702


2703, 2704


2705, 2706


1404
1405


1654128


1654129


1654130

The public prices of the options are valid only if ordered with the chair.
For separately ordered options, consult your distributor.

© 2026 DHCare France SAS
All rights reserved