Invacare® TDX® SP2 NB AA2

Please contact DHCare EU Export Customer Services on :-
Tel : +33 247 626980 ; Email : serviceclient_export@dhcare.com
Or visit our website : www.dhcare.eu.com

Invacare® TDX® SP2NB AA2*

Mixt Power wheelchair 6 wheels



Descriptive :

- Weight : from 125kg
- Max user weigth : 150 kg
- Warranty: 2 years exccept batteries and wear parts
- New manipulator supports

Date :

User Name :

Customer Code:

Dealer stamp :

DHCare Unique Customization Service
Please indicate your quote number or special manufacturing number :

Indicative Public Rate - Use the online configurator on DHCare Pro to generate quotes or orders free from incompatibilities.

❑ please make your selection with a cross in the box ◆ Standard configuration ❍ Free of charge

CODE		DESCRIPTION	NC : Non Compatible (nc : 9999) not compatible with the reference 9999	EUROS
ARM0016	❐	*Invacare® TDX® SP2 NB AA2* **Power Module** : 120 Ah **Motors** : 640W, 4 poles - **Autonomy** : +/- 26 km (50Ah)		5 260,66
MODULITE MODULAR SEAT				
Seat type				
ARM2111	❐	**Rigid Modulite Seat,** width and depth adjustable, width adjustable armrests, (+25 mm per side) **Width** : 380 to 530 mm, adjustable in steps of 50 mm **Depth** : 410 to 510 mm **STEPLESS ADJUSTABLE**		◆
ARM2112	❐	**Flexible Modulite Seat, tension, width and depth adjustable,** width adjustable armrests, (+25 mm per side) - + 30 mm seat height **Width** : 380 to 530 mm, adjustable in steps of 50 mm **Depth** : 410 to 510 mm **STEPLESS ADJUSTABLE**		❍
Seat width (Factory preset)				
		330mm (take seat width 380 mm (2121) + Inside curved armrest (2183))	NC : 2143, 2138+2142/2147/2144	
ARM2121	❐	380 mm	NC : 2143, 2138+2142/2147/2144, 2701, 2703, 2705	❍
ARM2122	❐	430 mm	NC : 2138/2142/2147, 2701, 2703, 2705	◆
ARM2123	❐	480 mm	NC : 2138+2142/2147, 2702, 2704, 2706	❍
ARM2124	❐	530 mm	NC : Matrx backrests, 2143, 2702, 2704, 2706	❍
Seat width (Factory preset)				
ARM2129	❐	Standard Depth Package (SD range 410 - 510 mm)	NC : 2138	◆
ARM2130	❐	Extended Depth Package (SD range 510 - 560 mm)	NC : 2132, 2134	❍
Seat Depth (Fcatory preset)				
ARM2132	❐	410 mm	NC : 2196, 2197, 2198, 0556+wedge-thight, Bodypoint belt	❍
ARM2134	❐	460 mm	NC : 0556+wedge-thight	◆
ARM2136	❐	510 mm	NC : 2143, 0556+wedge-thight	❍
ARM2138	❐	560 mm(only with seat width 530 mm)	NC : 2143	396,37
Seat cushion				
ARM2142	❐	Seat cushion ***Flo-tech Lite*** (for width from 380 to 480 mm, height 75 mm, max weight 127 kg) / ***Contour*** (for width 530 mm, height 100 mm, max weight 152 kg)		◆
ARM2143	❐	Seat cushion ***Flo-tech Contour Visco*** 430 x 430 mm (hauteur 90 mm, max weight 100 kg)	NC : 2155	79,08
ARM2147	❐	Seat cushion ***Matrx Libra*** , (height 90mm, max weight 136kg)	NC : 2155	302,66
ARM2144	❐	Seat cushion ***Matrx Vi*** (micro ventilated cover)	NC : 2155	302,66
Backposts				
ARM2162	❐	Height 540 mm		❍
ARM2163	❐	Height 480 mm	NC : 2052, 2053, 2173	❍
Pusch handles				
ARM2107	❐	Pusch handles		◆
ARM2108	❐	Without pusch handles - only for ***Flex 3 backrests***	NC : 1307, 1332, 2220, 2219, 2245, 2227, 2228	❍


2111


2112


2143


2147 2144

The public prices of the options are valid only if ordered with the chair.
For separately ordered options, consult your distributor.

© 2026 DHCare France SAS
All rights reserved

Backrest support					
ARM2171	❒	Tension adjustable backrest,bi-material padded incl. Back pocket	NC : 1288, 1289, 1445, 2052, 2053, 2152, 2155, Elan headrest	◆	 2171
ARM2179	❒	Flex3 Tension Adjustable, delivered with Lateral back cushion, Dartex coating (extra charge)	NC : 2151,2153,2155,2192 2193,2194,1445,1446,2229, Elan headrest	233,34	
ARM2173	❒	Rigid backrest Flex 3 width and height adjustable (560 to 790 mm) with Laguna backrest cushion	NC : 2128	❍	 2173
ARM2174	❒	***Matrx Posture Back*** , height 400 mm - incl. Back pocket		822,04	
ARM2175	❒	***Matrx Posture Back*** , height 500 mm - incl. Back pocket		822,04	
ARM2176	❒	***Matrx Elite*** , height 500 mm - incl. Back pocket		822,04	
ARM2177	❒	***Matrx Elite TR*** , height 500 mm - incl. Back pocket		822,04	
ARM2178	❒	***Matrx Elite Deep*** , height 500 mm - incl. Back pocket		822,04	
COMMON OPTIONS FOR MODULITE SEATING					
Backrest cushion and / or seat upholstery (depending on configuration)					
ARM2151	❒	Nylon noir		◆	
ARM2152	❒	Dartex noir		73,22	
ARM2155	❒	Mesh black		103,48	
Armrest					
ARM2191	❒	Height adjustable armrest 290 to 360 mm, in depth and removable, by pair		❍	 2191
ARM2181	❒	Height adjustable armrest 340 to 400 mm, in depth and removable, by pair	NC : 2195, 2196, 2197, wedge-thight	72,24	 2198
ARM2198	❒	Envoloping armrest, Dartex coating, by pair		292,89	
ARM2183	❒	Inside curved armrest, up to 50 mm width, 25 mm per side	NC : wedge-thight	141,56	
ARM2193	❒	Lifting armrest, ajustable height 230 - 360 mm		◆	
ARM2192	❒	Lifting and parallel armrest, ajustable height 230 - 300 mm	NC : 1445	383,69	
ARM2194	❒	Lifting and parallel armrest, ajustable height 300 - 360 mm	NC : 1445	383,69	
Armpad					
ARM2195	❒	Standard armpad, length 325 mm, by pair		◆	
ARM2196	❒	Long armpad, length 375 mm, by pair		93,73	
ARM2197	❒	Ergonomic long armpad, length 397 mm, by pair	NC : 2230, 2247	137,66	
Hemiplegic gutter					 Hemi gutter
	❒	Hemiplegic gutter in special manufacturing		On demand only	
	❒	Hemi concave gutter with flat or curved horn palmar support and 360° right or left reversible rotator in 18° steps		On demand only	Concave gutter hemi 
Seat accessories					
ARM2184	❒	Left wedge-thight, 140x100 mm	NC : Bodypoint	298,75	
ARM2186	❒	Left wedge-thight, 230x100 mm	NC : Bodypoint	298,75	
ARM2188	❒	Left wedge-thight, 330x100 mm	NC : Bodypoint	298,75	
ARM2185	❒	Right wedge-thight 140x100 mm	NC : Bodypoint	298,75	
ARM2187	❒	Right wedge-thight 230x100 mm	NC : Bodypoint	298,75	
ARM2189	❒	Right wedge-thight 330x100 mm	NC : Bodypoint	298,75	
Wedge-tight support height					
ARM2164	❒	Wedge-tight support 155 mm		◆	
ARM2165	❒	Wedge-tight support 206 mm		❍	
Headrest and accessories					
ARM1350	❒	Neckrest depth adjustable, Dartex coating	NC : 2229, 2230, 2247	◆	 1432
ARM1432	❒	Neckrest depth and width adjustable	NC : 2229, 2230, 2247	❍	
ARM1427	❒	Multi adjuastable neckrest Kontour with side earflaps, dartex coating	NC : 2229, 2230, 2247	371,97	 1427
ARM2324	❒	Headrest Elan Standard 10'' - Black cover	NC : 2230, 2247	440,31	
ARM2325	❒	Headrest Elan Occipital 9'' - Black cover	NC : 2230, 2247	440,31	
ARM2327	❒	Headrest Elan 4 points 11'' - Black cover	NC : 2230, 2247	576,02	
ARM1307	❒	Push bar (dia 22 mm) in conjuction with telescopic backposts		52,72	 1445
ARM1445	❒	Lateral support with extended arm, Dartex upholstery, pair	NC : Matrx backrests	397,35	
SEAT ADJUSTMENTS FOR MODULITE SEAT					
Seat lifter / Seat tilt					
ARM1092	❒	Powered tilt **0° à 20°**	NC : 2054	❍	
ARM1095	❒	Powered "fixed pivot" Tilt 20°, heavy duty	NC : 2054	❍	
ARM1093	❒	Powered tilt with CoG shift **0° à 30°**	NC : 0012, 0071, 0072, 0073, 0074, 2110, 2201, 1924, (1922/1923/1924/1496+1450/ 1494)	❍	
ARM2052	❒	Powered tilt with CoG shift **0° à 50°**	NC : 0012, 2110, 0354, 0364, 2201, 1922/1496+1450/1494), 2161, 2163, 2171	◆	**NEW**
ARM1094	❒	Electric with compensation from 0 ° to 30 ° + ***Lift 300 mm*** - Electrically lifting seat (Max weight 150 kg) from 470 to 770 mm	NC : 2110, 2201, 1924, (1922/1923/1924+1350/1432/1427+ 1450/1494)	1 717,319	
ARM2053	❒	Electric with compensation from 0° to 45° + ***Lift 300 mm*** - Electrically lifting seat (Max weight 136 kg) from 470 to 770 mm	NC : 2110, 0354, 0364, (2054+0556/0589), 2201, 2202, (1922+ 1350/1432/1427/1496+1450/1494), 2161, 2163, 2171, 0012	1 717,319	**NEW**

The public prices of the options are valid only if ordered with the chair.
For separately ordered options, consult your distributor.

© 2026 DHCare France SAS
All rights reserved

Height floor-plate for electric from 0 ° to 20 °					
ARM0354	❒	450 mm		❍	
ARM0364	❒	475 mm		❍	
Seat Tilt Option (only if option 1093 or 1094 has been selected)					
ARM2054	❒	5° Fixed Anterior Tilt, Assist mount (will reduce max tilt angle by 5°)		502,79	
Backrest recliner					
ARM0977	❒	Electric from 0° to 30°		◆	0977
FOOTREST / LEGRESTS					
Legrest / Footrest (pair) - Centre mounted legrests (incl calf pads)					
ARM0556	❒	Centre mount legrest, angle settable	NC : 1094+2054, 0517	❍	
ARM0589	❒	LNX Power centre mount legrest, length compensating	NC : 1094+2054	1 582,58	
Footplates (pair)					
ARM2365	❒	Angle & width adjustable footplates S (127 W x 190 mm D / 5"x7.5")		❍	
ARM0559	❒	Angle & width adjustable footplates M (140 W x 240 mm D / 5.5"x9.5")		◆	
ARM0516	❒	Angle & width adjustable footplates L (150 W x 290 mm D / 6"x11.5)		147,42	
ARM0517	❒	Angle adjustable foot platform M (305 W x 275 mm D / 12"x10.75")		147,42	 0533
Footrest Hanger Type / Pairs					
ARM0533	❒	Hanger Vari A pair		◆	
ARM0531	❒	Hanger ADElectric 0° - 80° pair		906,01	 0531
Footplate type / Pairs					
ARM0504	❒	Angle Adjustable Footplate pair		◆	
ARM0513	❒	Angle and depth adjustable Footplate pair		125,94	
REMOTE LINX					
Main control unit only for Electronic LiNX					LiNX
ARM2203	❒	Remote ***LiNX*** REM211 : Driving and control of the cylinders	NC : 2229, 2231, 2232, 2230, 2247, 2257, 2233, 2240, 2270, 2219, 2245	◆	 REM211
ARM2204	❒	Remote ***LiNX*** REM216 : Driving, control of cylinders and lighting	NC : 2229, 2231, 2232, 2230, 2247, 2257, 2233, 2240, 2270, 2219, 2245	❍	 REM216
ARM2205	❒	Remote ***LiNX*** REM400 : **3.5 "color touch screen and bluetooth - Driving, control of jacks and lights, mouse emulation**	NC : 2220	1 244,79	 REM400 Bluetooth
ARM2206	❒	Screen control ***LiNX*** REM500 : **3.5 " color touch screen and bluetooth - Driving, cylinder and lighting control, mouse emulation**	NC : 2220, 2270	1 830,57	 REM500 Bluetooth
REM400 option					
ARM2270	❒	"Assignable Toggle Switch Module for REM400 (DLX-SW400TGL) as default set to left: ON/OFF, right speed dial"		350,49	 2270
Remote mounting position (REM211/216/400)					
ARM1207	❒	Reversible right fixation, no retractable	NC : 1404	❍	
ARM1208	❒	Reversible left fixation, no retractable	NC : 1405	❍	
ARM1707	❒	Retractable on right + height adjutable, consolidated	NC : 1404	◆	
ARM1708	❒	Retractable on left + height adjutable, consolidated	NC : 1405	❍	
ARM1709	❒	**Maxx resolve**, swing away in/out - RH	NC 1404, (2231/2232+2207/2213), (2233/2240+2235/2213/2241), (2257+2275)	❍	
ARM1710	❒	**Maxx resolve**, swing away in/out - LH	NC 1405, (2231/2232+2208/2214), (2233/2240+2236/2214/2242), (2257+2276)	❍	NEW
ARM2213	❒	Montage central, escamotable à droite	NC : 1404, 1405, 1415	811,31	
ARM2214	❒	Montage central, escamotable à gauche	NC : 1404,1405, 1339	811,31	
ARM2227	❒	Fixation in right for third person(moving the manipulator)	NC : 2219, 2220, 2108, 1287, 2128	34,87	
ARM2228	❒	Fixation in left for third person(moving the manipulator)	NC : 2219, 2220, 2108, 1286, 2128	34,87	
AVZ2239	❒	Custom Installation, thank you specify your request:		On demand only	
Mounting the LiNX REM500 Control Screen					
ARM2209	❒	Swing away RH, multi-adjustable	NC : 1404, 1415	◆	 2209 2210
ARM2210	❒	Swing away LH, multi-adjustable	NC : 1405, 1339	❍	
PW-4005	❒	Option 2209/2210 avec tige de fixation pour REM500 rallongée de 200 mm		On demand only	
ARM2213	❒	Centre Mount, swing-away to RH, Nucleus	NC : 1404, 1405, 1415	811,31	
ARM2214	❒	Centre Mount, swing-away to LH, Nucleus	NC : 1404,1405, 1339	811,31	
AVZ2239	❒	Custom Installation, thank you specify your request:		On demand only	

The public prices of the options are valid only if ordered with the chair.
For separately ordered options, consult your distributor.

© 2026 DHCare France SAS
All rights reserved

Dual LiNX remote (User + third person)					 REM050
ARM2220	❒	Dual Control ***LiNX*** (REM050 - use driving profile 2 of the REM211/216 - speed limited to 6km/h)	NC : 1221, 1222, 2227, 2228	697,33	
ARM2219	❒	Dual **Compact *LiNX*** control- 3 driving profiles dedicated and cylinder control	NC : 1221, 1222, 2227, 2228	1 394,67	 2219
ARM2245	❒	Dual intuitive ***LiNX*** control- dedicated driving profile	NC : 1207, 1208, 2227, 2228	1 394,67	
ARM1207	❒	Fixing on the right - only with REM050 and Compact		◆	
ARM1208	❒	Fixing on the left - only with REM050 and Compact		❍	
ARM1221	❒	Right fixations, removable - only with intuitive LiNX control		◆	 2245
ARM1222	❒	Left fixations, removable - only with intuitive LiNX control		❍	
If multiple joysticks are to be mounted on the center mount mount (2213/2214), select option 2215					
Mo-Vis special controls - refer to the order sheet					
Compact Proportional Joysticks - Only with REM400 and REM500					
ARM2231	❒	LiNX Compact proportionel joystick (deflection force: 160 g)		1 412,71	 2231
ARM2232	❒	LiNX Compact Proportional Low Force joystick (deflection force: 112 g)		1 554,27	2232
ARM2207	❒	Fixing on the right	NC : 1404	◆	
ARM2208	❒	Fixing on the left - only with REM050 and Compact	NC : 1405	❍	
ARM2213	❒	Central fixing, retractable on the right	NC : 1404, 1405, 1415	811,31	
ARM2214	❒	Central fixing, retractable on the left	NC : 1404, 1405, 1339	811,31	
AVZ2215	❒	Custom Installation, thank you specify your request:		On demand only	
Additional options LiNX					
ARM2230	❒	Head Control with ultrasonic proximity sensors (ATOM, ASL104) with standard wings M3	NC : 2233, 2092, 2323, 2324, 2322, 2325, 2326, 2327, 2257, 2240	5 817,79	 2230
ARM2247	❒	Head Control with ultrasonic proximity sensors (PROTON, ASL104P) with PROTON wings	NC : 2233, 2092, 2323, 2324, 2322, 2325, 2326, 2327, 2257, 2240	5 817,79	 2247
Four-Switch Proximity Array (with ATOM technology)					
ARM2257	❒	Four-Switch Proximity Array (ASL106)	NC : 2128, 2233, 2240	7 259,79	 2257
ARM2275	❒	Centre Mount, swing-away to RH, Nucleus (incl. Eclipse Tray ASL619, 360x180 mm)		❍	
ARM2276	❒	Centre Mount, swing-away to LH, Nucleus (incl. Eclipse Tray ASL619, 360x180 mm)		❍	
ARV2215	❒	Individual mounting option per request (Special) - REQUIRES ADDITIONAL INFORMATION / SPECIFICATION		On demand only	
Wireless Accessories for ATOM					
ARM2250	❒	Wireless Mouse Emulator (ASL558)		1 551,34	
Micro extremity control					
ARM2233	❒	MEC Proportional Joystick (Micro Extremity Control ASL130)	NC : 2128, 2240	5 817,7902	 2250
ARM2235	❒	Tray Mount RH (100x150 mm)		❍	 2233
ARM2236	❒	Tray Mount LH (100x150 mm)		❍	
ARM2213	❒	Centre Mount, swing-away to RH, Nucleus	NC : 1404, 1405, 2310, 2311	❍	
ARM2214	❒	Centre Mount, swing-away to LH, Nucleus	NC : 1404, 1405, 2310, 2311	❍	
ARM2241	❒	Centre Mount, swing-away to RH, Nucleus (incl. Tray 100x150 mm)	NC : 1404, 1405, 2310, 2311	811,31	
ARM2242	❒	Centre Mount, swing-away to LH, Nucleus (incl. Tray 100x150 mm)		811,31	
AVZ2215	❒	Individual Mounting option per request (Special)		On demand only	
Heavy Duty Remote Joystick					
ARM2240	❒	Proportional Heavy Duty Remote Joystick with mode switch (ASL133)	NC : 2128	3 519,58	 2240
ARM2235	❒	Tray Mount RH (ASL603, 100x150 mm)		❍	
ARM2236	❒	Tray Mount LH (ASL603, 100x150 mm)		❍	
ARM2213	❒	Centre Mount, swing-away to RH, Nucleus		❍	
ARM2214	❒	Centre Mount, swing-away to LH, Nucleus		❍	
ARM2241	❒	Centre Mount, swing-away to RH, Nucleus (incl. Tray ASL603, 100x150 mm)		811,31	
ARM2242	❒	Centre Mount, swing-away to LH, Nucleus (incl. Tray ASL603, 100x150 mm)		811,31	
ARV2215	❒	Individual mounting option per request (Special) - REQUIRES ADDITIONAL INFORMATION / SPECIFICATION		On demand only	
Additional options LiNX					
ARM2251	❒	10-Way Switch DLX-SW10-A for direct Powered Seating Access (includes loom to connect + additional jack for mode switch)	NC : 2209, 2213	546,73	 2251
ARM2217	❒	Bracket RH, mounted for user	NC : 2209, 2213, 1415	❍	
ARM2218	❒	Bracket LH, mounted for user	NC : 2210, 2214	❍	
ARM2227	❒	Bracket RH, mounted for attendant	NC : 1287, 2128	❍	
ARM2228	❒	Bracket LH, mounted for attendant	NC : 1286, 2128	❍	
ARM2225	❒	Without mounting		❍	
ARM2252	❒	Loom providing jack sockets for “Drive” and “Mode” (includes connection for 10-Way Switch)		89,82	

The public prices of the options are valid only if ordered with the chair.
For separately ordered options, consult your distributor.

© 2026 DHCare France SAS
All rights reserved

Accessories *LiNX*				
ARM2253	❒	USB Charger Port DLX-USB02-A	NC : 2110, Belt bodypoint	487,18
ARM2207	❒	Fixing on the right	NC : 1404	❍
ARM2208	❒	Fixing on theleft	NC : 1405	❍
Others accessories and contactors				
ARM2300	❒	To be included with the armchair		❍
AVZ2301	❒	To connect and program (Special)		On demand only
Round and flat switch (diameter 63 mm - delivered unassembled - take option 2252 obligatorily if no REM400 or REM500)				
ARM1685	❒	Red Buddy Button		154,25
ARM1686	❒	Yellow Buddy Button		154,25
ARM1687	❒	Green Buddy Button		154,25
ARM1690	❒	Blue Buddy Button		154,25
Egg switch (option 2252 required if no REM400)				
ARM2254	❒	Egg switch, black		122,03
Mini contactors round and flat (diameter 30 mm - delivered unassembled - to take option 2252 obligatorily if not REM400 or REM500)				
ARM1711	❒	Mini contactor Red		154,25
ARM1712	❒	Mini contactor Yellow		154,25
ARM1713	❒	Mini contactor Green		154,25
ARM1714	❒	Mini contactor Orange		154,25
ARM1715	❒	Mini contactor Blue		154,25
ARM1716	❒	Mini contactor Black		154,25
Bodypoint				
ARM2721	❒	3 inch U-Shaped, Joystick Handle, Bodypoint PC101A		103,00
ARM2722	❒	4 inch U-Shaped, Joystick Handle, Bodypoint PC102A		103,00
ARM2723	❒	Domed Rubber, Joystick Handle, Bodypoint PC107A		103,00
ARM2724	❒	Mushroom Grooved, Joystick Handle, Bodypoint PC110A		103,00
DRIVE UNIT OPTIONS				
Shroud colours				
ARP2640	❒	Obsidian black		❍
ARP2641	❒	Ruby red		❍
ARP2642	❒	Purple Passion		❍
ARP2643	❒	Peacock blue		❍
ARP2644	❒	Artic blue		❍
Rim insert colours				
ARP2650	❒	Obsidian black		❍
ARP2651	❒	Ruby red		❍
ARP2652	❒	Purple Passion		❍
ARP2653	❒	Peacock blue		❍
ARP2654	❒	Artic blue		❍
Performance				
Forks				
ARM2631	❒	Single sided fork (new) incl. black castor		411,02
ARM2632	❒	Double sided fork		◆
Centre / Drive wheels				
ARO0704	❒	14"x3" Black Tires, Pneumatic		◆
ARO0705	❒	14"x3" Black Tires, Solid tire		73,22
ARO0706	❒	14"x3" Black Tires Puncture Protect		❍
Motor type / Speed Options				
ARM1282	❒	OPS Drive 6 km/h (4-pole)		◆
ARM1283	❒	OPS Drive 10 km/h (4-pole)		❍
Battery				
ARM1257	❒	50 Ah Gel		◆
Charger				
ARM1313	❒	OptiCharge Charger 10A		◆
ARM1481	❒	Without charger		-95,00
GYROSCOPE				
G-Trac				
ARM1215	❒	***G-Trac modul*** (Directional control of the trajectory while driving)		1 122,7515
POSITIONNING OPTIONS				
For Bodypoint accessories, please refer to the Bodypoint specific pricelist.				
OPTIONS				
Lights				
ARM1437	❒	LED Light system with Indicators 30 Lux headlights		507,68
ARM1254	❒	Without light system		◆
Transportation Kit				
ARM1450	❒	Preparation for DAHL-Docking station, (Adequate headrest is compulsory) IN COMBINATION WITH 30°TILT OR TILT/LIFTMODULE (1093/1094) MAX USER WEIGHT IS LIMITED TO 136 KG!		760,54
Taxi hanger				
ARM1494	❒	Accroche-taxis conformes à la norme ISO7176-19 : 2001 pour le transport des personnes		◆


2253






2721
2722


2723


2724


2640 2641 2642


2643 2644


2650 2651 2652


2653 2654




Bodypoint

DAHL ENGINEERING

The public prices of the options are valid only if ordered with the chair.
For separately ordered options, consult your distributor.

© 2026 DHCare France SAS
All rights reserved

Fixation belt					
ARM1329	❒	Fixation Belt with Auto Lock	NC : Belt bodypoint	◆	 1329
ARM2113	❒	Fixation beltwith auto lock with adjustable attachment points on the seat	NC : Belt bodypoint	59,55	
ARM1332	❒	H-Belt		321,21	
Ceintures de positionnement Bodypoint (fixations incluses)					
ARM2701	❒	Evoflex Pelvic Stabilizer, Rehab Latch Size L (padded length 620 mm)		161,09	
ARM2702	❒	Evoflex Pelvic Stabilizer, Rehab Latch Size M (padded length 460 mm)		161,09	2701, 2702
ARM2703	❒	2-Point Hip Belt, Ctr-Pull, Push Butt, Cinch-Mount Size L (padded length 620 mm)		137,66	
ARM2704	❒	2-Point Hip Belt, Ctr-Pull, Push Butt, Cinch-Mount Size M (padded length 460 mm)		137,66	2703, 2704
ARM2705	❒	2-Point Hip Belt, Dual-Pull, Side-Release Butt. Cinch-Mount Size L (padded length 620 mm)		120,09	
ARM2706	❒	2-Point Hip Belt, Dual-Pull, Side-Release Butt. Cinch-Mount Size M (padded length 460 mm)		120,09	2705, 2706
Rearview mirror					
ARM1415	❒	Right		72,24	
ARM1339	❒	Left		72,24	
Back Hook					
ARM2128	❒	Bag hooks (on Modulite Seat) (max load up to 6 kg = impact on max user weight)		155,23	 2128
Caneholder					
ARM1312	❒	Right		70,30	
ARM1363	❒	Left		70,30	
Swing away tray					 1404 1405
ARM1404	❒	Right		518,42	
ARM1405	❒	Left		518,42	
RAMPS					
1654128	❒	**Basic ramp 2 telescopic parts** in aluminum and non-slip coating. Folded dimensions: 1210 x 194 mm. 8.8 kg per pair - maximum capacity: 270 kg		402,84	 1654128
1654129	❒	**Quick2go Compact 3-part aluminum telescopic ramp** with non-slip coating Folded dimensions: 870 x 237 mm 13.6 kg per pair - maximum capacity: 260 kg		805,69	 1654129
1654130	❒	**Aluminium folding mono ramp** Folded dimensions: 1824 x 714 mm 13.9 kg - maximum capacity: 300 kg		426,54	 1654130

The public prices of the options are valid only if ordered with the chair.
For separately ordered options, consult your distributor.
© 2026 DHCare France SAS

All rights reserved