Invacare® TDX® SP2 NB Modulite Teen AA1 / AA2

Please contact DHCare EU Export Customer Services on :-
Tel : +33 247 626980 ; Email : serviceclient_export@dhcare.com
Or visit our website : www.dhcare.eu.com

Invacare® TDX® SP2NB Modulite Teen AA1 / AA2*

Mixt Power wheelchair 6 wheels



Descriptive :

- Weight : from 125 kg
- Max user weight: 68 kg.
- Warranty : 2 years except batteries and wear parts
- ***NB : Narrow Base = Engine base chair width 610 mm.**
- Special fabrication : 10 days period

Date :

User name :

Customer Code :

Dealer stamp :

DHCare Unique Customization Service
Please indicate your quote number or special manufacturing number :

Indicative Public Rate - Use the online configurator on DHCare Pro to generate quotes or orders free from incompatibilities.

❑ Please make your selection with a cross in the box ◆ Standard configuration ❍ Free of charge

				Euros
CODE		**DESIGNATION**	**NC : Non Compatible** NC : 9999 : non compatible with the reference 9999	**Public Price HT**
ARZ0016	❑	*Invacare® TDX® SP2 NB AA1 / AA2 Modulite* - Power Module : 90 A Motors : 340W, 4 poles Autonomy : +/- 26 km (50Ah)	CAN'T BE ORDERED ON THE E-COMMERCE	6 123,22
MODULITE MODULAR SEAT				
ARZ2111	❑	**Rigid Modulite Seat, width and depth adjustable**, with adjustable armrests (+25 mm per side)		◆
Seat width (Factory preset) - inside curved armpad				
	❑	305 mm		177,69
	❑	330 mm		❍
	❑	355 mm		◆
Seat Depth (Fcatory preset)				
	❑	305 mm		❍
	❑	355 mm		◆
ARZ2132	❑	410 mm		❍
Seat cushion				
	❑	***Matrx Vi*** or ***Matrx Kidabra-Vi*** seat cushion-according to dimensions		◆
Backposts				
ARZ2163	❑	Height 480 mm		◆
Push handles				
ARZ2107	❑	Push handles		◆

The public prices of the options are valid only if ordered with the chair.
For separately ordered options, consult your distributor.

© 2026 DHCare France SAS
All rights reserved

Backrest support				
ARZ2171	❒	Tension adjustable backrest,bi-material padded incl. Back pocket (width between backposts: 340 mm)		◆
	❒	**Matrx Mini** backrest Depth contour : 80 mm Fixations included - Choose the size in the below table		❍



Dossier *Matrx Mini* (fixations incluses)
Profondeur du dossier : 80 mm - Poids max utilisateur : 68 kg

Largeur du dossier[1][3]	Adaptable sur fauteuil largeur d'assise[2]	Largeur du buste indicative	Hauteur du dossier			
			180 mm	260 mm	310 mm	360 mm
280 mm	280mm - 300mm	200 mm	❑	❑	❑	
310 mm	300mm - 320mm	215 mm	❑	❑	❑	❑
330 mm	330mm - 360mm	240 mm	❑	❑	❑	❑
360 mm	360mm - 380mm	290 mm	❑	❑	❑	❑

Backrest cushion and / or seat upholstery				
ARM2152	❒	Black dartex		◆
Armrest				
ARM2183	❒	Inside curved armrest		◆
Armpad				
ARM2195	❒	Standard armpad, length 325 mm, by pair		◆
	❒	Shorten right hemiplegic armpad with pivoting mechanism (380 mm length)		467,65
	❒	Shorten left hemiplegic armpad with pivoting mechanism (380 mm length)		467,65
Headrest and accessories				
	❒	Without headrest		-48,87
	❒	Multi adjustable neckrest ***Action 3 Junior***		◆
ARM2324	❒	Headrest Elan Standard 10'' - Black cover		440,31
ARM2325	❒	Headrest Elan Occipital 9'' - Black cover		440,31
	❒	Headrest ***Elan*** Standard 8,5'' - Black cover		576,02



hemi gutter





2323, 2324



2325



2327

SEAT ADJUSTMENTS FOR MODULITE SEAT

Seat lifter / Sea tilt				
ARM1091	❒	Manual tilt from 0° to 12° - Seat height 440 mm	NC : 2054	-195,26
ARM1092	❒	Powered tilt from 0° to 20° - Seat height 440 mm	NC : 2054	◆
ARM1093	❒	Powered tilt from 0° to 30° - Seat height 450 mm		445,20
ARM1094	❒	Electric with compensation from 0° to 30° + Lift 300 mm - Seat height 465 mm		2 162,52
Height floor-plate for electric from 0 ° to 20 °				
ARM0337	❒	440 mm		❍
Seat Tilt Option (only if option 1093 or 1094 has been selected)				
ARM2054	❒	5° Fixed Anterior Tilt, Assist mount (will reduce max tilt angle by 5°)		502,79
Backrest recliner				
ARM0975	❒	Manual Settable Recliner from 0° to 30° (in 3,75° steps) **Dismounting backrest without tools**		❍
ARM0977	❒	Electric from 0° to 30° **Foldable backrest without tools**		◆



0977

FOOTRESTS / LEGRESTS

Footrest Hanger Type / Pairs				
ARM0526	❒	Fixed legrests and footrests 80°, Swing in and out - **UL : 200 to 260 mm**	NC : 0522	❍
ARM0533	❒	***Manually adjustable legrests - Storm® 3*** type - **UL : 190 to 360 mm**		◆
ARM0531	❒	Electrical Ergonomic Legrests from 0° to 80° - **UL : 190 to 370 mm**	NC : 0522	906,01



0533

The public prices of the options are valid only if ordered with the chair.
For separately ordered options, consult your distributor.

© 2026 DHCare France SAS
All rights reserved

Footplate type / Pairs					 0513  0522
ARM0513	❒	Angle and depth adjustable Footplate pair		◆	
ARM0522	❒	Angle adjustable one-piece pallet		❍	
REMOTE LiNX					
Main control unit only for Electronic LiNX					LiNX  REM 211  REM216  REM400  REM50 Bluetooth
ARM2203	❒	Remote **LiNX** REM211 : Driving and control of the cylinders	NC : 2229, 2231, 2232, 2230, 2247, 2257, 2233, 2240, 2270, 2219, 2245	◆	
ARM2204	❒	Remote **LiNX** REM216 : Driving, control of cylinders and lighting	NC : 2229, 2231, 2232, 2230, 2247, 2257, 2233, 2240, 2270, 2219, 2245	❍	
ARM2205	❒	Remote **LiNX** REM400 : **3.5 "color touch screen and bluetooth** - Driving, control of jacks and lights, mouse emulation	NC : 2220	1 244,79	
ARM2206	❒	Screen control **LiNX** REM500 : **3.5 " color touch screen and bluetooth - Driving, cylinder and lighting control, mouse emulation**	NC : 2220, 2270	1 830,57	
REM400 Option					 2270
ARM2270	❒	Assignable Toggle Switch Module for REM400 (DLX-SW400TGL) as default set to left: ON/OFF, right speed dial		350,49	
Remote mounting position (REM211/216/400)					
ARM1207	❒	Reversible right fixation, no retractable	NC : 1404	❍	
ARM1208	❒	Reversible left fixation, no retractable	NC : 1405	❍	
ARM1707	❒	Retractable on right + height adjutable, consolidated	NC : 1404	◆	
ARM1708	❒	Retractable on left + height adjutable, consolidated	NC : 1405	❍	
ARJ1709	❒	**Maxx resolve**, swing away in/out - RH	NC 1404, (2231/2232+2207/2213), (2233/2240+2235/2213/2241), (2257+2275)	❍	
ARJ1710	❒	**Maxx resolve**, swing away in/out - LH	NC 1405, (2231/2232+2208/2214), (2233/2240+2236/2214/2242), (2257+2276)	❍	NEW
ARM2213	❒	Central assembly, swing-away RH	NC : 1404, 1405, 1415	737,11	
ARM2214	❒	Central assembly, swing-away LH	NC : 1404,1405, 1339	737,11	
ARM2227	❒	Fixation in right for third person(moving the manipulator)	NC : 2220, 1287, 2128	150,35	
ARM2228	❒	Fixation in left for third person(moving the manipulator)	NC : 2220, 1286, 2128	150,35	
ARV2239	❒	Custom Installation, thank you specify your request:		On demand only	
Mounting the LiNX REM500 Control Screen					 2209 2210
ARM2209	❒	Swing away RH, multi-adjustable	NC : 1404, 1415	◆	
ARM2210	❒	Swing away LH, multi-adjustable	NC : 1405, 1339	❍	
PW-4005	❒	Option 2209/2210 with mounting rod for REM500 extended by 200 mm		Special manufacturing On demand only	
ARM2213	❒	Centre Mount, swing-away to RH, Nucleus	NC : 1404, 1405, 1415	737,11	
ARM2214	❒	Centre Mount, swing-away to LH, Nucleus	NC : 1404,1405, 1339	737,11	
ARV2239	❒	Custom Installation, thank you specify your request:		On demand only	
Dual LiNX remote (User + third person)					
ARM2220	❒	Double commande ***LiNX*** (REM050 - utilise le profil de conduite 1 du REM211/216 - Vitesse limitée à 6km/h)	NC : 1221, 1222, 2227, 2228	697,33	
ARM2219	❒	Double commande **Compact *LiNX*** - 3 profils de conduite dédiés	NC : 1221, 1222, 2227, 2228	1 175,47	
ARM2245	❒	Double commande intuitive ***LiNX*** - profil de conduite dédié	NC : 1207, 1208, 2227, 2228	1 175,47	

The public prices of the options are valid only if ordered with the chair.
For separately ordered options, consult your distributor.

© 2026 DHCare France SAS
All rights reserved

ARM1207	❒	Fixing on the right - only with REM050 and Compact		◆	
ARM1208	❒	Fixing on the left - only with REM050 and Compact		❍	
ARM1221	❒	Right fixations, removable - only with intuitive LiNX control		◆	
ARM1222	❒	Left fixations, removable - only with intuitive LiNX control		❍	
If multiple joysticks are to be mounted on the center mount mount (2213/2214), select option 2215					
Compact Proportional Joysticks - Only with REM400 and REM500					
ARM2231	❒	LiNX Compact proportionel joystick (deflection force: 160 g)		1 225,26	 2231 2232
ARM2232	❒	LiNX Compact Proportional Low Force joystick (deflection force: 112 g)		1 412,71	
ARM2207	❒	Fixing on the right	NC : 1404	◆	
ARM2208	❒	Fixing on the left	NC : 1405	❍	
ARM2213	❒	Central fixing, retractable on the right	NC : 1404, 1405, 1415	811,31	
ARM2214	❒	Central fixing, retractable on the left	NC : 1404, 1405, 1339	811,31	
ARV2215	❒	Custom Installation, thank you specify your request:		On demand only	
Head control with ultrasonic proximity sensors - ATOM Technology					 2247
ARM2230	❒	ATOM, ASL104 with standard wings M3	NC : 2233, 2323, 2324, 2325, 2327, 2257, 2240	5 817,79	
ARM2247	❒	PROTON, ASL104 with PROTON wings	NC : 2233, 2323, 2324, 2325, 2327, 2257, 2240	5 817,79	 2230
Four-Switch Proximity Array (with ATOM technology)					
ARM2257	❒	Four-Switch Proximity Array (ASL106)	NC : 2128, 2233, 2240	7 259,79	
ARM2275	❒	Centre Mount, swing-away to RH, Nucleus (incl. Eclipse Tray ASL619, 360x180 mm)		❍	 2257
ARM2276	❒	Centre Mount, swing-away to LH, Nucleus (incl. Eclipse Tray ASL619, 360x180 mm)		❍	
ARV2215	❒	ndividual mounting option per request (Special) - REQUIRES ADDITIONAL		On demand only	
Micro extremity control					
ARM2233	❒	MEC Proportional Joystick (Micro Extremity Control **ASL130**)	NC : 2128, 2240	5 817,79	 2233
ARM2235	❒	Tray Mount RH (100x150 mm)		❍	
ARM2236	❒	Tray Mount LH (100x150 mm)		❍	
ARM2213	❒	Centre Mount, swing-away to RH, Nucleus	NC : 1404, 1405	❍	
ARM2214	❒	Centre Mount, swing-away to LH, Nucleus	NC : 1404, 1405	❍	
ARM2241	❒	Centre Mount, swing-away to RH, Nucleus (incl. Tray 100x150 mm)	NC : 1404, 1405	811,31	
ARM2242	❒	Centre Mount, swing-away to LH, Nucleus (incl. Tray 100x150 mm)		811,31	
ARV2215	❒	Individual Mounting option per request (Special)		On demand only	
Heavy Duty Remote Joystick					
ARM2240	❒	Proportional Heavy Duty Remote Joystick with mode switch **(ASL133)**	NC : 2128	3 417,07	 2240
ARM2235	❒	Tray Mount RH (ASL603, 100x150 mm)		❍	
ARM2236	❒	Tray Mount LH (ASL603, 100x150 mm)		❍	
ARM2213	❒	Centre Mount, swing-away to RH, Nucleus		❍	
ARM2214	❒	Centre Mount, swing-away to LH, Nucleus		❍	
ARM2241	❒	Centre Mount, swing-away to RH, Nucleus (incl. Tray ASL603, 100x150 mm)		811,31	
ARM2242	❒	Centre Mount, swing-away to LH, Nucleus (incl. Tray ASL603, 100x150 mm)		811,31	
ARV2215	❒	Individual mounting option per request (Special) - REQUIRES ADDITIONAL		On demand only	

The public prices of the options are valid only if ordered with the chair.
For separately ordered options, consult your distributor.

© 2026 DHCare France SAS
All rights reserved

Additional options LiNX					
ARM2251	❒	10-Way Switch DLX-SW10-A for direct Powered Seating Access (includes loom to connect + additional jack for mode switch)	NC : 2209, 2213	546,73	
ARM2217	❒	Bracket RH, mounted for user	NC : 2209, 2213, 1415	❍	
ARM2218	❒	Bracket LH, mounted for user	NC : 2210, 2214	❍	2251
ARM2227	❒	Bracket RH, mounted for attendant	NC : 1287, 2128	❍	
ARM2228	❒	Bracket LH, mounted for attendant	NC : 1286, 2128	❍	
ARM2225	❒	Without mounting		❍	
ARM2252	❒	Loom providing jack sockets for “Drive” and “Mode” (includes connection for 10-Way Switch)		89,82	
REMOTE LINX					
Accessories *LiNX*					
ARM2253	❒	USB Charger Port	NC : Ceinture Bodypoint	487,18	
ARM2207	❒	Fixing on the right	NC : 1404	❍	2253
ARM2208	❒	Fixing on the left	NC : 1405	❍	
Others accessories and contactors					
ARM2300	❒	To be included with the armchair		❍	
ARV2301	❒	To connect and program (Special)		On demand only	
Round and flat switch (diameter 63 mm - delivered unassembled - take option 2252 obligatorily if no REM400 or REM500)					
ARM1685	❒	Red contactor		154,25	
ARM1686	❒	Yellow contactor		154,25	
ARM1687	❒	Green contactor		154,25	
ARM1690	❒	Blue contactor		154,25	
Egg switch (option 2252 required if no REM400)					
ARM2254	❒	Egg switch, black		122,03	
Mini contactors round and flat (diameter 30 mm - delivered unassembled - to take option 2252 obligatorily if not REM400 or REM500)					
ARM1711	❒	Mini contactor Red		154,25	
ARM1712	❒	Mini contactor Yellow		154,25	
ARM1713	❒	Mini contactor Green		154,25	
ARM1714	❒	Mini contactor Orange		154,25	
ARM1715	❒	Mini contactor Blue		154,25	
ARM1716	❒	Mini contactor Black		154,25	
Bodypoint Joysticks					
ARM2721	❒	3 inch U-Shaped, Joystick Handle, Bodypoint PC101A		103,00	 2721 2722
ARM2722	❒	4 inch U-Shaped, Joystick Handle, Bodypoint PC102A		103,00	
ARM2723	❒	Domed Rubber, Joystick Handle, Bodypoint PC107A		103,00	 2723
ARM2724	❒	Mushroom Grooved, Joystick Handle, Bodypoint PC110A		103,00	 2724
DRIVE UNIT OPTIONS					
Shroud Colors					 2640 2641 2642 2643 2644
ARP2640	❒	Obsidian black		❍	
ARP2641	❒	Ruby red		❍	
ARP2642	❒	Purple Passion		❍	
ARP2643	❒	Peacock blue		❍	
ARP2644	❒	Artic blue		❍	
Side Shroud Colors					 2650 2651 2652 2653 2654
ARP2650	❒	Obsidian black		❍	
ARP2651	❒	Ruby red		❍	
ARP2652	❒	Purple Passion		❍	
ARP2653	❒	Peacock blue		❍	
ARP2654	❒	Artic blue		❍	
PERFORMANCES					
Forks					
ARM2631	❒	Single sided fork		411,02	
ARM2632	❒	Double sided fork		◆	

The public prices of the options are valid only if ordered with the chair.
For separately ordered options, consult your distributor.
© 2026 DHCare France SAS

All rights reserved

Rear wheels type Storm®4					
ARO0704	❒	14"x3" Black Tires, Pneumatic		◆	
ARO0705	❒	14"x3" Black Tires, Solid tire		73,22	
ARO0706	❒	14"x3" Black Tires Puncture Protect		❍	
Motor type / Speed options					
ARM1282	❒	OPS Drive 6 km/h (4-pole)		◆	
ARM1283	❒	OPS Drive 10 km/h (4-pole)		❍	
Battery					
ARM1257	❒	50 Ah Gel		◆	
Charger					
ARM1313	❒	OptiCharge Charger 10A		◆	
ARM1481	❒	Without Charger		-95,00	
GYROSCOPE					
G-Trac					
ARM1215	❒	**G-Trac modul** (Directional control of the trajectory while driving)		1 122,75	
POSITIONNING OPTIONS					
For Bodypoint accessories, please refer to the Bodypoint specific pricelist.					
OPTIONS					
Lights					
ARM1437	❒	LED Light system with Indicators 30 Lux headlights		507,68	
ARM1254	❒	Without light system		◆	
Preparation for Dahl reception station assembly (approved TUV) [Reception station Dahl Engineering not included] Contact:Løvevej 3 - DK - 7700 Thisted -Tel. :+45 96180077 fax. :+45 96180078 web page: www.dahlengineering.dk					
ARM1450	❒	Specific frame preparation for **Dahl** reception station assembly. **Dahl** reception assembly allow the wheelchair to tie up in one of the following approved vehicule according to European Directive requirements CEE-2007-46 : VW Crafter, VW Transporter/ Caravelle T5, Mercedes Vito/Viano 639, MB Sprinter 906, Ford Transit, Opel Vivaro et Renault Traffic, Citroen Jumpy, Peugeot Expert, Fiat Scudo, VW Caddy, Citroen Berlingo, Peugeot Partner. **Headrest is mandatory during the person's transport in a power wheelchair, please select one option in seats accessories.**		760,54	
Kerb rider					
ARM1494	❒	4-Point tie-down(Tested version for using wheelchair as a vehicle seat according to ISO 7176-19:2001) (Adequate headrest is compulsory)		◆	
Fixation belt					
ARM1329	❒	Fixation Belt with Auto Lock	NC : Belt bodypoint	◆	
ARM2113	❒	Fixation beltwith auto lock with adjustable attachment points on the seat	NC : Belt bodypoint	59,55	
ARM1332	❒	H-Belt		321,21	
Boypoint positioning bels (fasteners included)					
ARM2701	❒	Evoflex Pelvic Stabilizer, Rehab LatchSize L (padded length 620 mm)		161,09	
ARM2702	❒	Evoflex Pelvic Stabilizer, Rehab LatchSize M (padded length 460 mm)		161,09	
ARM2703	❒	2-Point Hip Belt, Ctr-Pull, Push Butt, Cinch-MountSize L (padded length 620 mm)		137,66	
ARM2704	❒	2-Point Hip Belt, Ctr-Pull, Push Butt, Cinch-MountSize M (padded length 460 mm)		137,66	
ARM2705	❒	2-Point Hip Belt, Dual-Pull, Side-Release Butt. Cinch-MountSize L (padded length 620 mm)		120,09	
ARM2706	❒	2-Point Hip Belt, Dual-Pull, Side-Release Butt. Cinch-MountSize M (padded length 460 mm)		120,09	

1329

2701, 2702

2703, 2704

2705, 2706

The public prices of the options are valid only if ordered with the chair.
For separately ordered options, consult your distributor.

© 2026 DHCare France SAS
All rights reserved

Rearview mirror					
ARM1415	❒	Right		72,24	
ARM1339	❒	Left		72,24	
Back Hook (max. weigth 6kg)					
ARM2128	❒	Bag hooks (on Modulite Seat)		155,23	
Caneholder					
ARM1312	❒	Right		70,30	
ARM1363	❒	Left		70,30	
Swing away tray (nc : assise Max)					
ARM1404	❒	Right		518,42	
ARM1405	❒	Left		518,42	
Ramps					
1654128	❒	**Basic ramp 2 telescopic parts** in aluminum and non-slip coating. Folded dimensions: 1210 x 194 mm. 8.8 kg per pair - maximum capacity: 270 kg		402,84	
1654129	❒	**Quick2go Compact 3-part aluminum telescopic ramp** with non-slip coating Folded dimensions: 870 x 237 mm 13.6 kg per pair - maximum capacity: 260 kg		805,69	
1654130	❒	**Aluminium folding mono ramp** Folded dimensions: 1824 x 714 mm 13.9 kg - maximum capacity: 300 kg		426,54	



2128



1404
1405



165412



165412



1654130

The public prices of the options are valid only if ordered with the chair.
For separately ordered options, consult your distributor.
© 2026 DHCare France SAS

All rights reserved