

ORDER FORM - mechanical wheelchair

	Z	77	D	V
L	77	<u> </u>	4	ַ_

Completed and delivered order form is binding order for the production of mechanical KURY wheelchair. Please, fill out questionnaire legibly and carefully! In case of doubt, please contact your dealer or directly the manufacturer.

RETAIL PRICE				Product registration (Evidence výrobku)			
standard equippe	d wheelchair (•)			l number bní číslo)			
				dentification			
DEALER or USER							
Company							
User Identificatio	n				,		
	address:						
Contact	country						
				nh ana.			
	e-mail:			phone:			
SHIPPING delivery provi	ded by manufacturer	Product will be delivered by the	e manufacturer to the address	DATE of SHIPMEN	ahinnina		
delivery provi	ded by the customer	Shipping is organized by custon	ner after the product is ready	to deliver.		-	
		Manufacturer only					
date		Transducturer only	datum		datum		
Form signate	ire	Výrobek zkompletoval:	podpis	Výstupní kontrola:	podpis		
						ZP_AS_01/2024	
I measurements are in	cm (if not specified by othe	er way).					
Rosof	Form		Save Form		Print Form		



-211-	PACIC UCED DAD	-2-			
	BASIC USER PAR	'			
	X. LOAD CAPA	_	weight	kg	
(inc	luding: user's weight	t, accessories, baggage etc.)	height	cm	
	trained active user ((interior and exterior use)			
	beginner or a passiv	ve user with the assistance of accompanying persons			
	leg amputation abov				
	-	a wheelchair's going through the door 60 cm (► for seat width	· · · · · · · · · · · · · · · · · · ·		
	prognosis of changes	es in user's body parameters in the future with regard to the const	ruction of the wheelchair (ch	ange in weight, height, health condition)	
BAS	IC MEASUREMENT	T OF USER'S PARAMETERS			
Parar	meters for SEATING	T			
Х	ст	parameter for seat depth measurement: user's back > under (back) of knee			
Υ	cm	measurement: foot > under (back) of knee INCLUDING cushion! (Make sure what shoes used by the user usually.)		cca 5 cm	
Р	cm	height of cushion (Consider of cushion squeeze.)	7	upholstery height V	
Z1	cm	Height of seat edge in FRONT Without cushion! Cannot be Z1 ≤ Y2!	(1) (Y)	P 0 12	
Z2	ст	Height of seat edge in REAR Without cushion!			
٧	Accompaniment l	handles height from ground - FIXED! = Z2 + height of ba	ackrest's textile part (see s	section 5) + cca 5 cm	
	→ Center of gravity o				
D	O O D1 D2	position D1 - active - recommended for active us position D2 - neutral and stable - suitable for sta position D3 - passive - difficult lifting-up of the f the user's arms and shoul	abille drive control and for assis front part of wheelchair for user	stant person drive	
NOT	ES FOR MANUFACT	URER (Note the limited options for individual adjustment and modification	n of wheelchair parts. To be consu	ult with manufacturer.)	

			- 3 -	ZP_AS_01/2024EN
line	select.	item, part, parameters		pricing
1		frame		
1.2		extended wheelchair frame (individual su	rcharge for seat depth 47 cm - see 2.2)	▼
				·
2		seat		
2.1	seat v	vidth	□ 34 □ 36 □ 38 □ 40 □ 42 □ 45 □ 47	•
2.2	seat d	lepth	□ 34 □ 36 □ 38 □ 40 □ 42 □ 45 □ 47 (surcharge - see 1.2)	•
2.3	seat h	eight FRONT (parameter Z1)	□ 44 □ 46 (NOT for 175 mm castors) □ 48 □ 50 □ 52	nout cushion!
2.4	seat h	eight REAR (parameter Z2)	□ 46 □ 48 □ 50 □ 52	•
2.5	seat u	pholstery - fabric kortexin, color:	□ black □ red □ blue	•
2.6		abductor wedge removable, adjustable	☐ small (w. 4,5 x d. 14 x h. 10 cm)	
			☐ large (w. 10 x d. 16 x h. 12 cm)	
3		antidecubitus cushion		
3.1		antidecubitus cushion GEMINI SPIN	- to order GEMINI SPIN cushion, please fill specialized order form	▼
3.2		antidecubitus cushion GEMINI ALPHA	- memory foam, 5 cm height, 3D textile fabric, anti-slip bottom, black color, according to s	eat dimension ▼
4		backrest - TYPE		
4.1		basic	- padded textile upholstery (kortexin), not adjustable (for choosing color → 6.1)	•
4.2		adjustable textile with straps	- fixing straps for backrest stiffness adjustment; DOBBY cover (→6.2) or Air-Flow cover (→6.3)	▼
4.3		anatomic backrest GEMINI AZO - to order, please fill specialized order form		
4.4		anatomic backrest GEMINI TWIN	- to order, please fill specialized order form GEMINI TWIN	
5		backrest FIXED - height		
3		type of construction	upholstery height - take into account height of antidecubitus cushion	
5.1		fixed straight	26 28 30 32 34 36 38 40 42 45	· .
5.2		fixed angled (8°)		.
J.L		inca aligica (o)		<u> </u>
5		backrest ADJUSTABLE HANDLES - he	iaht	
		type of construction	upholstery height - take into account height of antidecubitus cushion	
5.4		adjustable handles - straight	□ 26 □ 28 □ 30 □ 32 □ 34 □ 36 □ 38 □ 40 □ 42 □ 45	
5.5		adjustable handles - angled (8°)	□ 34 □ 36 □ 38 □ 40 □ 42 □ 45	
5.6		prolonged (higher) handle tube for adjust	. handles	▼
6		backrest - UPHOLSTERY		
6.1		BASIC: kortexin fabric, padded; color:	□ black □ red □ blue	
6.2		DOBBY cover - combination DOBBY padd	ling black + kortexin fabric: □ black □ red □ blue	•
6.3		AirFLOW cover	☐ green (1) ☐ turquoise (2) ☐ red (3) ☐ yellow (4) ☐ grey (5) ☐ pink (6)	
		breathable, clr. combination: black + →	□ black (7) □ dark blue (8) □ beige (9) □ ruby (10) □ orange (11)	
6.4		backside pocket - 30 (w) x 20 (h) x 2 (d)	cm	▼
7		headrest - additional, adjustable		
7.1			rack) - between handles of backrest tubes, can be used as handle	▼
7.2		small Gemini w. 25 cm, h. 14 c. d. 5 cm		
7.3		small flat (A = 13, B = 21 cm, C = 5 cm)		▼
7.4		large deep (A = 17, B = 25 cm, C = 10 cm)		

ZP AS 01/2024EN

line	select.	item			·	specification	pricing		
8		armrests	(tilting and rer	novable) / mudguar	rds (fixed)		per pair		
8.1		E20	mid		handle 30 cm, height 20 cm froi	andle 30 cm, height 20 cm from seat			
8.2		E21	long	38	handle 38 cm, height 20 cm froi	n seat	•		
8.3		E08	high	24	handle 24 cm, height 23,5 cm fro	om seat	•		
8.4		E02 M	low	30 cm	handle 30 cm adjustable handle - height 18-20	adjust for height:	•		
8.7		E04	mudguard, fixed		ABS plastic				
8.8		E04 M	mudguard, fixed	30 cm \$ 8 cm 18 cm	ABS plastic handle 30 cm adjustable handle - height 18-20				
8.9		E04 KAR	mudguard, fixed		CARBON fibre	CARBON fibre			
			,						
9		frame co	lor (sides & cro	ss construction, fork	· · · · · · · · · · · · · · · · · · ·				
9.2		basic		☐ glossy white (1) ☐ pink (5) ☐ black matt (26)	□ violet light (6) □	yellow (2) ☐ red (3) blue (9) ☐ glossy black (13)	•		
9.3		metallic (s		□ violet M (15) □ silver M (20)	······································	red M (17) ☐ anthracit M (18) KHAKI (28) ☐ SPRING green (31)	•		
9			:kage - set of pa Is holders, forks	arts	☐ white ☐ black ☐ i	red □ blue □ lime	▼		
3.4		rear wrice	is floiders, forks		Willte Didck Di	ed li bide li lille	, ·		
10		footplate	:						
10.1		one-piece	-	ngle adjustable, adjust			<u> </u>		
10.2		divided	a	ngle adjustable, adjust	to: 90° 100° othe	r: °			
11		castor w	heels & forks						
		PU 100 (4							
11.1		PU 125 (5"		plastic black rim, b	olack full tyre (PU)		•		
11.2		PU 150 (6'	")				•		
11.5		ALPU 100	x 35 (4")	aluminum rim, bla	ck full tyro (DLI)	□ silver □ black □ red □ blue	▼		
11.6		ALPU 125	x 35 (5")	aiuiiiiiuiii iiiii, Did	ck full tyle (PO)		▼		
11.7		ALPU 150	x 35 (6") Frog Le	gs 3-spokes aluminur	m rim, black full tyre (PU)	□ silver □ black	▼		
11.8		comfort fo	orks (with frame o	color - if not choosed co	olore package 9.4)		▼		

line select. item specification pricing

	FULLY EQUIPPED	REAR WHEELS -	- cannot chang	e configuration!
--	-----------------------	----------------------	----------------	------------------

12	BASIC		
12.1	24" complete wheel - basic	rim: 24" simple silver rim, 36 spokes tyres: FULL TYRE wide (PU 14) black hand rim: aluminium silver (anodised)	•
12	HIGHER EQUIPMENT / DESIGN WHEELS		
12.2	24" complete wheel TOP	24" ultralight black, 24 spokes, Schwalbe MPE black, 24 x 1", hand rim: black anodised	▼
12.3	DYNAMIC COLOR	24 x 1"; Schwalbe MPE, hard anodised hand rim; black hub; colored spokes: spokes: □ black □ white □ red □ blue □ lime	•
12.4	CAMEL Black	24 x 1"; black rim, Schwalbe MPE tyre, hard anodised hand rim	▼
12.5	CAMEL Silver	24 x 1"; silver rim, Schwalbe MPE tyre, hard anodised hand rim	▼
12.6	EXTREME Light ONE	24 x 1 ", Schwalbe ONE tyre, black anod. hand rim, black rim, lightweight (1 080 g)	▼
12.7	COUNTRY offroad	24 x 1,95 ", offroad tyre, black anodised hand rim │ □ drum brake ready hub	▼

REAR WHEELS TO ORDER - choose: rim + tyres + hand rim

12	rim		
12.8	24" standard	24" simple silver rim, 36 spokes	•
12.9	24" standard - drum brake ready hub	24" simple silver rim, 36 spokes ► select ONLY if (drum) brakes for accompanist (13.4) are selected	▼
12.10	24" ultralight black TOP	24" black, double rim, black hub, 24 spokes ▶ if FULL TYRE > PU 12 (12.21) only	▼
12.13	one-hand wheel control: \square right \square left	24" black rim, driving shaft, incl. drive hand rim (black)	▼

12		tyres			
PNEU	MATIC	Tyres			
12.14		PNEUMATIC black (Schwalbe RightRun)	24 x 1	Schwalbe RightRun Active black	▼
12.15		PNEUMATIC wide black	24 x 13/8	Rubena V69 Hook, standard, wide	▼
12.16		PNEUMATIC Schwalbe MPE	24 x 1	Marathon Plus Evolution, puncture proof	▼
12.17		PNEUMATIC Schwalbe RR black-blue	24 x 1	RightRun	▼
12.18		PNEUMATIC Schwalbe RR black-grey	24 x 1	RightRun	▼
12.19		PNEUMATIC Schwalbe RR black-red	24 x 1	RightRun	▼
12.20		PNEUMATIC Schwalbe ONE ultralight&slim	24 x 1	Schwalbe ONE, extreme light tyre	▼
FULL 1	Tyres				
12.21		FULL TYRE slim (PU 12) black	24 x 1		▼
12.22		FULL TYRE wide (PU 14) black	24 x 1 3/8	► NOT with ultralight black rim 12.10	▼
12		hand rim (push rim)			
12.23		aluminium silver (anodised)	□ 10 mm □ 20 mm	24"	▼
12.24		aluminium dark (hard anodised)	□ 10 mm □ 20 mm	24"	▼
12.25		rubberized	□ 10 mm □ 20 mm	24"	▼
12.26		stainless steel	□ 10 mm □ 20 mm	24"	▼
12.27		8 pins		24" ► with standard rim ONLY (12.8)	▼
12.44		12 pins		24" ► with standard rim ONLY (12.8)	▼
12.28		covered with leather	□ 10 mm □ 20 mm	24", leather type: thread color:	▼

13	brakes		
13.1	STANDARD	straight brake lever	•
13.2	ACTIVE	forward curved brake lever ► Not for removable footrest! 1.4	▼
13.3	COMPACT brakes		▼
13.4	brakes FOR ACCO	MPANIST (ASSISTANT) ▶ with standard rim only 12.9 or COUNTRY offroad wheel 12.7	▼

- 6 - ZP_AS_01/2024EN

line	select.	item						pricing
14		accessories and specia	l equipment					
14.1	-	anti-tipper CAN NOT be	e installed					-
14.2		double leg support belt	t (front and back) - adjustable,	w. 45 mm, te	ctile			▼
14.4		standard pump with cli	ps					
14.5		pump with clips 8 ATM	(greater pressure fill - Schwalb	e MPE, Schwa	albe RR	etc.)		▼
14.6		hand compressor, wirel	ess, charging battery					▼
14.7		removable pocket (und	ler seat) (black fabric kortexin; l	buckle for loc	king of	folding wheelchair inclu	ded)	▼
14.8		buckle for locking of fo	lding wheelchair					▼
14.9		silicone han drim cover	s 24" (pair)	ck □ blue □	red □] yellow □ pink □ green	□ violet	▼
14.11		rear wheel spoke guar	ds BASIC (type A) 24" (pair)			☐ transparent (1)	☐ black (2)	▼
		rear wheel spoke guar	ds DESIGNED (type B) 24" (pai	ir)				
14.12		☐ rings (1)	☐ night (2)	☐ eyes (3)		☐ wheel (4)	☐ flower I (5) ☐ flower II (6)	▼
		☐ cascade red-blue (7)	\Box cascade turquoise (8)	☐ violet sp	iral (9)	☐ blue spiral (10)		
		rear wheel spoke guar	ds DESIGNED (type C) 24"					_
14.13		☐ floral (1)	☐ skulls (2)	☐ strip (3)			\square letters (5) \square compass (6)	▼
		☐ spectrum (7)	☐ flames (8)	☐ gold wh			□ blue sparkle (11)	
14.14		James						▼
14.15		and the state of t						
14.16		terapeutic tray-table basic (transparent) - polycarbonate 8mm, raised edge, folded, removable				▼		
14.17		terapeutic tray-table w	ith printed surface		► to a	ttach only on the armrests	with adjustable handle (see part 8)	
15		C						
15			accessories Addigy line					1
15.1		AD 10	Abdominal fixing belt low			universal size: 8 x 48 cm	I	▼
15.2		AD 11	Abdominal fixing belt for chair hig		_	□ size 0 (12,5 x 40 cm)	☐ size 1 (16,5 x 56 cm)	_ ▼
15.3		AD 11 E	Abdominal fixing belt for chair, na	irrow version		upholstered part: 12,5 x 56		▼
15.4		AD 12	Perineal fixing belt for chair			☐ size 0 (12,5 x 40 cm)	□ size 1 (16,5 x 56 cm)	▼
15.5		AD 13	Torso fixing belt			☐ size 0 (12,5 x 40 cm)	□ size 1 (16,5 x 56 cm)	▼
15.6		AD 14	Torso and pelvis fixing belt			☐ size 0 (12,5 x 40 cm)	□ size 1 (16,5 x 56 cm)	▼
15.7		AD 18	Standard vest for chair		_	size 0	□ size 1	▼
15.8		ADX 1 (pár)	Foot support for wheelchair (appl	. to footplate)	_	□ size 0	□ size 1	▼
15.9		ADX 2 (pár)	Foot belt - ankles strips			□ size 0	□ size 1	▼
15.10		ADX 18	Universal elastic band (neoprene)			size: 7,5 x 150 cm		▼
15.11		ADX 20	Pelvic/abdominal fixing belt		_	size 0 width 18-28	☐ size 1 width 23-38	▼
15.12		ADX 22 / □ ADX 22C	Trunk Support with zip			size 0 shoulders 33-43	size 1 shoulders 43-53	▼
15.13		ADX 23 / □ ADX 23C	Shoulder Harness			size 0 shoulders 33-43	□ size 1 shoulders 43-53	▼
15.14		ADX 30	Abduction support		_	☐ size 0 20-35 cm	□ size 1 30-45	▼
15.15		ADX 4PE	4 point pelvic fixing belt			☐ size 0 w. thighs 18-28	☐ size 0 w. thighs 23-38	▼