

Οι Τιμές είναι χωρίς τα μεταφορικά έξοδα

Invacare® TDX® SP2 AA2 Ultra Low Maxx
Mixt Power wheelchair 6 wheels



Descriptive :

- Weight : from 154kg
- Max user weight : 136kg
- Warranty: 2 years except batteries and wear parts

- Seat lift 300 mm : without extra charges!
- Hip support height
- Bodypoint joystick knobs
- DuraWatt 10 km/h motor, programmable up to 12 km/h

Date :

User name :

Customer Code :

Dealer stamp:

DHCare Unique Customization Service

Please indicate your quote number or special manufacturing number :


Indicative Public Rate - Use the online configurator on DHCare Pro to generate quotes or orders free from incompatibilities.

☐ Please make your selection with a cross in the box

☒ Standard configuration

☐ Free of charge

CODE	DESCRIPTION	NC : Non Compatible (nc : 9999) not compatible with the reference 9999	EUROS
ARO0080	☐ Invacare® TDX® SP2 AA2 Ultra Low Maxx		18 969,67
ARO0069	☐ Invacare® TDX® SP2 AA2 Ultra Low Maxx - Low Rider version - including batteries 73,5Ah - Height seat reduce to 420 mm - Seat lifter included	NC : 0592, 2052, 0337, 0331, 0339, 2184, 2185, 2186, 2187, 2188, 2189, 2114, 2115	22 530,81
Power Module : 90 A - Motors : 340W, 4 poles - Autonomy : +/- 26 km (50Ah)			



Customized settings:		Measured from:
A	Seat Height	Seat plate to floor
B	Seat Width	Front seat plate edge LH to seat plate edge RH
C	Seat Depth	Front of seat plate (incl. curve) to bracket of backrest (lowest point)
D	Finished Back Height	Seat plate to top of back
E	Armrest Height LH	Seat plate to top of tube
F	Armrest Height RH	Seat plate to top of tube
G	Centre mount legrest	Top of seat plate to top of footplate, parallel to legrest / knee-to-heel length
H	Side mount Legrest LH	Top of seat plate to top of footplate, parallel to legrest / knee-to-heel length
K	Side mount Legrest RH	Top of seat plate to top of footplate, parallel to legrest / knee-to-heel length
H	Pivot Plus Legrest LH	Top of seat plate to top of footplate, parallel to legrest / knee-to-heel length
K	Pivot Plus Legrest RH	Top of seat plate to top of footplate, parallel to legrest / knee-to-heel length

ULTRA LOW MAXX

Seating type

ARO2020 ☐ Ultra Low Maxx Powered Positioning System

☐

SEAT TILT AND BACKREST RECLINER

Seat tilt

ARO2052 ☐ Ultra Low Maxx CG tilt (0 to 50°)

☐

ARO2053 ☐ Ultra Low Maxx CG tilt (0 to 45°) combined with 300 mm
seat lifter

NC : 2263, 2264

☒

A - Seat height setting

ARO0337 ☐ Seat-to-Floor Height 440 mm

☒

ARO0331 ☐ Seat-to-Floor Height 460 mm

☐

ARO0339 ☐ Seat-to-Floor Height 490 mm

☐

Anterior and posterior tilt options			
ARO2057	☐	Ultra Low Maxx CG Tilt Standard Mount	◆
ARO2054	☐	Ultra Low Maxx CG tilt 5° Fixed Anterior Assist mount	502,79
ARO2055	☐	Ultra Low Maxx CG tilt 10° Fixed Anterior Assist mount	546,73
ARO2056	☐	Ultra Low Maxx CG tilt 5° Fixed Posterior -tilt Assist mount	502,79
Backrest recline			
ARO2057	☐	Fixed Angle Setting (NO POWERED RECLINE)	(NC : 2095, 2096, 2097, 2263, 2264, 2245; ACS2) ○
ARO2060	☐	Powered Recline 90 to 170° , Standard Mount	(NC : 2307, 2510, 2511, 2512, 2513, 2514, 2515, 2516, 2540, 2541, 2542, 2543) ◆
ARO2063	☐	Powered Recline, 8° Precline mount, 82° to 162°	(NC : 2307, 2510, 2511, 2512, 2513, 2514, 2515, 2516, 2540, 2541, 2542, 2543) ○
ARO2066	☐	Powered Recline, 30° Precline mount, 60° to 140°	(NC : 2307, 2510, 2511, 2512, 2513, 2514, 2515, 2516, 2540, 2541, 2542, 2543) 546,73
ULTRA LOW MAXX SEATING SYSTEM			
Seat frame width range			
ARO2021	☐	405 mm - 505 mm (increments of 25 mm) / 16" - 20"	◆
ARX2003	☐	480 mm - 555 mm (increments of 25 mm) / 19" - 22"	○
ARX2022	☐	505 mm - 610 mm (increments of 25 mm) / 20" - 24"	NC : 2174, 2175 ○
Seat frame depth range			
ARO2008	☐	405 mm - 505 mm (increments of 25 mm) / 16" - 20"	◆
ARO2024	☐	480 mm - 580 mm (increments of 25 mm) / 19" - 23"	○
B - Seat width setting for adjustable seat frame			
ARO2025	☐	405 mm / 16"	NC : 2022, 2041, 2042, 2701, 2703, 2705 ○
ARO2026	☐	430 mm / 17"	NC : 2022, 2041, 2142, 2701, 2703, 2705 ○
ARO2027	☐	455 mm / 18"	NC : 2022, 2701, 2703, 2705 ○
ARO2028	☐	480 mm / 19"	NC : 2022, 2702, 2704, 2706 ○
ARO2029	☐	505 mm / 20"	NC : 2702, 2704, 2706 ○
ARO2030	☐	530 mm / 21"	NC : 2021, 2034, 2035, 2036, 2174, 2175, 2145, 2702, 2704, 2706 ○
ARO2031	☐	555 mm / 22"	NC : 2021, 2034, 2035, 2036, 2174, 2175, 2145, 2702, 2704, 2706 ○
ARO2032	☐	580 mm / 23"	NC : 2021, 2034, 2035, 2036, 2174, 2175, 2147, 2145, 2702, 2704, 2706 ○
ARO2033	☐	610 mm / 24"	NC : 2021, 2034, 2035, 2036, 2174, 2175, 1404, 1405, 2147, 2145, , 2702, 2704, 2706 ○
C - Seat depth setting			
ARO2035	☐	405 mm / 16"	NC : 2024, Bodypoint belt ○
ARO2036	☐	430 mm / 17"	NC : 2024 ○
ARO2037	☐	455 mm / 18"	NC : 2024 ○
ARO2038	☐	480 mm / 19"	○
ARO2039	☐	505 mm / 20"	NC : 2023 ○
ARO2040	☐	530 mm / 21"	NC : 2023 ○
ARO2041	☐	555 mm / 22"	NC : 2023, 2145 ○
ARO2042	☐	580 mm / 23"	NC : 2023, 2145, 2146 ○
Size cushion (sizes according to seat frame settings)			
ARO2144	☐	Matrx Vi Cushion [Mesh fabric]	○
ARO2145	☐	Matrx Flo-Tech Lite (black smooth cover, 75 mm thick, up to 127 kg)	NC : 2041, 2042, 2030, 2031, 2032, 2033 ◆
ARO2146	☐	Matrx Flo-tech Contour (black smooth cover, 100 mm thick, up to 191 kg)	NC : 2042 ○
ARO2147	☐	Matrx Libra Cushion, 90 mm thick Standard (up to 136 kg); HD (up to 227 kg) Startex	NC : 2032, 2033, 2034 ○

Backrest support options (material height, see below for overall back height)				
ARO2040	☐	Standard Rehab Back Pan and Back Upholstery height 355 mm / 14"		○
ARO2041	☐	Standard Rehab Back Pan and Back Upholstery height 405 mm / 16"		○
ARO2042	☐	Standard Rehab Back Pan and Back Upholstery height 455 mm / 18"		○
ARO2043	☐	Standard Rehab Back Pan and Back Upholstery height 505 mm / 20"		○
ARO2050	☐	High Back , height 405 mm / 16" [Mesh fabric]		◆
ARO2051	☐	High Back , height 455 mm / 18" [Mesh fabric]		○
ARO2320	☐	High Back , height 505 mm / 20" [Mesh fabric]		○
ARO2550	☐	Matrx Elite Back , height 355mm / 14" / 16 - 18" wide	NC : 2030, 2031, 2032, 2033	○
ARO2551	☐	Matrx Elite Back , height 405 mm / 16"	NC : 2030, 2031, 2032, 2033	○
ARO2552	☐	Matrx Elite Back , height 455 mm / 18"	NC : 2030, 2031, 2032, 2033	○
ARO2553	☐	Matrx Elite Back , height 505 mm / 20"	NC : 2030, 2031, 2032, 2033	○
ARO2554	☐	Matrx Elite Max Back , height 405 mm / 16"	NC : 2025, 2026, 2027, 2028, 2029	○
ARO2555	☐	Matrx Elite Max Back , height 505 mm / 20"	NC : 2025, 2026, 2027, 2028, 2029	○
ARO2556	☐	Matrx Elite TR Back , height 405 mm / 16" [Mesh fabric]	NC : 2030, 2031, 2032, 2033	○
ARO2557	☐	Matrx Elite TR Back , height 455 mm / 18" [Mesh fabric]	NC : 2030, 2031, 2032, 2033	○
ARO2177	☐	Matrx Elite TR Back , height 505 mm / 20" [Mesh fabric]	NC : 2030, 2031, 2032, 2033	○
ARO2563	☐	Matrx Elite TR Max Back , height 505 mm / 20" [Mesh fabric]	NC : 2025, 2026, 2027, 2028, 2029	○
ARO2558	☐	Matrx Elite Deep Back , height 405 mm / 16" [Mesh fabric]	NC : 2030, 2031, 2032, 2033	○
ARO2559	☐	Matrx Elite Deep Back , height 455 mm / 18" [Mesh fabric]	NC : 2030, 2031, 2032, 2033	○
ARO2178	☐	Matrx Elite Deep Back , height 505 mm / 20" [Mesh fabric]	NC : 2030, 2031, 2032, 2033	○
ARO2174	☐	Matrx PB Back , height 405 mm / 16" [Mesh fabric]		○
ARO2175	☐	Matrx PB Back , height 505 mm / 20" [Mesh fabric]		○
ARO2560	☐	Matrx PB Deep Back , height 405mm / 16"		○
ARO2561	☐	Matrx PB Deep Back , height 505 mm / 20"		○
ARO2562	☐	Matrx Elite Deep Max , height 505 mm / 20"		○
D - Finished back height - SEAT PAN TO TOP OF THE BACK				
ARO2506	☐	505 mm / 20" - only with : 2550		○
ARO2501	☐	535 mm / 21" - only with : 2550		○
ARO2070	☐	555 mm / 22" - only with : 2050, 2551, 2554, 2556, 2558, 2174, 2560		○
ARO2071	☐	585 mm / 23" - only with : 2050, 2551, 2554, 2556, 2558, 2174, 2560		○
ARO2072	☐	610 mm / 24" - only with : 2051, 2552, 2557, 2559		○
ARO2073	☐	635 mm / 25" - only with : 2051, 2552, 2557, 2559		○
ARO2074	☐	660 mm / 26" - only with : 2320, 2553, 2555, 2177, 2563, 2178, 2175, 2561, 2562		○
ARO2502	☐	685 mm / 27" - only with : 2320, 2553, 2555, 2177, 2563, 2178, 2175, 2561, 2562		○
Armrest type				
ARO2095	☐	Cantilever Flip-Back Arm, width, height and angle adjustable. 240 - 330 mm (9.5" - 13")		◆
ARO2096	☐	Cantilever Flip-Back Arm, width, height and angle adjustable. 340 - 405 mm (12.5-16")		○
ARO2097	☐	Two-post Recline Arm, Flip Back, adjustable height 230 - 330 mm (9-13")		○
Armrest accessories				
ARO2308	☐	1" Offset Armrest Spacer (pair), for two-post recline only		164,02
ARO2309	☐	1/2" Offset Armrest Spacer (pair), for two-post recline only		164,02
Left arm pad				
ARO2012	☐	Desk arm pad with Startex cover visco foam (255mm); 40 mm thick		◆
ARO2013	☐	Full length arm pad with Startex cover visco foam (355mm), 40 mm thick		○
ARO2014	☐	Ergonomic arm trough; 30 mm thick	NC : 2347, 2348, 2349, 2350, 1404, 1405	168,90

Right arm pad			
ARO2016	☐	Desk arm pad with Startex cover visco foam (255mm); 40 mm thick	◆
ARO2017	☐	Full length arm pad with Startex cover visco foam (355mm); 40 mm thick	○
ARO2018	☐	Ergonomic arm trough, 30 mm thick	NC : 2351, 2352, 2353, 2354, 1404, 1405 168,90
Arm pad accessories & mounting options			
ARO2080	☐	Flat Hand Pad Left	164,02
ARO2083	☐	Flat Hand Pad Right	164,02
ARO2081	☐	Ergonomic Mounting Hardware to mount Otto Bock (EMO) hand pad options Left	164,02
ARO2084	☐	Ergonomic Mounting Hardware to mount Otto Bock (EMO) hand pad options Right	164,02
Multi-axis upper extremity supports			
ARO2082	☐	Multi Axis Upper Extremity Support (MACES) Left, lowest armpad height will be increased by 43 mm	319,25
ARO2085	☐	Multi Axis Upper Extremity Support (MACES) Right, lowest armpad height will be increased by 43 mm	319,25
E - Height setting: Armrest LH - SEAT PAN TO TOP OF THE TUBE			
Customized :			
☐ 290 mm			◆
☐ 230 mm ☐ 240 mm ☐ 250 mm ☐ 260 mm ☐ 270 mm			○
☐ 280 mm ☐ 300 mm ☐ 310 mm ☐ 320 mm ☐ 330 mm			○
☐ 340 mm ☐ 350 mm ☐ 360 mm ☐ 370 mm ☐ 380 mm			○
☐ 390 mm ☐ 405 mm			○
F - Height setting: Armrest RH - SEAT PAN TO TOP OF THE TUBE			
Customized :			
☐ 290 mm			◆
☐ 230 mm ☐ 240 mm ☐ 250 mm ☐ 260 mm ☐ 270 mm			○
☐ 280 mm ☐ 300 mm ☐ 310 mm ☐ 320 mm ☐ 330 mm			○
☐ 340 mm ☐ 350 mm ☐ 360 mm ☐ 370 mm ☐ 380 mm			○
☐ 390 mm ☐ 405 mm			○
Elbow block left: pads			
ARO2347	☐	Elbow Block XS (110 mm wide x 83 mm high)	305,58
ARO2348	☐	Elbow Block S (135 mm wide x 90 mm high)	305,58
ARO2349	☐	Elbow Block M (145 mm wide x 95 mm high)	305,58
ARO2350	☐	Elbow Block L (165 mm wide x 110 mm high)	305,58
Elbow block left: mounting hardware			
ARO2361	☐	Vertical 3"/ Horizontal 5"	○
ARO2362	☐	Vertical 3"/ Horizontal 7"	○
ARO2363	☐	Vertical 5"/ Horizontal 5"	○
ARO2364	☐	Vertical 5"/ Horizontal 7"	○
Elbow block right: pads			
ARO2351	☐	Elbow Block XS (110 mm wide x 83 mm high)	305,58
ARO2352	☐	Elbow Block S (135 mm wide x 90 mm high)	305,58
ARO2353	☐	Elbow Block M (145 mm wide x 95 mm high)	305,58
ARO2354	☐	Elbow Block L (165 mm wide x 110 mm high)	305,58
Elbow block right: mounting hardware			
ARO2371	☐	Vertical 3"/ Horizontal 5"	○
ARO2372	☐	Vertical 3"/ Horizontal 7"	○
ARO2373	☐	Vertical 5"/ Horizontal 5"	○
ARO2374	☐	Vertical 5"/ Horizontal 7"	○
Hip Supports			
ARO2184	☐	Hip Support LH, Quick Release, pad size 140 x 100 mm	NC : Bodypoint Belt 298,75
ARO2114	☐	Hip Support LH, Quick Release, pad size 180 x 150 mm	NC : Bodypoint Belt 298,75
ARO2186	☐	Hip Support LH, Quick Release, pad size 230 x 100 mm	NC : Bodypoint Belt 298,75
ARO2188	☐	Hip Support LH, Quick Release, pad size 330 x 100 mm	NC : Bodypoint Belt 298,75
ARO2185	☐	Hip Support RH, Quick release, pad size 140 x 100 mm	NC : Bodypoint Belt 298,75
ARO2115	☐	Hip Support RH, Quick Release, pad size 180 x 150 mm	NC : Bodypoint Belt 298,75
ARO2187	☐	Hip Support RH, Quick release, pad size 230 x 100 mm	NC : Bodypoint Belt 298,75
ARO2189	☐	Hip Support RH, Quick Release, pad size 330 x 100 mm	NC : Bodypoint Belt 298,75
Mounting hardware for hip supports			
ARO2164	☐	Mounting hardware for hip supports (155 mm high)	◆
ARO2165	☐	Mounting hardware for hip supports (206 mm high)	○
Headrest and mounting hardware			
ARO2092	☐	Onyx Auto Style Headrest	◆
ARO2324	☐	Elan Standard Pad 260 mm / 10" wide w/standard cover (ESP26)	○
ARO2325	☐	Elan Occipital Pad 230 mm wide w/standard cover (EOP23)	○
ARO1495	☐	Head Control or equivalent Headrest, provided independently from this order	NC : 2229 ○

Lateral supports			
ARO2343	☐	Lateral Support Maxx Style Quick Release, pad size (110 mm wide x 83 mm high) LH	298,75
ARO2345	☐	Lateral Support Maxx Style Quick Release, pad size (135 mm wide x 90 mm high) LH	298,75
ARO2043	☐	Lateral Support Maxx Style Quick Release, pad size (145 mm wide x 95 mm high) LH	298,75
ARO2045	☐	Lateral Support Maxx Style Quick Release, pad size (165 mm wide x 110 mm high) LH	298,75
ARO2344	☐	Lateral Support Maxx Style Quick Release, pad size (110 mm wide x 83 mm high) RH	298,75
ARO2346	☐	Lateral Support Maxx Style Quick Release, pad size (135 mm wide x 90 mm high) RH	298,75
ARO2044	☐	Lateral Support Maxx Style Quick Release, pad size (145 mm wide x 95 mm high) RH	298,75
ARO2046	☐	Lateral Support Maxx Style Quick Release, pad size (165 mm wide x 110 mm high) RH	298,75
ARO2049	☐	Additional telescopic link for Maxx Style lateral support, 25 mm, Pair	110,32
LEGRESTS / FOOTRESTS			
Centre mount legrests (Incl. Calf pads)			
ARO0586	☐	Centre mount legrest, angle settable Length: 310 - 410 mm	NC : 0517, 2034, 2035, 2366 -1 416,62
ARO0589	☐	LNX Power centre mount legrest, length compensating; Length: 340 - 410 mm	NC : 2261, 2262, 2263, 2264 ◆
ARX0592	☐	LNX Power centre mount legrest with telescoping foot platform (lowers to the ground); Length: 380 - 419 mm	NC : 2263, 2264 1 327,77
Footplates/Foot platform (nc : 0592)			
ARO2365	☐	Angle & width adjustable footplates S (127 W x 190 mm D / 5"x7.5")	○
ARO0559	☐	Angle & width adjustable footplates M (140 W x 240 mm D / 5.5"x9.5")	◆
ARO0516	☐	Angle & width adjustable footplates L (150 W x 290 mm D / 6"x11.5)	147,42
ARO2366	☐	Angle adjustable foot platform S (305 W x 215 mm D / 12"x8.5")	147,42
ARO0517	☐	Angle adjustable foot platform M (305 W x 275 mm D / 12"x10.75")	147,42
G - Height setting: Centre Mount Legrest (options 0586, 0589) - SEAT PAN TO FOOTPLATE			
Customized :			
☐ 375 mm			◆
☐ 310 mm ☐ 325 mm ☐ 335 mm ☐ 345 mm			○
☐ 355 mm ☐ 364 mm ☐ 385 mm ☐ 410 mm			○
G - Height setting: Centre Mount w telescoping foot platform - SEAT PAN TO FOOTPLATE			
Customized :			
☐ 380 mm ☐ 393 mm ☐ 406 mm ☐ 419 mm			○
Vari legrests LH			
ARO0537	☐	Hanger Vari A LH	-882,58
ARO0539	☐	Hanger ADE 0° - 80° LH	NC : 2261, 2262, 2263, 2264 -529,15
Vari legrests RH			
ARO0547	☐	Hanger Vari A RH	-882,58
ARO0549	☐	Hanger ADE 0° - 80° RH	NC : 2261, 2262, 2263, 2264 -529,15
Individual footplate type LH			
ARO0509	☐	Angle adjustable Footplate LH	◆
ARO0511	☐	Angle and depth adjustable Footplate LH	○
Individual footplate type RH			
ARO0506	☐	Angle adjustable Footplate RH	◆
ARO0508	☐	Angle and depth adjustable Footplate RH	○
H - Height setting: Vari Hanger LH (options 0537, 0538 & 0539) - SEAT PAN TO FOOTPLATE			
Customized :			
☐ 370 mm			◆
☐ 270 mm ☐ 280 mm ☐ 290 mm ☐ 300 mm			○
☐ 310 mm ☐ 320 mm ☐ 330 mm ☐ 340 mm			○
☐ 350 mm ☐ 360 mm ☐ 380 mm ☐ 390 mm			○
☐ 400 mm ☐ 410 mm ☐ 420 mm ☐ 430 mm			○
K - Height setting: Vari Hanger RH (options 0547, 0548 & 0549) - SEAT PAN TO FOOTPLATE			
Customized :			
☐ 370 mm			◆
☐ 270 mm ☐ 280 mm ☐ 290 mm ☐ 300 mm			○
☐ 310 mm ☐ 320 mm ☐ 330 mm ☐ 340 mm			○
☐ 350 mm ☐ 360 mm ☐ 380 mm ☐ 390 mm			○
☐ 400 mm ☐ 410 mm ☐ 420 mm ☐ 430 mm			○

REMOTES

LiNX primary remotes & brackets

ARO2203	☐	Remote LiNX DLX-REM211 = Drive & Actuators	NC : 2229, 2231, 2232, 2230, 2247, 2257, 2233, 2240, 2270, 2219, 2245	○
ARO2204	☐	Remote LiNX DLX-REM216 = Drive, Actuators & Lights	NC : 2229, 2231, 2232, 2230, 2247, 2257, 2233, 2240, 2270, 2219, 2245	○
ARO2205	☐	Rehab Remote LiNX, touch-screen user interface DLX-REM400		◆
ARO2206	☐	Rehab Remote LiNX without joystick for alternative access users DLX-REM500	NC : 2270	585,78

LiNX



REM211



REM216



REM400
Bluetooth®



REM500
Bluetooth®

Use mount/REM400 toggle option

ARO2270	☐	Assignable Toggle Switch Module for REM400 (DLX-SW400TGL) as default set to left: ON/OFF, right speed dial		350,49
---------	--------------------------	---	--	--------



2270

Use mount/Remote mounting position

ARO2107	☐	Standard Bracket RH	NC : 1404	○
ARO2108	☐	Standard Bracket LH	NC : 1405	○
ARO1707	☐	Swing Away Bracket RH	NC : 1404	◆
ARO1708	☐	Swing Away Bracket LH	NC : 1405	○
ARO1709	☐	Maxx resolve , swing away in/out - RH	NC : 1404	○
ARO1710	☐	Maxx resolve , swing away in/out - LH	NC : 1405	○
ARO2293	☐	Retractable inwards and outwards, multi-adjustable, right-positioned	NC : 1404	○
ARO2294	☐	Retractable inwards and outwards, multi-adjustable, left-positioned	NC : 1405	○
ARO2075	☐	Swing Away + height / width adjust. Mount on RH for user, Quad link design	NC : 1415	240,18
ARO2076	☐	Swing Away + height / width adjust. Mount on LH for user, Quad link design	NC : 1339	240,18
ARO2213	☐	Centre Mount, swing-away to RH, Nucleus	NC : 1404, 1405	811,31
ARO2214	☐	Centre Mount, swing-away to LH, Nucleus	NC : 1404, 1405	811,31
ARO2227	☐	Bracket RH, mounted for Attendant	NC : 2219, 2245	34,87
ARO2228	☐	Bracket LH, mounted for Attendant	NC : 2219, 2245	34,87
ARO2239	☐	Individual mounting option per request (Special)		On demand

NEW

LiNX REM500 (Display only) brackets

ARO2209	☐	Swing away RH, multi-adjustable	NC : 1404, 2311	◆
ARO2210	☐	Swing away LH, multi-adjustable	NC : 1405, 2310	○
PW-4005	☐	Option 2209/2210 avec tige de fixation pour REM500 rallongée de 200 mm		On demand
ARO2213	☐	Centre Mount, swing-away to RH, Nucleus	NC : 1404, 1405, 2310, 2311	811,31
ARO2214	☐	Centre Mount, swing-away to LH, Nucleus	NC : 1404, 1405, 2310, 2311	811,31
ARX2239	☐	Individual mounting option per request (Special)		On demand



2209

Dual control LiNX + brackets

ARO2219	☐	Compact Dual Control LiNX (DLX-ACU200)	NC : 1221, 1222, 2227, 2228	1 394,67
ARO2245	☐	Invacare LiNX IDC Dual control	NC : 1207, 1208, 2227, 2228, 2069	1 394,67
ARO1207	☐	Standard Bracket RH	NC : 2245	◆
ARO1208	☐	Standard Bracket LH	NC : 2245	○
ARO1221	☐	Bracket RH, detachable	NC : 2219	○
ARO1222	☐	Bracket LH, detachable	NC : 2219	○



2219
2245

If multiple joysticks are to be mounted on the center mount mount (2213/2214), select option 2215

Mo-Vis special controls - refer to the order sheet



LiNX - Compact remotes & brackets

ARO2231	☐	Proportional Compact Remote DLX-CR400		1 412,71
ARO2232	☐	Proportional Compact Remote Low Force DLX-CR-400LF		1 554,27
ARO2207	☐	RH Mount	NC : 1404	◆
ARO2208	☐	LH Mount	NC : 1405	○
ARO2213	☐	Centre Mount, swing-away to RH (Nucleus)	NC : 1404, 1405	811,31
ARO2214	☐	Centre Mount, swing-away to LH (Nucleus)	NC : 1404, 1405	811,31
ARX2215	☐	Individual mounting option per request (Special)		On demand



2231

ALTERNATIVE JOYSTICKS & INPUTS & BRACKETS

Head control ATOM technology

ARO2230	☐	Head Control with ultrasonic proximity sensors (ATOM, ASL104) with standard wings M3	NC : 2233, 2092, 2324, 2325, 2257, 2240	5 817,79
ARO2247	☐	Head Control with ultrasonic proximity sensors (PROTON, ASL104P) with PROTON wings	NC : 2233, 2092, 2324, 2325, 2257, 2240	5 817,79



Four-switch proximity array

ARO2257	☐	Four-Switch Proximity Array (ASL106)	NC : 2233, 2240	7 259,83
ARO2275	☐	Centre Mount, swing-away to RH, Nucleus		○
ARO2276	☐	Centre Mount, swing-away to LH, Nucleus		○
ARO2215	☐	Individual mounting option per request (Special)		On demand



LiNX - Proportional remotes / inputs & brackets

ARO2233	☐	MEC Proportional Joystick (Micro Extremity Control ASL130)	NC : 2240	5 817,79
ARO2235	☐	Tray Mount RH (ASL603, 100x150 mm)		○
ARO2236	☐	Tray Mount LH (ASL603, 100x150 mm)		○
ARO2213	☐	Centre Mount, swing-away to RH, Nucleus	NC : 1404, 1405	○
ARO2214	☐	Centre Mount, swing-away to LH, Nucleus	NC : 1404, 1405	○
ARO2241	☐	Centre Mount, swing-away to RH, Nucleus - Incl. Tray ASL603, 100x150 mm	NC : 1404, 1405	811,31
ARO2242	☐	Centre Mount, swing-away to LH, Nucleus - Incl. Tray ASL603, 100x150 mm		811,31
ARO2215	☐	Individual mounting option per request (Special)		On demand




LiNX - Enhanced proportional remotes / inputs & brackets

ARO2240	☐	Proportional Heavy Duty Remote Joystick w mode switch (ASL133)		3 417,07
ARO2235	☐	Tray Mount RH (ASL603, 100x150 mm)		○
ARO2236	☐	Tray Mount LH (ASL603, 100x150 mm)		○
ARO2213	☐	Centre Mount, swing-away to RH, Nucleus		○
ARO2214	☐	Centre Mount, swing-away to LH, Nucleus		○
ARO2241	☐	Centre Mount, swing-away to RH, Nucleus - Incl. Tray ASL603, 100x150 mm		811,31
ARO2242	☐	Centre Mount, swing-away to LH, Nucleus - Incl. Tray ASL603, 100x150 mm		811,31
ARO2215	☐	Individual mounting option per request (Special) - REQUIRES ADDITIONAL INFORMATION /		On demand




Pediatric compact

ARO2243	☐	Proportional Pediatric Compact (ASL132), includes Input Module		2 455,41
ARO2235	☐	Tray Mount RH (ASL603, 100x150 mm)		○
ARO2236	☐	Tray Mount LH (ASL603, 100x150 mm)		○
ARO2213	☐	Centre Mount, swing-away to RH, Nucleus		○
ARO2214	☐	Centre Mount, swing-away to LH, Nucleus		○
ARO2241	☐	Centre Mount, swing-away to RH, Nucleus - Incl. Tray ASL603, 100x150 mm		811,31
ARO2242	☐	Centre Mount, swing-away to LH, Nucleus - Incl. Tray ASL603, 100x150 mm		811,31
ARO2215	☐	Individual mounting option per request (Special) - REQUIRES ADDITIONAL INFORMATION /		On demand



Sip'n puff head control

ARO2255	☐	Sip'n Puff Head Control (ASL109), includes Input Module and Lip Switch (ASL 301 LIP)		6 933,70
---------	--------------------------	--	--	----------



Sip'n puff control & input module

ARO2256	☐	Sip'n Puff Control (including Sip'n Puff kit, Lip Switch ASL301LIP and Input module)		6 933,70
---------	--------------------------	--	--	----------

LiNX interface options (mounted & connected)

ARO2271	☐	Input Module DLX-IN500-A (sub D, Sip'n Puff)		522,32
---------	--------------------------	--	--	--------

LiNX 10-way switch (For alternative joystick: only on opposite side of joystick)

ARO2251	☐	10-Way Switch DLX-SW10-A for direct Powered Seating Access		546,73
ARO2217	☐	Bracket RH, mounted for user		○
ARO2218	☐	Bracket LH, mounted for user		○
ARO2226	☐	For attendant, mounted on back shroud		○
ARO2225	☐	Without mounting		○



Toggles/Buttons

ARO2263	☐	4-way button - direct control for tilt & recline		422,74
ARO2264	☐	4- way toggle - direct control for tilt & recline		422,74
ARO2207	☐	RH Mount		○
ARO2208	☐	LH Mount		○
ARO2225	☐	Without mounting		○



LiNX ACCESSORIES				
USB charger port				
ARO2253	☐	USB Charger Port DLX-USB02-A	NC : Bodypoint Belt	487,18
ARO2207	☐	RH Mount		○
ARO2208	☐	LH Mount		○
Output module				
ARO2272	☐	LiNX Output Module (DLX-OUT500)		609,21
Further LiNX components / accessories				
ARO2300	☐	To be enclosed only		○
ARX2301	☐	To be connected and programmed (Special)		On demand
Buddy buttons (diameter 63 mm)				
ARO1685	☐	Red Buddy Button		154,25
ARO1686	☐	Yellow Buddy Button		154,25
ARO1687	☐	Green Buddy Button		154,25
ARO1690	☐	Blue Buddy Button		154,25
Egg switch				
ARO2254	☐	Egg switch, black		122,03
Piko buttons (diameter: 30 mm)				
ARO1711	☐	Red Piko Button		154,25
ARO1712	☐	Yellow Piko Button		154,25
ARO1713	☐	Green Piko Button		154,25
ARO1714	☐	Orange Piko Button		154,25
ARO1715	☐	Blue Piko Button		154,25
ARO1716	☐	Black Piko Button		154,25
Bodypoint joystick knobs				
ARO2721	☐	3 inch U-Shaped, Joystick Handle, Bodypoint PC101A		103,00
ARO2722	☐	4 inch U-Shaped, Joystick Handle, Bodypoint PC102A		103,00
ARO2723	☐	Domed Rubber, Joystick Handle, Bodypoint PC107A		103,00
ARO2724	☐	Mushroom Grooved, Joystick Handle, Bodypoint PC110A		103,00
DRIVE UNIT DETAILS				
Shroud colours				
ARP2640	☐	Obsidian black		○
ARP2641	☐	Ruby red		○
ARP2642	☐	Purple Passion		○
ARP2643	☐	Peacock blue		○
ARP2644	☐	Artic blue		○
Rim insert colours				
ARP2650	☐	Obsidian black		○
ARP2651	☐	Ruby red		○
ARP2652	☐	Purple Passion		○
ARP2653	☐	Peacock blue		○
ARP2654	☐	Artic blue		○
PERFORMANCES				
Forks				
ARO2631	☐	Single sided fork (new) incl. black castor		411,02
ARO2632	☐	Double sided fork		◆
Centre / Drive wheels				
ARO0704	☐	14"x3" Black Tires, Pneumatic		◆
ARO0705	☐	14"x3" Black Tires, Solid tire		○
ARO0706	☐	14"x3" Black Tires Puncture Protect		○
Motor type / Speed options				
ARO1282	☐	OPS Drive 6 km/h (4-pole)		◆
ARO1283	☐	OPS Drive 10 km/h (4-pole)		○
ARO1223	☐	OPS Drive 10 km/h, programmable up to 12 km/h		○
Battery				
ARO1260	☐	73,5 Ah		◆
Charger				
ARO1313	☐	OptiCharge Charger 10A		◆
ARO1481	☐	Without charger		-95,00
GYROSCOPE				
G-Trac				
ARO1215	☐	G-Trac Module		1 122,75
POSITIONNING OPTIONS				
For Bodypoint accessories, please refer to Bodypoint specific pricelist				
OPTIONS				
Light				
ARO1437	☐	LED Light system with Indicators 30 Lux headlights		◆
ARO1254	☐	Without Light system		-669,75

Transportation kit			
ARO1450	☐	Preparation for DAHL-Docking station (Adequate headrest is compulsory)	○
Taxi hook			
ARO1494	☐	4-Point tie-down (Tested version for using wheelchair as a vehicle seat according to ISO 7176-19:2001) (Adequate headrest is compulsory)	◆
ARO1401	☐	6-Point tie-down (Tested version for using wheelchair as a vehicle seat according to ISO 7176-19)) required for variants with combined Lift & Tilt module (Adequate headrest is compulsory)	○
Lap belt			
ARO2113	☐	Lap Belt with Auto Lock (flexible mount in side rails)	◆
Bodypoint positioning belts (fasteners included)			
ARO2701	☐	Evoflex Pelvic Stabilizer, Rehab Latch - Size L	161,09
ARO2702	☐	Evoflex Pelvic Stabilizer, Rehab Latch - Size M	161,09
ARO2703	☐	2-Point Hip Belt, Ctr-Pull, Push Butt, Cinch-Mount - Size L	137,66
ARO2704	☐	2-Point Hip Belt, Ctr-Pull, Push Butt, Cinch-Mount - Size M	137,66
ARO2705	☐	2-Point Hip Belt, Dual-Pull, Side-Release Butt. Cinch-Mount - Size L	120,09
ARO2706	☐	2-Point Hip Belt, Dual-Pull, Side-Release Butt. Cinch-Mount - Size M	120,09
Rearview mirror			
ARX1415	☐	RH Mirror	72,24
ARX1339	☐	LH Mirror	72,24
Tray			
ARO1404	☐	Swing Away RH	518,42
ARO1405	☐	Swing Away LH	518,42
RAMPS			
1654128	☐	Basic ramp 2 telescopic parts in aluminum and non-slip coating. Folded dimensions: 1210 x 194 mm. 8.8 kg per pair - maximum capacity: 270 kg	402,84
1654129	☐	Quick2go Compact 3-part aluminum telescopic ramp with non-slip coating Folded dimensions: 870 x 237 mm 13.6 kg per pair - maximum capacity: 260 kg	805,69
1654130	☐	Aluminium folding mono ramp Folded dimensions: 1824 x 714 mm 13.9 kg - maximum capacity: 300 kg	426,54



DAHL
ENGINEERING



2701, 2702




2703, 2704



2705, 2706



1654128



1654129



1654130